

6000 series ball bearings: size chart

Searchable nominal dimensions from verified catalogue records

1,418 dimension rows | 1,418 distinct model records | FAG, KOYO, NACHI, NSK, NTN, SKF

Use the table

Choose the correct construction section, then use the PDF search for the complete designation. Compare the brand and all suffixes. Rows are ordered by inside, outside and axial dimensions, then brand and designation. Click a designation to open its existing BearingScope product record.

Read the symbols, not just three numbers

All numeric table entries are in millimetres. Preserve the printed symbol: an inner-ring bore, a roller-complement diameter, ring width and complete assembly height are different quantities. Section notes identify special construction and seat conditions.

Limits of this reference

This is an original BearingScope compilation, not a manufacturer manual, full technical datasheet, engineering drawing, CAD file or exhaustive standard-size schedule. Complete source-labelled dimension triples are included; incomplete or conflicting records are withheld. Equal nominal dimensions do not prove fit, performance, suffix equivalence or safe interchange.

Technical basis and data date

Values are retained manufacturer-catalogue facts from the matching FAG, KOYO, NACHI, NSK, NTN, SKF records. Product captures predate this edition; reviewed source snapshots were assembled on 2-3 October 2026. Each linked model record identifies its manufacturer. Primary-source addresses, collection dates and dimension-property evidence are retained privately. Explanations and layout are original; no installation limits, vehicle fitment, load ratings or tolerances are inferred.

Sections in this download

6000 designation series - 1,418 rows - page 2

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6000-C-2BRS-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2BRS-TVH-L178-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2BRS>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2HRS-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2HRS-L038-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2HRS-L038>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2HRS-L138-CM>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2HRS-L138>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2HRS-TVH-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2HRS>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2Z-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2Z-L038-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2Z-L038>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2Z-L069-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2Z-L138-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2Z-L138-CM>V	d = 10	D = 26	B = 8	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6000-C-2Z-L207>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-2Z>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-HRS-Z-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-HRS>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-Z-C3>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-Z-TVH>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C-Z>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-C>V	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-H-2RSR-C3>N	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-H-2RSR>N	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-H-2Z-C3>N	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-H-2Z>N	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-H-C3>N	d = 10	D = 26	B = 8	Deep groove ball bearing
FAG	6000-H>N	d = 10	D = 26	B = 8	Deep groove ball bearing
KOYO	6000	d = 10	D = 26	B = 8	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6000 2RD	d = 10	D = 26	B = 8	Deep groove ball bearing
KOYO	6000 2RS	d = 10	D = 26	B = 8	Deep groove ball bearing
KOYO	6000 2RU	d = 10	D = 26	B = 8	Deep groove ball bearing
KOYO	6000 ZZ	d = 10	D = 26	B = 8	Deep groove ball bearing
NACHI	6000	d = 10	D = 26	B = 8	Deep groove ball bearing
NACHI	6000-2NKE9	d = 10	D = 26	B = 8	Deep groove ball bearing
NACHI	6000-2NSE9	d = 10	D = 26	B = 8	Deep groove ball bearing
NACHI	6000NKE9	d = 10	D = 26	B = 8	Deep groove ball bearing
NACHI	6000NSE9	d = 10	D = 26	B = 8	Deep groove ball bearing
NACHI	6000ZE	d = 10	D = 26	B = 8	Deep groove ball bearing
NACHI	6000ZZE	d = 10	D = 26	B = 8	Deep groove ball bearing
NSK	6000	d = 10	D = 26	B = 8	Deep groove ball bearing
NSK	6000DDU	d = 10	D = 26	B = 8	Deep groove ball bearing
NSK	6000VV	d = 10	D = 26	B = 8	Deep groove ball bearing
NSK	6000ZZ	d = 10	D = 26	B = 8	Deep groove ball bearing
NTN	6000LU	d = 10	D = 26	B = 8	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NTN	6000Z	d = 10	D = 26	B = 8	Deep groove ball bearing
SKF	6000	d = 10	D = 26	B = 8	Deep groove ball bearing
SKF	6000-2RSH	d = 10	D = 26	B = 8	Deep groove ball bearing with seals
SKF	6000-2RSH/VA947	d = 10	D = 26	B = 8	SKF Food line deep groove ball bearing with seals
SKF	6000-2RSL	d = 10	D = 26	B = 8	Deep groove ball bearing with seals
SKF	6000-2RSLTN9/HC5C3WT	d = 10	D = 26	B = 8	Hybrid ceramic deep groove ball bearing with low-friction seals on both sides
SKF	6000-2Z	d = 10	D = 26	B = 8	Deep groove ball bearing with seals or shields
SKF	6000-RSH	d = 10	D = 26	B = 8	Deep groove ball bearing with seals
SKF	6000-RSL	d = 10	D = 26	B = 8	Deep groove ball bearing with seals
SKF	6000-Z	d = 10	D = 26	B = 8	Deep groove ball bearing with seals or shields
FAG	6001-C-2BRS-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2BRS-L091-C4>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2BRS>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2HRS-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2HRS-L038-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2HRS-L038>V	d = 12	D = 28	B = 8	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6001-C-2HRS-L069>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2HRS-L100-C4>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2HRS-L138-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2HRS-L138-CM>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2HRS-L138>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2HRS-L207-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2HRS-L207>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2HRS>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2Z-C2>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2Z-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2Z-L038-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2Z-L038>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2Z-L069-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2Z-L069>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2Z-L138-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2Z-L138>V	d = 12	D = 28	B = 8	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6001-C-2Z-L207>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2Z-TVH-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-2Z>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-C2>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-C4>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-H305-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-H305>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-HRS-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-HRS>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-TVH-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-Z-C3>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-Z-C4>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-Z-TVH>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C-Z>V	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-C>V	d = 12	D = 28	B = 8	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6001-H-2RSR-C3>N	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-H-2RSR>N	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-H-2Z-C3>N	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-H-2Z>N	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-H-C3>N	d = 12	D = 28	B = 8	Deep groove ball bearing
FAG	6001-H>N	d = 12	D = 28	B = 8	Deep groove ball bearing
KOYO	6001	d = 12	D = 28	B = 8	Deep groove ball bearing
KOYO	6001 2RD	d = 12	D = 28	B = 8	Deep groove ball bearing
KOYO	6001 2RS	d = 12	D = 28	B = 8	Deep groove ball bearing
KOYO	6001 2RU	d = 12	D = 28	B = 8	Deep groove ball bearing
KOYO	6001 ZZ	d = 12	D = 28	B = 8	Deep groove ball bearing
NACHI	6001	d = 12	D = 28	B = 8	Deep groove ball bearing
NACHI	6001-2NKE9	d = 12	D = 28	B = 8	Deep groove ball bearing
NACHI	6001-2NSE9	d = 12	D = 28	B = 8	Deep groove ball bearing
NACHI	6001NKE9	d = 12	D = 28	B = 8	Deep groove ball bearing
NACHI	6001NSE9	d = 12	D = 28	B = 8	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NACHI	6001ZE	d = 12	D = 28	B = 8	Deep groove ball bearing
NACHI	6001ZZE	d = 12	D = 28	B = 8	Deep groove ball bearing
NSK	6001	d = 12	D = 28	B = 8	Deep groove ball bearing
NSK	6001DDU	d = 12	D = 28	B = 8	Deep groove ball bearing
NSK	6001VV	d = 12	D = 28	B = 8	Deep groove ball bearing
NSK	6001ZZ	d = 12	D = 28	B = 8	Deep groove ball bearing
SKF	6001	d = 12	D = 28	B = 8	Deep groove ball bearing
SKF	6001-2RSH	d = 12	D = 28	B = 8	Deep groove ball bearing with seals
SKF	6001-2RSH/VA947	d = 12	D = 28	B = 8	SKF Food line deep groove ball bearing with seals
SKF	6001-2RSL	d = 12	D = 28	B = 8	Deep groove ball bearing with seals
SKF	6001-2RSLTN9/HC5C3WT	d = 12	D = 28	B = 8	Hybrid ceramic deep groove ball bearing with low-friction seals on both sides
SKF	6001-2Z	d = 12	D = 28	B = 8	Deep groove ball bearing with seals or shields
SKF	6001-RSH	d = 12	D = 28	B = 8	Deep groove ball bearing with seals
SKF	6001-Z	d = 12	D = 28	B = 8	Deep groove ball bearing with seals or shields
FAG	6002-C-2BRS-TVH-L178-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2HRS-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6002-C-2HRS-L038-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2HRS-L038>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2HRS-L207>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2HRS>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z-C2>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z-L038-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z-L038>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z-L069-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z-L069-CM>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z-L069>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z-L138-CM>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z-L207>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z-L237-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-2Z>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6002-C-HRS-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-HRS>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-L038-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-Z-C3>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-Z-TVH>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C-Z>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-C>V	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-H-2RSR-C3>N	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-H-2RSR>N	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-H-2Z-C3>N	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-H-2Z>N	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-H-C3>N	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-H-Z-C3>N	d = 15	D = 32	B = 9	Deep groove ball bearing
FAG	6002-H>N	d = 15	D = 32	B = 9	Deep groove ball bearing
KOYO	6002	d = 15	D = 32	B = 9	Deep groove ball bearing
KOYO	6002 2RD	d = 15	D = 32	B = 9	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6002 2RS	d = 15	D = 32	B = 9	Deep groove ball bearing
KOYO	6002 2RU	d = 15	D = 32	B = 9	Deep groove ball bearing
KOYO	6002 ZZ	d = 15	D = 32	B = 9	Deep groove ball bearing
NACHI	6002	d = 15	D = 32	B = 9	Deep groove ball bearing
NACHI	6002-2NKE9	d = 15	D = 32	B = 9	Deep groove ball bearing
NACHI	6002-2NSE9	d = 15	D = 32	B = 9	Deep groove ball bearing
NACHI	6002NKE9	d = 15	D = 32	B = 9	Deep groove ball bearing
NACHI	6002NSE9	d = 15	D = 32	B = 9	Deep groove ball bearing
NACHI	6002ZE	d = 15	D = 32	B = 9	Deep groove ball bearing
NACHI	6002ZZE	d = 15	D = 32	B = 9	Deep groove ball bearing
NSK	6002	d = 15	D = 32	B = 9	Deep groove ball bearing
NSK	6002DDU	d = 15	D = 32	B = 9	Deep groove ball bearing
NSK	6002VV	d = 15	D = 32	B = 9	Deep groove ball bearing
NSK	6002ZZ	d = 15	D = 32	B = 9	Deep groove ball bearing
SKF	6002	d = 15	D = 32	B = 9	Deep groove ball bearing
SKF	6002-2RSH	d = 15	D = 32	B = 9	Deep groove ball bearing with seals

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6002-2RSH/VA947	d = 15	D = 32	B = 9	SKF Food line deep groove ball bearing with seals
SKF	6002-2RSL	d = 15	D = 32	B = 9	Deep groove ball bearing with seals
SKF	6002-2RSLTN9/HC5C3WT	d = 15	D = 32	B = 9	Hybrid ceramic deep groove ball bearing with low-friction seals on both sides
SKF	6002-2Z	d = 15	D = 32	B = 9	Deep groove ball bearing with seals or shields
SKF	6002-RSH	d = 15	D = 32	B = 9	Deep groove ball bearing with seals
SKF	6002-RSL	d = 15	D = 32	B = 9	Deep groove ball bearing with seals
SKF	6002-Z	d = 15	D = 32	B = 9	Deep groove ball bearing with seals or shields
FAG	6003	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSD	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR-C2	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR-C3	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR-C4	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR-L038	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR-L038-C3	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR-L100-CM	d = 17	D = 35	B = 10	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6003-2RSR-L138-C2	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR-L138-CM	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR-L140	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR-L207	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2RSR-L207-C3	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2Z	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2Z-C2	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2Z-C3	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2Z-L038	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2Z-L038-C3	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2Z-L207	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2Z-L207-C3	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-2Z-L237-C3	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-C3	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-CM	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-H-2RSR-C3>N	d = 17	D = 35	B = 10	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6003-H-2RSR>N	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-H-2Z-C3>N	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-H-2Z>N	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-H-C3>N	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-H305	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-H>N	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-RSR	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-TVH	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-Z	d = 17	D = 35	B = 10	Deep groove ball bearing
FAG	6003-Z-C3	d = 17	D = 35	B = 10	Deep groove ball bearing
KOYO	6003	d = 17	D = 35	B = 10	Deep groove ball bearing
KOYO	6003 2RD	d = 17	D = 35	B = 10	Deep groove ball bearing
KOYO	6003 2RS	d = 17	D = 35	B = 10	Deep groove ball bearing
KOYO	6003 2RU	d = 17	D = 35	B = 10	Deep groove ball bearing
KOYO	6003 ZZ	d = 17	D = 35	B = 10	Deep groove ball bearing
NACHI	6003	d = 17	D = 35	B = 10	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NACHI	6003-2NKE9	d = 17	D = 35	B = 10	Deep groove ball bearing
NACHI	6003-2NSE9	d = 17	D = 35	B = 10	Deep groove ball bearing
NACHI	6003NKE9	d = 17	D = 35	B = 10	Deep groove ball bearing
NACHI	6003NSE9	d = 17	D = 35	B = 10	Deep groove ball bearing
NACHI	6003ZE	d = 17	D = 35	B = 10	Deep groove ball bearing
NACHI	6003ZZE	d = 17	D = 35	B = 10	Deep groove ball bearing
NSK	6003	d = 17	D = 35	B = 10	Deep groove ball bearing
NSK	6003DDU	d = 17	D = 35	B = 10	Deep groove ball bearing
NSK	6003VV	d = 17	D = 35	B = 10	Deep groove ball bearing
NSK	6003ZZ	d = 17	D = 35	B = 10	Deep groove ball bearing
SKF	6003	d = 17	D = 35	B = 10	Deep groove ball bearing
SKF	6003-2RSH	d = 17	D = 35	B = 10	Deep groove ball bearing with seals
SKF	6003-2RSH/VA947	d = 17	D = 35	B = 10	SKF Food line deep groove ball bearing with seals
SKF	6003-2RSL	d = 17	D = 35	B = 10	Deep groove ball bearing with seals
SKF	6003-2RSLTN9/HC5C3WT	d = 17	D = 35	B = 10	Hybrid ceramic deep groove ball bearing with low-friction seals on both sides
SKF	6003-2Z	d = 17	D = 35	B = 10	Deep groove ball bearing with seals or shields

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6003-2Z/VA201	d = 17	D = 35	B = 10	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6003-2Z/VA208	d = 17	D = 35	B = 10	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6003-RSH	d = 17	D = 35	B = 10	Deep groove ball bearing with seals
SKF	6003-RSL	d = 17	D = 35	B = 10	Deep groove ball bearing with seals
SKF	6003-Z	d = 17	D = 35	B = 10	Deep groove ball bearing with seals or shields
SKF	6003/VA201	d = 17	D = 35	B = 10	Deep groove ball bearing for high temperature applications
FAG	6004-C-2BRS-L091-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2BRS>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-C2>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-C4>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-L038-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-L038>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-L069>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-L100-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6004-C-2HRS-L100-C4>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-L138-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-L138-CM>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-L138>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-L207-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS-L207>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2HRS>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-C2>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-C4>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-L038-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-L038-C4>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-L038>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-L069-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-L138-C2>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-L138-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6004-C-2Z-L138-CM>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-L138>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-L207-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-L207>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-NR>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-TVH-C2>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z-TVH-L038-CM>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-2Z>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-C4>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-H305>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-HRS-C2>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-HRS-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-HRS>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-L138-C2>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-TVH-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6004-C-Z-C3>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C-Z>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-C>V	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-H-2RSR-C3>N	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-H-2RSR>N	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-H-2Z-C3>N	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-H-2Z>N	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-H-C3>N	d = 20	D = 42	B = 12	Deep groove ball bearing
FAG	6004-H>N	d = 20	D = 42	B = 12	Deep groove ball bearing
KOYO	6004	d = 20	D = 42	B = 12	Deep groove ball bearing
KOYO	6004 2RD	d = 20	D = 42	B = 12	Deep groove ball bearing
KOYO	6004 2RS	d = 20	D = 42	B = 12	Deep groove ball bearing
KOYO	6004 2RU	d = 20	D = 42	B = 12	Deep groove ball bearing
KOYO	6004 ZZ	d = 20	D = 42	B = 12	Deep groove ball bearing
KOYO	6004NR	d = 20	D = 42	B = 12	Deep groove ball bearing
KOYO	6004R	d = 20	D = 42	B = 12	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NACHI	6004	d = 20	D = 42	B = 12	Deep groove ball bearing
NACHI	6004-2NKE9	d = 20	D = 42	B = 12	Deep groove ball bearing
NACHI	6004-2NSE9	d = 20	D = 42	B = 12	Deep groove ball bearing
NACHI	6004NKE9	d = 20	D = 42	B = 12	Deep groove ball bearing
NACHI	6004NSE9	d = 20	D = 42	B = 12	Deep groove ball bearing
NACHI	6004ZE	d = 20	D = 42	B = 12	Deep groove ball bearing
NACHI	6004ZZE	d = 20	D = 42	B = 12	Deep groove ball bearing
NSK	6004	d = 20	D = 42	B = 12	Deep groove ball bearing
NSK	6004DDU	d = 20	D = 42	B = 12	Deep groove ball bearing
NSK	6004VV	d = 20	D = 42	B = 12	Deep groove ball bearing
NSK	6004ZZ	d = 20	D = 42	B = 12	Deep groove ball bearing
SKF	6004	d = 20	D = 42	B = 12	Deep groove ball bearing
SKF	6004 NR	d = 20	D = 42	B = 12	Deep groove ball bearing with snap ring
SKF	6004-2RSH	d = 20	D = 42	B = 12	Deep groove ball bearing with seals
SKF	6004-2RSH/VA947	d = 20	D = 42	B = 12	SKF Food line deep groove ball bearing with seals
SKF	6004-2RSL	d = 20	D = 42	B = 12	Deep groove ball bearing with seals

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6004-2RSLTN9/HC5C3WT	d = 20	D = 42	B = 12	Hybrid ceramic deep groove ball bearing with low-friction seals on both sides
SKF	6004-2Z	d = 20	D = 42	B = 12	Deep groove ball bearing with seals or shields
SKF	6004-2Z/VA201	d = 20	D = 42	B = 12	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6004-2Z/VA208	d = 20	D = 42	B = 12	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6004-2ZNR	d = 20	D = 42	B = 12	Deep groove ball bearing with snap ring and integral sealing
SKF	6004-RSH	d = 20	D = 42	B = 12	Deep groove ball bearing with seals
SKF	6004-RSL	d = 20	D = 42	B = 12	Deep groove ball bearing with seals
SKF	6004/VA201	d = 20	D = 42	B = 12	Deep groove ball bearing for high temperature applications
FAG	6005-C-2BRS>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2HRS-C2>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2HRS-C3>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2HRS-L038-C3>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2HRS-L038>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2HRS-L069>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2HRS-L138-C3>V	d = 25	D = 47	B = 12	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6005-C-2HRS-L207-C3>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2HRS>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2Z-C3>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2Z-L038-C2>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2Z-L038-C3>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2Z-L038>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2Z-L207-C3>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-2Z>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-C3>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-C4>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-HRS-C3>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-HRS>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-Z-C3>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C-Z>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-C>V	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-H-2RSR-C3>N	d = 25	D = 47	B = 12	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6005-H-2RSR>N	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-H-2Z-C3>N	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-H-2Z>N	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-H-C3>N	d = 25	D = 47	B = 12	Deep groove ball bearing
FAG	6005-H>N	d = 25	D = 47	B = 12	Deep groove ball bearing
KOYO	6005	d = 25	D = 47	B = 12	Deep groove ball bearing
KOYO	6005 2RD	d = 25	D = 47	B = 12	Deep groove ball bearing
KOYO	6005 2RS	d = 25	D = 47	B = 12	Deep groove ball bearing
KOYO	6005 2RU	d = 25	D = 47	B = 12	Deep groove ball bearing
KOYO	6005 ZZ	d = 25	D = 47	B = 12	Deep groove ball bearing
KOYO	6005NR	d = 25	D = 47	B = 12	Deep groove ball bearing
NACHI	6005	d = 25	D = 47	B = 12	Deep groove ball bearing
NACHI	6005-2NKE9	d = 25	D = 47	B = 12	Deep groove ball bearing
NACHI	6005-2NSE9	d = 25	D = 47	B = 12	Deep groove ball bearing
NACHI	6005NKE9	d = 25	D = 47	B = 12	Deep groove ball bearing
NACHI	6005NSE9	d = 25	D = 47	B = 12	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NACHI	6005ZE	d = 25	D = 47	B = 12	Deep groove ball bearing
NACHI	6005ZZE	d = 25	D = 47	B = 12	Deep groove ball bearing
NSK	6005	d = 25	D = 47	B = 12	Deep groove ball bearing
NSK	6005DDU	d = 25	D = 47	B = 12	Deep groove ball bearing
NSK	6005VV	d = 25	D = 47	B = 12	Deep groove ball bearing
NSK	6005ZZ	d = 25	D = 47	B = 12	Deep groove ball bearing
NTN	6005LU	d = 25	D = 47	B = 12	Deep groove ball bearing
SKF	6005	d = 25	D = 47	B = 12	Deep groove ball bearing
SKF	6005 NR	d = 25	D = 47	B = 12	Deep groove ball bearing with snap ring
SKF	6005-2RSH	d = 25	D = 47	B = 12	Deep groove ball bearing with seals
SKF	6005-2RSH/VA947	d = 25	D = 47	B = 12	SKF Food line deep groove ball bearing with seals
SKF	6005-2RSL	d = 25	D = 47	B = 12	Deep groove ball bearing with seals
SKF	6005-2RSLTN9/HC5C3WT	d = 25	D = 47	B = 12	Hybrid ceramic deep groove ball bearing with low-friction seals on both sides
SKF	6005-2Z	d = 25	D = 47	B = 12	Deep groove ball bearing with seals or shields
SKF	6005-2Z/VA201	d = 25	D = 47	B = 12	Deep groove ball bearing for high temperature applications with shields on both sides

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6005-2Z/VA208	d = 25	D = 47	B = 12	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6005-2ZNR	d = 25	D = 47	B = 12	Deep groove ball bearing with snap ring and integral sealing
SKF	6005-RSH	d = 25	D = 47	B = 12	Deep groove ball bearing with seals
SKF	6005-RSL	d = 25	D = 47	B = 12	Deep groove ball bearing with seals
SKF	6005-Z	d = 25	D = 47	B = 12	Deep groove ball bearing with seals or shields
SKF	6005/AXD	d = 25	D = 47	B = 12	Deep groove ball bearing
SKF	6005/VA201	d = 25	D = 47	B = 12	Deep groove ball bearing for high temperature applications
FAG	6006-C-2HRS-C3>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-2HRS-C4>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-2HRS-L038-C3>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-2HRS-L038>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-2HRS>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-2Z-C3>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-2Z-L038-C3>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-2Z-L038>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-2Z-L069-C3>V	d = 30	D = 55	B = 13	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6006-C-2Z>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-C3>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-Z-C3>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C-Z>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-C>V	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-H-2RSR-C3>N	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-H-2RSR>N	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-H-2Z-C3>N	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-H-2Z>N	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-H-C3>N	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6006-H>N	d = 30	D = 55	B = 13	Deep groove ball bearing
KOYO	6006	d = 30	D = 55	B = 13	Deep groove ball bearing
KOYO	6006 2RD	d = 30	D = 55	B = 13	Deep groove ball bearing
KOYO	6006 2RS	d = 30	D = 55	B = 13	Deep groove ball bearing
KOYO	6006 2RU	d = 30	D = 55	B = 13	Deep groove ball bearing
KOYO	6006 ZZ	d = 30	D = 55	B = 13	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6006NR	d = 30	D = 55	B = 13	Deep groove ball bearing
NACHI	6006	d = 30	D = 55	B = 13	Deep groove ball bearing
NACHI	6006-2NKE9	d = 30	D = 55	B = 13	Deep groove ball bearing
NACHI	6006-2NSE9	d = 30	D = 55	B = 13	Deep groove ball bearing
NACHI	6006NKE9	d = 30	D = 55	B = 13	Deep groove ball bearing
NACHI	6006NSE9	d = 30	D = 55	B = 13	Deep groove ball bearing
NACHI	6006ZE	d = 30	D = 55	B = 13	Deep groove ball bearing
NACHI	6006ZZE	d = 30	D = 55	B = 13	Deep groove ball bearing
NSK	6006	d = 30	D = 55	B = 13	Deep groove ball bearing
NSK	6006DDU	d = 30	D = 55	B = 13	Deep groove ball bearing
NSK	6006VV	d = 30	D = 55	B = 13	Deep groove ball bearing
NSK	6006ZZ	d = 30	D = 55	B = 13	Deep groove ball bearing
SKF	6006	d = 30	D = 55	B = 13	Deep groove ball bearing
SKF	6006 N	d = 30	D = 55	B = 13	Deep groove ball bearing with snap ring groove
SKF	6006-2RS1	d = 30	D = 55	B = 13	Deep groove ball bearing with seals or shields
SKF	6006-2RSF/GJN	d = 30	D = 55	B = 13	SKF Deep groove ball bearing for highly contaminated environments

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6006-2RZ	d = 30	D = 55	B = 13	Deep groove ball bearing with seals or shields
SKF	6006-2RZTN9/HC5C3WT	d = 30	D = 55	B = 13	Hybrid ceramic deep groove ball bearing with seals on both sides
SKF	6006-2Z	d = 30	D = 55	B = 13	Deep groove ball bearing with seals or shields
SKF	6006-2Z/VA208	d = 30	D = 55	B = 13	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6006-2ZTN9/HC5C3WT	d = 30	D = 55	B = 13	Hybrid ceramic deep groove ball bearing with shields
SKF	6006-RS1	d = 30	D = 55	B = 13	Deep groove ball bearing with seals or shields
SKF	6006-Z	d = 30	D = 55	B = 13	Deep groove ball bearing with seals or shields
SKF	6006/AXD	d = 30	D = 55	B = 13	Deep groove ball bearing
FAG	6007-C-2BRS>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-2HRS-C3>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-2HRS-L038-C3>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-2HRS-L038>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-2HRS-L069>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-2HRS>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-2Z-C3>V	d = 35	D = 62	B = 14	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6007-C-2Z-L038-C3>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-2Z-L038>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-2Z-L069-C3>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-2Z>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-C3>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-CM>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-HRS-C3>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-HRS>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C-Z>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-C>V	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-H-2RSR-C3>N	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-H-2RSR>N	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-H-2Z-C3>N	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-H-2Z>N	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-H-C3>N	d = 35	D = 62	B = 14	Deep groove ball bearing
FAG	6007-H>N	d = 35	D = 62	B = 14	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6007	d = 35	D = 62	B = 14	Deep groove ball bearing
KOYO	6007 2RD	d = 35	D = 62	B = 14	Deep groove ball bearing
KOYO	6007 2RS	d = 35	D = 62	B = 14	Deep groove ball bearing
KOYO	6007 2RU	d = 35	D = 62	B = 14	Deep groove ball bearing
KOYO	6007 ZZ	d = 35	D = 62	B = 14	Deep groove ball bearing
KOYO	6007NR	d = 35	D = 62	B = 14	Deep groove ball bearing
NACHI	6007	d = 35	D = 62	B = 14	Deep groove ball bearing
NACHI	6007-2NKE9	d = 35	D = 62	B = 14	Deep groove ball bearing
NACHI	6007-2NSE9	d = 35	D = 62	B = 14	Deep groove ball bearing
NACHI	6007NKE9	d = 35	D = 62	B = 14	Deep groove ball bearing
NACHI	6007NSE9	d = 35	D = 62	B = 14	Deep groove ball bearing
NACHI	6007ZE	d = 35	D = 62	B = 14	Deep groove ball bearing
NACHI	6007ZZE	d = 35	D = 62	B = 14	Deep groove ball bearing
NSK	6007	d = 35	D = 62	B = 14	Deep groove ball bearing
NSK	6007DDU	d = 35	D = 62	B = 14	Deep groove ball bearing
NSK	6007VV	d = 35	D = 62	B = 14	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NSK	6007ZZ	d = 35	D = 62	B = 14	Deep groove ball bearing
SKF	6007	d = 35	D = 62	B = 14	Deep groove ball bearing
SKF	6007 N	d = 35	D = 62	B = 14	Deep groove ball bearing with snap ring groove
SKF	6007 TN9/HC5C3	d = 35	D = 62	B = 14	Hybrid ceramic deep groove ball bearing
SKF	6007-2RS1	d = 35	D = 62	B = 14	Deep groove ball bearing with seals or shields
SKF	6007-2RS1TN9/HC5C3WT	d = 35	D = 62	B = 14	Hybrid ceramic deep groove ball bearing with seals on both sides
SKF	6007-2RSFTN9/C3GJN	d = 35	D = 62	B = 14	SKF Deep groove ball bearing for highly contaminated environments
SKF	6007-2RZ	d = 35	D = 62	B = 14	Deep groove ball bearing with seals or shields
SKF	6007-2RZTN9/HC5C3WT	d = 35	D = 62	B = 14	Hybrid ceramic deep groove ball bearing with seals on both sides
SKF	6007-2Z	d = 35	D = 62	B = 14	Deep groove ball bearing with seals or shields
SKF	6007-2ZTN9/HC5C3WT	d = 35	D = 62	B = 14	Hybrid ceramic deep groove ball bearing with shields
SKF	6007-RS1	d = 35	D = 62	B = 14	Deep groove ball bearing with seals or shields
SKF	6007-Z	d = 35	D = 62	B = 14	Deep groove ball bearing with seals or shields
SKF	6007/AXD	d = 35	D = 62	B = 14	Deep groove ball bearing
SKF	6007/HC5C3	d = 35	D = 62	B = 14	Hybrid ceramic deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6008	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2RSR	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2RSR-C3	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2RSR-C4	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2RSR-L038	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2RSR-L038-C3	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2RSR-L207	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2RSR-L207-C3	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2Z	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2Z-C3	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2Z-L038	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2Z-L038-C3	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2Z-L138	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2Z-L207	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-2Z-L207-C3	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-C-2Z-L138-CM	d = 40	D = 68	B = 15	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6008-C3	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-C4	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-H-2RSR-C3>N	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-H-2RSR>N	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-H-2Z-C3>N	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-H-2Z>N	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-H-C3>N	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-H>N	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-N	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-NR	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-RSD-TVH-L207-C3	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-RSR	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-RSR-C3	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-Z	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6008-Z-C3	d = 40	D = 68	B = 15	Deep groove ball bearing
KOYO	6008	d = 40	D = 68	B = 15	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6008 2RD	d = 40	D = 68	B = 15	Deep groove ball bearing
KOYO	6008 2RS	d = 40	D = 68	B = 15	Deep groove ball bearing
KOYO	6008 2RU	d = 40	D = 68	B = 15	Deep groove ball bearing
KOYO	6008 ZZ	d = 40	D = 68	B = 15	Deep groove ball bearing
KOYO	6008NR	d = 40	D = 68	B = 15	Deep groove ball bearing
NACHI	6008	d = 40	D = 68	B = 15	Deep groove ball bearing
NACHI	6008-2NKE9	d = 40	D = 68	B = 15	Deep groove ball bearing
NACHI	6008-2NSE9	d = 40	D = 68	B = 15	Deep groove ball bearing
NACHI	6008NKE9	d = 40	D = 68	B = 15	Deep groove ball bearing
NACHI	6008NSE9	d = 40	D = 68	B = 15	Deep groove ball bearing
NACHI	6008ZE	d = 40	D = 68	B = 15	Deep groove ball bearing
NACHI	6008ZZE	d = 40	D = 68	B = 15	Deep groove ball bearing
NSK	6008	d = 40	D = 68	B = 15	Deep groove ball bearing
NSK	6008DDU	d = 40	D = 68	B = 15	Deep groove ball bearing
NSK	6008VV	d = 40	D = 68	B = 15	Deep groove ball bearing
NSK	6008ZZ	d = 40	D = 68	B = 15	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6008	d = 40	D = 68	B = 15	Deep groove ball bearing
SKF	6008 NR	d = 40	D = 68	B = 15	Deep groove ball bearing with snap ring
SKF	6008-2RS1	d = 40	D = 68	B = 15	Deep groove ball bearing with seals or shields
SKF	6008-2RSF/C3GJN	d = 40	D = 68	B = 15	SKF Deep groove ball bearing for highly contaminated environments
SKF	6008-2RZTN9/HC5C3WT	d = 40	D = 68	B = 15	Hybrid ceramic deep groove ball bearing with seals on both sides
SKF	6008-2Z	d = 40	D = 68	B = 15	Deep groove ball bearing with seals or shields
SKF	6008-2Z/VA208	d = 40	D = 68	B = 15	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6008-RS1	d = 40	D = 68	B = 15	Deep groove ball bearing with seals or shields
SKF	6008-Z	d = 40	D = 68	B = 15	Deep groove ball bearing with seals or shields
SKF	6008/AXD	d = 40	D = 68	B = 15	Deep groove ball bearing
FAG	6009	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR-C4	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR-L038	d = 45	D = 75	B = 16	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6009-2RSR-L038-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR-L140-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR-L195	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR-L195-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR-L207	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR-L207-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR-NR	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2RSR-NR-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2Z	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2Z-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2Z-L038	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2Z-L038-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2Z-L069-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2Z-L138	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2Z-L207	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-2Z-L207-C3	d = 45	D = 75	B = 16	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6009-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-C4	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-CM	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-H-2RSR-C3>N	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-H-2RSR>N	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-H-2Z-C3>N	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-H-2Z>N	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-H-C3>N	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-H>N	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-NR	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-RSR	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-RSR-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-Z	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6009-Z-C3	d = 45	D = 75	B = 16	Deep groove ball bearing
KOYO	6009	d = 45	D = 75	B = 16	Deep groove ball bearing
KOYO	6009 2RD	d = 45	D = 75	B = 16	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6009 2RS	d = 45	D = 75	B = 16	Deep groove ball bearing
KOYO	6009 2RU	d = 45	D = 75	B = 16	Deep groove ball bearing
KOYO	6009 ZZ	d = 45	D = 75	B = 16	Deep groove ball bearing
KOYO	6009NR	d = 45	D = 75	B = 16	Deep groove ball bearing
NACHI	6009	d = 45	D = 75	B = 16	Deep groove ball bearing
NACHI	6009-2NKE9	d = 45	D = 75	B = 16	Deep groove ball bearing
NACHI	6009-2NSE9	d = 45	D = 75	B = 16	Deep groove ball bearing
NACHI	6009NKE9	d = 45	D = 75	B = 16	Deep groove ball bearing
NACHI	6009NSE9	d = 45	D = 75	B = 16	Deep groove ball bearing
NACHI	6009ZE	d = 45	D = 75	B = 16	Deep groove ball bearing
NACHI	6009ZZE	d = 45	D = 75	B = 16	Deep groove ball bearing
NSK	6009	d = 45	D = 75	B = 16	Deep groove ball bearing
NSK	6009DDU	d = 45	D = 75	B = 16	Deep groove ball bearing
NSK	6009VV	d = 45	D = 75	B = 16	Deep groove ball bearing
NSK	6009ZZ	d = 45	D = 75	B = 16	Deep groove ball bearing
SKF	6009	d = 45	D = 75	B = 16	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6009 NR	d = 45	D = 75	B = 16	Deep groove ball bearing with snap ring
SKF	6009-2RS1	d = 45	D = 75	B = 16	Deep groove ball bearing with seals or shields
SKF	6009-2Z	d = 45	D = 75	B = 16	Deep groove ball bearing with seals or shields
SKF	6009-2ZTN9/HC5C3WT	d = 45	D = 75	B = 16	Hybrid ceramic deep groove ball bearing with shields
SKF	6009-RS1	d = 45	D = 75	B = 16	Deep groove ball bearing with seals or shields
SKF	6009-Z	d = 45	D = 75	B = 16	Deep groove ball bearing with seals or shields
SKF	6009/AXD	d = 45	D = 75	B = 16	Deep groove ball bearing
FAG	6010	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2RSR	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2RSR-C2	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2RSR-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2RSR-L038	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2RSR-L038-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2RSR-L138-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2RSR-L140-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2RSR-L195	d = 50	D = 80	B = 16	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6010-2RSR-L207	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2Z	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2Z-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2Z-L038	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2Z-L038-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2Z-L069-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2Z-L138	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2Z-L207	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2Z-L207-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-2Z-L207-C4	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-C2	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-C4	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-H-2RSR-C3>N	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-H-2RSR>N	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-H-2Z-C3>N	d = 50	D = 80	B = 16	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6010-H-2Z>N	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-H-C3>N	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-H>N	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-M	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-M-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-NR	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-RSR	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-RSR-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-Z	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6010-Z-C3	d = 50	D = 80	B = 16	Deep groove ball bearing
KOYO	6010	d = 50	D = 80	B = 16	Deep groove ball bearing
KOYO	6010 2RD	d = 50	D = 80	B = 16	Deep groove ball bearing
KOYO	6010 2RS	d = 50	D = 80	B = 16	Deep groove ball bearing
KOYO	6010 2RU	d = 50	D = 80	B = 16	Deep groove ball bearing
KOYO	6010 ZZ	d = 50	D = 80	B = 16	Deep groove ball bearing
KOYO	6010NR	d = 50	D = 80	B = 16	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NACHI	6010	d = 50	D = 80	B = 16	Deep groove ball bearing
NACHI	6010-2NKE9	d = 50	D = 80	B = 16	Deep groove ball bearing
NACHI	6010-2NSE9	d = 50	D = 80	B = 16	Deep groove ball bearing
NACHI	6010NKE9	d = 50	D = 80	B = 16	Deep groove ball bearing
NACHI	6010NSE9	d = 50	D = 80	B = 16	Deep groove ball bearing
NACHI	6010ZE	d = 50	D = 80	B = 16	Deep groove ball bearing
NACHI	6010ZZE	d = 50	D = 80	B = 16	Deep groove ball bearing
NSK	6010	d = 50	D = 80	B = 16	Deep groove ball bearing
NSK	6010DDU	d = 50	D = 80	B = 16	Deep groove ball bearing
NSK	6010VV	d = 50	D = 80	B = 16	Deep groove ball bearing
NSK	6010ZZ	d = 50	D = 80	B = 16	Deep groove ball bearing
SKF	6010	d = 50	D = 80	B = 16	Deep groove ball bearing
SKF	6010 N	d = 50	D = 80	B = 16	Deep groove ball bearing with snap ring groove
SKF	6010 NR	d = 50	D = 80	B = 16	Deep groove ball bearing with snap ring
SKF	6010-2RS1	d = 50	D = 80	B = 16	Deep groove ball bearing with seals or shields
SKF	6010-2Z	d = 50	D = 80	B = 16	Deep groove ball bearing with seals or shields

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6010-2Z/HC5C3WT	d = 50	D = 80	B = 16	Hybrid ceramic deep groove ball bearing with shields
SKF	6010-2Z/VA208	d = 50	D = 80	B = 16	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6010-2ZTN9/HC5C3WT	d = 50	D = 80	B = 16	Hybrid ceramic deep groove ball bearing with shields
SKF	6010-RS1	d = 50	D = 80	B = 16	Deep groove ball bearing with seals or shields
SKF	6010-Z	d = 50	D = 80	B = 16	Deep groove ball bearing with seals or shields
SKF	6010/AXD	d = 50	D = 80	B = 16	Deep groove ball bearing
FAG	6011	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2RSR	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2RSR-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2RSR-L038	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2RSR-L038-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2RSR-L055-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2RSR-L140	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2RSR-L140-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2RSR-L140-C4	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2Z	d = 55	D = 90	B = 18	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6011-2Z-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2Z-L038	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2Z-L038-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2Z-L069-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2Z-L140	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-2Z-L140-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-C4	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-H-2RSR-C3>N	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-H-2RSR>N	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-H-2Z-C3>N	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-H-2Z>N	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-H-C3>N	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-H>N	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-M	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-M-C3	d = 55	D = 90	B = 18	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6011-N	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-NR	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-RSR	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-RSR-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-Z	d = 55	D = 90	B = 18	Deep groove ball bearing
FAG	6011-Z-C3	d = 55	D = 90	B = 18	Deep groove ball bearing
KOYO	6011	d = 55	D = 90	B = 18	Deep groove ball bearing
KOYO	6011 2RD	d = 55	D = 90	B = 18	Deep groove ball bearing
KOYO	6011 2RS	d = 55	D = 90	B = 18	Deep groove ball bearing
KOYO	6011 2RU	d = 55	D = 90	B = 18	Deep groove ball bearing
KOYO	6011 ZZ	d = 55	D = 90	B = 18	Deep groove ball bearing
KOYO	6011NR	d = 55	D = 90	B = 18	Deep groove ball bearing
NSK	6011	d = 55	D = 90	B = 18	Deep groove ball bearing
NSK	6011DDU	d = 55	D = 90	B = 18	Deep groove ball bearing
NSK	6011VV	d = 55	D = 90	B = 18	Deep groove ball bearing
NSK	6011ZZ	d = 55	D = 90	B = 18	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6011	d = 55	D = 90	B = 18	Deep groove ball bearing
SKF	6011 NR	d = 55	D = 90	B = 18	Deep groove ball bearing with snap ring
SKF	6011-2RS1	d = 55	D = 90	B = 18	Deep groove ball bearing with seals or shields
SKF	6011-2Z	d = 55	D = 90	B = 18	Deep groove ball bearing with seals or shields
SKF	6011-2Z/VA208	d = 55	D = 90	B = 18	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6011-RS1	d = 55	D = 90	B = 18	Deep groove ball bearing with seals or shields
SKF	6011-Z	d = 55	D = 90	B = 18	Deep groove ball bearing with seals or shields
SKF	6011/AXD	d = 55	D = 90	B = 18	Deep groove ball bearing
SKF	6011/HC5C3	d = 55	D = 90	B = 18	Hybrid ceramic deep groove ball bearing
FAG	6012	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2RSR	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2RSR-C2	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2RSR-C3	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2RSR-L038	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2RSR-L038-C3	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2RSR-L138-C3	d = 60	D = 95	B = 18	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6012-2RSR-L140	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2RSR-L140-C3	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2Z	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2Z-C3	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2Z-L038	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2Z-L038-C3	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2Z-L069-C3	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2Z-L138	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2Z-L140	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-2Z-L140-C3	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-C2	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-C3	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-C4	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-H-2RSR-SN-C3>N	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-H-2RSR-SN>N	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-H-2Z-SN-C3>N	d = 60	D = 95	B = 18	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6012-H-2Z-SN>N	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-H-SN-C3>N	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-H-SN>N	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-M	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-M-C3	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-NR	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-RSR	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-Z	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6012-Z-C3	d = 60	D = 95	B = 18	Deep groove ball bearing
KOYO	6012	d = 60	D = 95	B = 18	Deep groove ball bearing
KOYO	6012 2RS	d = 60	D = 95	B = 18	Deep groove ball bearing
KOYO	6012 2RU	d = 60	D = 95	B = 18	Deep groove ball bearing
KOYO	6012 ZZ	d = 60	D = 95	B = 18	Deep groove ball bearing
KOYO	6012NR	d = 60	D = 95	B = 18	Deep groove ball bearing
NSK	6012	d = 60	D = 95	B = 18	Deep groove ball bearing
NSK	6012DDU	d = 60	D = 95	B = 18	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NSK	6012VV	d = 60	D = 95	B = 18	Deep groove ball bearing
NSK	6012ZZ	d = 60	D = 95	B = 18	Deep groove ball bearing
SKF	6012	d = 60	D = 95	B = 18	Deep groove ball bearing
SKF	6012 M/C4VL0241	d = 60	D = 95	B = 18	INSOCOAT® deep groove ball bearing
SKF	6012 M/HC5C4	d = 60	D = 95	B = 18	Hybrid ceramic deep groove ball bearing
SKF	6012 NR	d = 60	D = 95	B = 18	Deep groove ball bearing with snap ring
SKF	6012-2RS1	d = 60	D = 95	B = 18	Deep groove ball bearing with seals or shields
SKF	6012-2RZ	d = 60	D = 95	B = 18	Deep groove ball bearing with seals or shields
SKF	6012-2RZ/HC5C3WT	d = 60	D = 95	B = 18	Hybrid ceramic deep groove ball bearing with seals on both sides
SKF	6012-2Z	d = 60	D = 95	B = 18	Deep groove ball bearing with seals or shields
SKF	6012-RS1	d = 60	D = 95	B = 18	Deep groove ball bearing with seals or shields
SKF	6012-Z	d = 60	D = 95	B = 18	Deep groove ball bearing with seals or shields
SKF	6012/AXD	d = 60	D = 95	B = 18	Deep groove ball bearing
FAG	6013	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2RSR	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2RSR-C3	d = 65	D = 100	B = 18	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6013-2RSR-C4	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2RSR-L038	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2RSR-L038-C3	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2RSR-L140	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2RSR-L140-C3	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2RSR-L140-C4	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2Z	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2Z-C3	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2Z-L038	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2Z-L038-C3	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2Z-L069-C3	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-2Z-L140	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-C2	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-C3	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-C4	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-H-2RSR-SN-C3>N	d = 65	D = 100	B = 18	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6013-H-2RSR-SN>N	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-H-2Z-SN-C3>N	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-H-2Z-SN>N	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-H-SN-C3>N	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-H-SN>N	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-M	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-M-C3	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-N	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-NR	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-RSR	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-Z	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6013-Z-C3	d = 65	D = 100	B = 18	Deep groove ball bearing
KOYO	6013	d = 65	D = 100	B = 18	Deep groove ball bearing
KOYO	6013 2RS	d = 65	D = 100	B = 18	Deep groove ball bearing
KOYO	6013 2RU	d = 65	D = 100	B = 18	Deep groove ball bearing
KOYO	6013 ZZ	d = 65	D = 100	B = 18	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6013NR	d = 65	D = 100	B = 18	Deep groove ball bearing
NSK	6013	d = 65	D = 100	B = 18	Deep groove ball bearing
NSK	6013DDU	d = 65	D = 100	B = 18	Deep groove ball bearing
NSK	6013VV	d = 65	D = 100	B = 18	Deep groove ball bearing
NSK	6013ZZ	d = 65	D = 100	B = 18	Deep groove ball bearing
SKF	6013	d = 65	D = 100	B = 18	Deep groove ball bearing
SKF	6013 M	d = 65	D = 100	B = 18	Deep groove ball bearing
SKF	6013 M/HC5C4HS0	d = 65	D = 100	B = 18	Hybrid ceramic deep groove ball bearing
SKF	6013 NR	d = 65	D = 100	B = 18	Deep groove ball bearing with snap ring
SKF	6013-2RS1	d = 65	D = 100	B = 18	Deep groove ball bearing with seals or shields
SKF	6013-2Z	d = 65	D = 100	B = 18	Deep groove ball bearing with seals or shields
SKF	6013-RS1	d = 65	D = 100	B = 18	Deep groove ball bearing with seals or shields
SKF	6013-Z	d = 65	D = 100	B = 18	Deep groove ball bearing with seals or shields
SKF	6013/AXD	d = 65	D = 100	B = 18	Deep groove ball bearing
FAG	6014	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2RSR	d = 70	D = 110	B = 20	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6014-2RSR-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2RSR-C4	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2RSR-L038	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2RSR-L038-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2RSR-L100-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2RSR-L207	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2RSR-L237-C4	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2Z	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2Z-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2Z-L038	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2Z-L038-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2Z-L069-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2Z-L140	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2Z-L140-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-2Z-L207	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-C2	d = 70	D = 110	B = 20	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6014-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-C4	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-H-2RSR-SN-C3>N	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-H-2RSR-SN>N	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-H-2Z-SN-C3>N	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-H-2Z-SN>N	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-H-SN-C3>N	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-H-SN>N	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-M	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-M-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-M-C4	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-N	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-N-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-NR	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-RSR	d = 70	D = 110	B = 20	Deep groove ball bearing
FAG	6014-Z	d = 70	D = 110	B = 20	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6014-Z-C3	d = 70	D = 110	B = 20	Deep groove ball bearing
KOYO	6014	d = 70	D = 110	B = 20	Deep groove ball bearing
KOYO	6014 2RS	d = 70	D = 110	B = 20	Deep groove ball bearing
KOYO	6014 2RU	d = 70	D = 110	B = 20	Deep groove ball bearing
KOYO	6014 ZZ	d = 70	D = 110	B = 20	Deep groove ball bearing
KOYO	6014NR	d = 70	D = 110	B = 20	Deep groove ball bearing
NSK	6014	d = 70	D = 110	B = 20	Deep groove ball bearing
NSK	6014DDU	d = 70	D = 110	B = 20	Deep groove ball bearing
NSK	6014VV	d = 70	D = 110	B = 20	Deep groove ball bearing
NSK	6014ZZ	d = 70	D = 110	B = 20	Deep groove ball bearing
SKF	6014	d = 70	D = 110	B = 20	Deep groove ball bearing
SKF	6014 M	d = 70	D = 110	B = 20	Deep groove ball bearing
SKF	6014 M/HC5C4	d = 70	D = 110	B = 20	Hybrid ceramic deep groove ball bearing
SKF	6014 NR	d = 70	D = 110	B = 20	Deep groove ball bearing with snap ring
SKF	6014-2RS1	d = 70	D = 110	B = 20	Deep groove ball bearing with seals or shields
SKF	6014-2Z	d = 70	D = 110	B = 20	Deep groove ball bearing with seals or shields

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6014-RS1	d = 70	D = 110	B = 20	Deep groove ball bearing with seals or shields
SKF	6014-Z	d = 70	D = 110	B = 20	Deep groove ball bearing with seals or shields
SKF	6014/AXD	d = 70	D = 110	B = 20	Deep groove ball bearing
SKF	6014/HC5C3	d = 70	D = 110	B = 20	Hybrid ceramic deep groove ball bearing
FAG	6015	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2RSR	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2RSR-C2	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2RSR-C3	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2RSR-L038	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2RSR-L140	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2RSR-L140-C3	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2RSR-L140-C4	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2Z	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2Z-C3	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2Z-L069-C3	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-2Z-L140	d = 75	D = 115	B = 20	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6015-2Z-L140-C3	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-C3	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-C4	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-H-2RSR-SN-C3>N	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-H-2RSR-SN>N	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-H-2Z-SN-C3>N	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-H-2Z-SN>N	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-H-SN-C3>N	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-H-SN>N	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-M	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-M-C3	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-M-C4	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-N	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-NR	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-RSR	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6015-Z	d = 75	D = 115	B = 20	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6015	d = 75	D = 115	B = 20	Deep groove ball bearing
KOYO	6015 2RS	d = 75	D = 115	B = 20	Deep groove ball bearing
KOYO	6015 2RU	d = 75	D = 115	B = 20	Deep groove ball bearing
KOYO	6015 ZZ	d = 75	D = 115	B = 20	Deep groove ball bearing
KOYO	6015NR	d = 75	D = 115	B = 20	Deep groove ball bearing
NSK	6015	d = 75	D = 115	B = 20	Deep groove ball bearing
NSK	6015DDU	d = 75	D = 115	B = 20	Deep groove ball bearing
NSK	6015VV	d = 75	D = 115	B = 20	Deep groove ball bearing
NSK	6015ZZ	d = 75	D = 115	B = 20	Deep groove ball bearing
SKF	6015	d = 75	D = 115	B = 20	Deep groove ball bearing
SKF	6015 M	d = 75	D = 115	B = 20	Deep groove ball bearing
SKF	6015 M/HC5C3	d = 75	D = 115	B = 20	Hybrid ceramic deep groove ball bearing
SKF	6015 M/HC5C4S0	d = 75	D = 115	B = 20	Hybrid ceramic deep groove ball bearing
SKF	6015 N	d = 75	D = 115	B = 20	Deep groove ball bearing with snap ring groove
SKF	6015 NR	d = 75	D = 115	B = 20	Deep groove ball bearing with snap ring
SKF	6015-2RS1	d = 75	D = 115	B = 20	Deep groove ball bearing with seals or shields

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6015-2Z	d = 75	D = 115	B = 20	Deep groove ball bearing with seals or shields
SKF	6015-RS1	d = 75	D = 115	B = 20	Deep groove ball bearing with seals or shields
SKF	6015-Z	d = 75	D = 115	B = 20	Deep groove ball bearing with seals or shields
SKF	6015/AXD	d = 75	D = 115	B = 20	Deep groove ball bearing
FAG	6016	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-2RSR	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-2RSR-C3	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-2RSR-L140	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-2Z	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-2Z-C3	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-2Z-L069-C3	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-2Z-L140	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-2Z-L140-C3	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-C2	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-C3	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-C4	d = 80	D = 125	B = 22	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6016-H-2RSR-SN-C3>N	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-H-2RSR-SN>N	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-H-2Z-SN-C3>N	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-H-2Z-SN>N	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-H-SN-C3>N	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-H-SN>N	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-M	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-M-C3	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-M-C4	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-N	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-N-C3	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-RSR	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-Z	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6016-Z-C3	d = 80	D = 125	B = 22	Deep groove ball bearing
KOYO	6016	d = 80	D = 125	B = 22	Deep groove ball bearing
KOYO	6016 2RS	d = 80	D = 125	B = 22	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6016 2RU	d = 80	D = 125	B = 22	Deep groove ball bearing
KOYO	6016 ZZ	d = 80	D = 125	B = 22	Deep groove ball bearing
KOYO	6016NR	d = 80	D = 125	B = 22	Deep groove ball bearing
NSK	6016	d = 80	D = 125	B = 22	Deep groove ball bearing
NSK	6016DDU	d = 80	D = 125	B = 22	Deep groove ball bearing
NSK	6016VV	d = 80	D = 125	B = 22	Deep groove ball bearing
NSK	6016ZZ	d = 80	D = 125	B = 22	Deep groove ball bearing
SKF	6016	d = 80	D = 125	B = 22	Deep groove ball bearing
SKF	6016 M/HCS65HS0VG319	d = 80	D = 125	B = 22	Hybrid ceramic deep groove ball bearing
SKF	6016 NR	d = 80	D = 125	B = 22	Deep groove ball bearing with snap ring
SKF	6016-2RS1	d = 80	D = 125	B = 22	Deep groove ball bearing with seals or shields
SKF	6016-2Z	d = 80	D = 125	B = 22	Deep groove ball bearing with seals or shields
SKF	6016-RS1	d = 80	D = 125	B = 22	Deep groove ball bearing with seals or shields
SKF	6016-Z	d = 80	D = 125	B = 22	Deep groove ball bearing with seals or shields
SKF	6016/AXD	d = 80	D = 125	B = 22	Deep groove ball bearing
FAG	6017	d = 85	D = 130	B = 22	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6017-2RSR	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-2RSR-C3	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-2Z	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-2Z-C3	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-C3	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-C4	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-H-2RSR-SN-C3>N	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-H-2RSR-SN>N	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-H-2Z-SN-C3>N	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-H-2Z-SN>N	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-H-SN-C3>N	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-H-SN>N	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-M	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-M-C3	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-N	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-N-C3	d = 85	D = 130	B = 22	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6017-NR	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-Z	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6017-Z-C3	d = 85	D = 130	B = 22	Deep groove ball bearing
KOYO	6017	d = 85	D = 130	B = 22	Deep groove ball bearing
KOYO	6017 2RS	d = 85	D = 130	B = 22	Deep groove ball bearing
KOYO	6017 2RU	d = 85	D = 130	B = 22	Deep groove ball bearing
KOYO	6017 ZZ	d = 85	D = 130	B = 22	Deep groove ball bearing
KOYO	6017NR	d = 85	D = 130	B = 22	Deep groove ball bearing
NSK	6017	d = 85	D = 130	B = 22	Deep groove ball bearing
NSK	6017DDU	d = 85	D = 130	B = 22	Deep groove ball bearing
NSK	6017VV	d = 85	D = 130	B = 22	Deep groove ball bearing
NSK	6017ZZ	d = 85	D = 130	B = 22	Deep groove ball bearing
SKF	6017	d = 85	D = 130	B = 22	Deep groove ball bearing
SKF	6017 NR	d = 85	D = 130	B = 22	Deep groove ball bearing with snap ring
SKF	6017-2RS1	d = 85	D = 130	B = 22	Deep groove ball bearing with seals or shields
SKF	6017-2Z	d = 85	D = 130	B = 22	Deep groove ball bearing with seals or shields

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6017-RS1	d = 85	D = 130	B = 22	Deep groove ball bearing with seals or shields
SKF	6017-Z	d = 85	D = 130	B = 22	Deep groove ball bearing with seals or shields
SKF	6017/AXD	d = 85	D = 130	B = 22	Deep groove ball bearing
FAG	6018	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-2RSR	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-2RSR-C3	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-2RSR-C4	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-2Z	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-2Z-C3	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-2Z-C4	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-C2	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-C3	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-C4	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-H-2RSR-SN-C3>N	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-H-2RSR-SN>N	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-H-2Z-SN-C3>N	d = 90	D = 140	B = 24	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6018-H-2Z-SN>N	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-H-SN-C3>N	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-H-SN>N	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-M	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-M-C3	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-M-C4	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-N	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-Z	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6018-Z-C3	d = 90	D = 140	B = 24	Deep groove ball bearing
KOYO	6018	d = 90	D = 140	B = 24	Deep groove ball bearing
KOYO	6018 2RS	d = 90	D = 140	B = 24	Deep groove ball bearing
KOYO	6018 2RU	d = 90	D = 140	B = 24	Deep groove ball bearing
KOYO	6018 ZZ	d = 90	D = 140	B = 24	Deep groove ball bearing
KOYO	6018NR	d = 90	D = 140	B = 24	Deep groove ball bearing
NSK	6018	d = 90	D = 140	B = 24	Deep groove ball bearing
NSK	6018DDU	d = 90	D = 140	B = 24	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NSK	6018VV	d = 90	D = 140	B = 24	Deep groove ball bearing
NSK	6018ZZ	d = 90	D = 140	B = 24	Deep groove ball bearing
SKF	6018	d = 90	D = 140	B = 24	Deep groove ball bearing
SKF	6018 NR	d = 90	D = 140	B = 24	Deep groove ball bearing with snap ring
SKF	6018-2RS1	d = 90	D = 140	B = 24	Deep groove ball bearing with seals or shields
SKF	6018-2Z	d = 90	D = 140	B = 24	Deep groove ball bearing with seals or shields
SKF	6018-Z	d = 90	D = 140	B = 24	Deep groove ball bearing with seals or shields
SKF	6018/AXD	d = 90	D = 140	B = 24	Deep groove ball bearing
FAG	6019	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-2RSR	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-2RSR-C2	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-2RSR-C3	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-2Z	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-2Z-C2	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-2Z-C3	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-C3	d = 95	D = 145	B = 24	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6019-C4	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-M	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-M-C3	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-M-C4	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-N	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6019-Z	d = 95	D = 145	B = 24	Deep groove ball bearing
KOYO	6019	d = 95	D = 145	B = 24	Deep groove ball bearing
KOYO	6019 2RS	d = 95	D = 145	B = 24	Deep groove ball bearing
KOYO	6019 2RU	d = 95	D = 145	B = 24	Deep groove ball bearing
KOYO	6019 ZZX	d = 95	D = 145	B = 24	Deep groove ball bearing
KOYO	6019NR	d = 95	D = 145	B = 24	Deep groove ball bearing
NSK	6019	d = 95	D = 145	B = 24	Deep groove ball bearing
NSK	6019DDU	d = 95	D = 145	B = 24	Deep groove ball bearing
NSK	6019VV	d = 95	D = 145	B = 24	Deep groove ball bearing
NSK	6019ZZ	d = 95	D = 145	B = 24	Deep groove ball bearing
SKF	6019-2RS1	d = 95	D = 145	B = 24	Deep groove ball bearing with seals or shields

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6019-2Z	d = 95	D = 145	B = 24	Deep groove ball bearing with seals or shields
SKF	6019-Z	d = 95	D = 145	B = 24	Deep groove ball bearing with seals or shields
SKF	6019/AXD	d = 95	D = 145	B = 24	Deep groove ball bearing
FAG	6020	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-2RSR	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-2RSR-C2	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-2RSR-C3	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-2RSR-L140-C3	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-2RSR-L408-C3	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-2Z	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-2Z-C3	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-2Z-L069-C3	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-C2	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-C3	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-C4	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-J20C	d = 100	D = 150	B = 24	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6020-J20C-C3	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-M-C3	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-M-C4	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-N	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-RSR	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-Z	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6020-Z-C3	d = 100	D = 150	B = 24	Deep groove ball bearing
KOYO	6020	d = 100	D = 150	B = 24	Deep groove ball bearing
KOYO	6020 2RS	d = 100	D = 150	B = 24	Deep groove ball bearing
KOYO	6020 2RU	d = 100	D = 150	B = 24	Deep groove ball bearing
KOYO	6020 ZZ	d = 100	D = 150	B = 24	Deep groove ball bearing
KOYO	6020NR	d = 100	D = 150	B = 24	Deep groove ball bearing
NSK	6020	d = 100	D = 150	B = 24	Deep groove ball bearing
NSK	6020DDU	d = 100	D = 150	B = 24	Deep groove ball bearing
NSK	6020VV	d = 100	D = 150	B = 24	Deep groove ball bearing
NSK	6020ZZ	d = 100	D = 150	B = 24	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6020	d = 100	D = 150	B = 24	Deep groove ball bearing
SKF	6020 M	d = 100	D = 150	B = 24	Deep groove ball bearing
SKF	6020 N	d = 100	D = 150	B = 24	Deep groove ball bearing with snap ring groove
SKF	6020 NR	d = 100	D = 150	B = 24	Deep groove ball bearing with snap ring
SKF	6020-2RS1	d = 100	D = 150	B = 24	Deep groove ball bearing with seals or shields
SKF	6020-2Z	d = 100	D = 150	B = 24	Deep groove ball bearing with seals or shields
SKF	6020-2Z/VA208	d = 100	D = 150	B = 24	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6020-RS1	d = 100	D = 150	B = 24	Deep groove ball bearing with seals or shields
SKF	6020-Z	d = 100	D = 150	B = 24	Deep groove ball bearing with seals or shields
SKF	6020/AXD	d = 100	D = 150	B = 24	Deep groove ball bearing
FAG	6021	d = 105	D = 160	B = 26	Deep groove ball bearing
FAG	6021-2RSR	d = 105	D = 160	B = 26	Deep groove ball bearing
FAG	6021-2Z	d = 105	D = 160	B = 26	Deep groove ball bearing
FAG	6021-2Z-C3	d = 105	D = 160	B = 26	Deep groove ball bearing
FAG	6021-2Z-C4	d = 105	D = 160	B = 26	Deep groove ball bearing
FAG	6021-C3	d = 105	D = 160	B = 26	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6021-C4	d = 105	D = 160	B = 26	Deep groove ball bearing
FAG	6021-M	d = 105	D = 160	B = 26	Deep groove ball bearing
FAG	6021-M-C3	d = 105	D = 160	B = 26	Deep groove ball bearing
FAG	6021-M-C4	d = 105	D = 160	B = 26	Deep groove ball bearing
FAG	6021-M-J20AA	d = 105	D = 160	B = 26	Deep groove ball bearing
FAG	6021-Z-C3	d = 105	D = 160	B = 26	Deep groove ball bearing
KOYO	6021	d = 105	D = 160	B = 26	Deep groove ball bearing
KOYO	6021 2RS	d = 105	D = 160	B = 26	Deep groove ball bearing
KOYO	6021 2RU	d = 105	D = 160	B = 26	Deep groove ball bearing
KOYO	6021 ZZX	d = 105	D = 160	B = 26	Deep groove ball bearing
KOYO	6021NR	d = 105	D = 160	B = 26	Deep groove ball bearing
NSK	6021	d = 105	D = 160	B = 26	Deep groove ball bearing
NSK	6021DDU	d = 105	D = 160	B = 26	Deep groove ball bearing
NSK	6021VV	d = 105	D = 160	B = 26	Deep groove ball bearing
NSK	6021ZZ	d = 105	D = 160	B = 26	Deep groove ball bearing
SKF	6021	d = 105	D = 160	B = 26	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6021-2RS1	d = 105	D = 160	B = 26	Deep groove ball bearing with seals or shields
SKF	6021-2Z	d = 105	D = 160	B = 26	Deep groove ball bearing with seals or shields
FAG	6022	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-2RSR	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-2RSR-C3	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-2RSR-C4	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-2Z	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-2Z-C3	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-2Z-C4	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-C2	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-C3	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-J20AA	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-J20AA-C3	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-M-C3	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-M-C4	d = 110	D = 170	B = 28	Deep groove ball bearing
FAG	6022-Z	d = 110	D = 170	B = 28	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6022-Z-C3	d = 110	D = 170	B = 28	Deep groove ball bearing
KOYO	6022	d = 110	D = 170	B = 28	Deep groove ball bearing
KOYO	6022 2RS	d = 110	D = 170	B = 28	Deep groove ball bearing
KOYO	6022 2RU	d = 110	D = 170	B = 28	Deep groove ball bearing
KOYO	6022 ZZX	d = 110	D = 170	B = 28	Deep groove ball bearing
KOYO	6022NR	d = 110	D = 170	B = 28	Deep groove ball bearing
NSK	6022	d = 110	D = 170	B = 28	Deep groove ball bearing
NSK	6022DDU	d = 110	D = 170	B = 28	Deep groove ball bearing
NSK	6022VV	d = 110	D = 170	B = 28	Deep groove ball bearing
NSK	6022ZZ	d = 110	D = 170	B = 28	Deep groove ball bearing
SKF	6022	d = 110	D = 170	B = 28	Deep groove ball bearing
SKF	6022 M	d = 110	D = 170	B = 28	Deep groove ball bearing
SKF	6022 NR	d = 110	D = 170	B = 28	Deep groove ball bearing with snap ring
SKF	6022-2RS1	d = 110	D = 170	B = 28	Deep groove ball bearing with seals or shields
SKF	6022-2Z	d = 110	D = 170	B = 28	Deep groove ball bearing with seals or shields
SKF	6022-2Z/VA208	d = 110	D = 170	B = 28	Deep groove ball bearing for high temperature applications with shields on both sides

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6022-RS1	d = 110	D = 170	B = 28	Deep groove ball bearing with seals or shields
SKF	6022-Z	d = 110	D = 170	B = 28	Deep groove ball bearing with seals or shields
FAG	6024	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-2RSR	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-2RSR-C3	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-2Z	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-2Z-C3	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-2Z-L100-C3	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-C3	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-C4	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-J20AB-C3	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-M	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-M-C3	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-M-C4	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-N	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-N-C3	d = 120	D = 180	B = 28	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6024-Z	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-Z-C3	d = 120	D = 180	B = 28	Deep groove ball bearing
FAG	6024-Z-C4	d = 120	D = 180	B = 28	Deep groove ball bearing
KOYO	6024	d = 120	D = 180	B = 28	Deep groove ball bearing
KOYO	6024 2RS	d = 120	D = 180	B = 28	Deep groove ball bearing
KOYO	6024 2RU	d = 120	D = 180	B = 28	Deep groove ball bearing
KOYO	6024 ZZX	d = 120	D = 180	B = 28	Deep groove ball bearing
KOYO	6024NR	d = 120	D = 180	B = 28	Deep groove ball bearing
NSK	6024	d = 120	D = 180	B = 28	Deep groove ball bearing
NSK	6024DDU	d = 120	D = 180	B = 28	Deep groove ball bearing
NSK	6024VV	d = 120	D = 180	B = 28	Deep groove ball bearing
NSK	6024ZZ	d = 120	D = 180	B = 28	Deep groove ball bearing
SKF	6024	d = 120	D = 180	B = 28	Deep groove ball bearing
SKF	6024 NR	d = 120	D = 180	B = 28	Deep groove ball bearing with snap ring
SKF	6024-2RS1	d = 120	D = 180	B = 28	Deep groove ball bearing with seals or shields
SKF	6024-2Z	d = 120	D = 180	B = 28	Deep groove ball bearing with seals or shields

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6024-2Z/VA208	d = 120	D = 180	B = 28	Deep groove ball bearing for high temperature applications with shields on both sides
SKF	6024-RS1	d = 120	D = 180	B = 28	Deep groove ball bearing with seals or shields
SKF	6024-Z	d = 120	D = 180	B = 28	Deep groove ball bearing with seals or shields
FAG	6026	d = 130	D = 200	B = 33	Deep groove ball bearing
FAG	6026-2RSR	d = 130	D = 200	B = 33	Deep groove ball bearing
FAG	6026-2RSR-C3	d = 130	D = 200	B = 33	Deep groove ball bearing
FAG	6026-2Z	d = 130	D = 200	B = 33	Deep groove ball bearing
FAG	6026-2Z-C3	d = 130	D = 200	B = 33	Deep groove ball bearing
FAG	6026-C2	d = 130	D = 200	B = 33	Deep groove ball bearing
FAG	6026-C3	d = 130	D = 200	B = 33	Deep groove ball bearing
FAG	6026-C4	d = 130	D = 200	B = 33	Deep groove ball bearing
FAG	6026-M	d = 130	D = 200	B = 33	Deep groove ball bearing
FAG	6026-M-C3	d = 130	D = 200	B = 33	Deep groove ball bearing
FAG	6026-M-C4	d = 130	D = 200	B = 33	Deep groove ball bearing
KOYO	6026	d = 130	D = 200	B = 33	Deep groove ball bearing
KOYO	6026 2RS	d = 130	D = 200	B = 33	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6026 2RU	d = 130	D = 200	B = 33	Deep groove ball bearing
KOYO	6026 ZZX	d = 130	D = 200	B = 33	Deep groove ball bearing
KOYO	6026NR	d = 130	D = 200	B = 33	Deep groove ball bearing
NSK	6026	d = 130	D = 200	B = 33	Deep groove ball bearing
NSK	6026DDU	d = 130	D = 200	B = 33	Deep groove ball bearing
NSK	6026ZZ	d = 130	D = 200	B = 33	Deep groove ball bearing
SKF	6026	d = 130	D = 200	B = 33	Deep groove ball bearing
SKF	6026-2RS1	d = 130	D = 200	B = 33	Deep groove ball bearing with seals or shields
SKF	6026-2Z	d = 130	D = 200	B = 33	Deep groove ball bearing with seals or shields
SKF	6026-Z	d = 130	D = 200	B = 33	Deep groove ball bearing with seals or shields
FAG	6028	d = 140	D = 210	B = 33	Deep groove ball bearing
FAG	6028-2RSR	d = 140	D = 210	B = 33	Deep groove ball bearing
FAG	6028-2RSR-C3	d = 140	D = 210	B = 33	Deep groove ball bearing
FAG	6028-2Z	d = 140	D = 210	B = 33	Deep groove ball bearing
FAG	6028-2Z-C3	d = 140	D = 210	B = 33	Deep groove ball bearing
FAG	6028-C3	d = 140	D = 210	B = 33	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6028-C4	d = 140	D = 210	B = 33	Deep groove ball bearing
FAG	6028-M	d = 140	D = 210	B = 33	Deep groove ball bearing
FAG	6028-M-C3	d = 140	D = 210	B = 33	Deep groove ball bearing
FAG	6028-M-C4	d = 140	D = 210	B = 33	Deep groove ball bearing
FAG	6028-Z	d = 140	D = 210	B = 33	Deep groove ball bearing
KOYO	6028	d = 140	D = 210	B = 33	Deep groove ball bearing
KOYO	6028 2RS	d = 140	D = 210	B = 33	Deep groove ball bearing
KOYO	6028 2RU	d = 140	D = 210	B = 33	Deep groove ball bearing
KOYO	6028 ZZX	d = 140	D = 210	B = 33	Deep groove ball bearing
NSK	6028	d = 140	D = 210	B = 33	Deep groove ball bearing
NSK	6028DDU	d = 140	D = 210	B = 33	Deep groove ball bearing
NSK	6028ZZ	d = 140	D = 210	B = 33	Deep groove ball bearing
SKF	6028	d = 140	D = 210	B = 33	Deep groove ball bearing
SKF	6028 M	d = 140	D = 210	B = 33	Deep groove ball bearing
SKF	6028 M/HC5C3	d = 140	D = 210	B = 33	Hybrid ceramic deep groove ball bearing
SKF	6028-2RS1	d = 140	D = 210	B = 33	Deep groove ball bearing with seals or shields

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6028-2Z	d = 140	D = 210	B = 33	Deep groove ball bearing with seals or shields
SKF	6028-RS1	d = 140	D = 210	B = 33	Deep groove ball bearing with seals or shields
FAG	6030	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-2RSR	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-2Z	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-C2	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-C3	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-C4	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-J20C	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-J20C-C3	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-M	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-M-C3	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-M-C4	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-MA	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-MA-C3	d = 150	D = 225	B = 35	Deep groove ball bearing
FAG	6030-MA-C4	d = 150	D = 225	B = 35	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6030-Z	d = 150	D = 225	B = 35	Deep groove ball bearing
KOYO	6030	d = 150	D = 225	B = 35	Deep groove ball bearing
KOYO	6030 2RS	d = 150	D = 225	B = 35	Deep groove ball bearing
KOYO	6030 2RU	d = 150	D = 225	B = 35	Deep groove ball bearing
KOYO	6030 ZZX	d = 150	D = 225	B = 35	Deep groove ball bearing
NSK	6030	d = 150	D = 225	B = 35	Deep groove ball bearing
NSK	6030DDU	d = 150	D = 225	B = 35	Deep groove ball bearing
NSK	6030VV	d = 150	D = 225	B = 35	Deep groove ball bearing
NSK	6030ZZ	d = 150	D = 225	B = 35	Deep groove ball bearing
SKF	6030	d = 150	D = 225	B = 35	Deep groove ball bearing
SKF	6030 M	d = 150	D = 225	B = 35	Deep groove ball bearing
SKF	6030-2RS1	d = 150	D = 225	B = 35	Deep groove ball bearing with seals or shields
SKF	6030-2Z	d = 150	D = 225	B = 35	Deep groove ball bearing with seals or shields
SKF	6030-Z	d = 150	D = 225	B = 35	Deep groove ball bearing with seals or shields
FAG	6032	d = 160	D = 240	B = 38	Deep groove ball bearing
FAG	6032-2RSR	d = 160	D = 240	B = 38	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6032-2RSR-C3	d = 160	D = 240	B = 38	Deep groove ball bearing
FAG	6032-2Z	d = 160	D = 240	B = 38	Deep groove ball bearing
FAG	6032-C3	d = 160	D = 240	B = 38	Deep groove ball bearing
FAG	6032-C4	d = 160	D = 240	B = 38	Deep groove ball bearing
FAG	6032-M	d = 160	D = 240	B = 38	Deep groove ball bearing
FAG	6032-M-C3	d = 160	D = 240	B = 38	Deep groove ball bearing
FAG	6032-M-C4	d = 160	D = 240	B = 38	Deep groove ball bearing
FAG	6032-MA-C3	d = 160	D = 240	B = 38	Deep groove ball bearing
FAG	6032-N2-M-C4	d = 160	D = 240	B = 38	Deep groove ball bearing
KOYO	6032	d = 160	D = 240	B = 38	Deep groove ball bearing
KOYO	6032 2RS	d = 160	D = 240	B = 38	Deep groove ball bearing
KOYO	6032 2RU	d = 160	D = 240	B = 38	Deep groove ball bearing
KOYO	6032 ZZX	d = 160	D = 240	B = 38	Deep groove ball bearing
NSK	6032	d = 160	D = 240	B = 38	Deep groove ball bearing
NSK	6032DDU	d = 160	D = 240	B = 38	Deep groove ball bearing
NSK	6032ZZ	d = 160	D = 240	B = 38	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6032	d = 160	D = 240	B = 38	Deep groove ball bearing
SKF	6032 M	d = 160	D = 240	B = 38	Deep groove ball bearing
SKF	6032-2RS1	d = 160	D = 240	B = 38	Deep groove ball bearing with seals or shields
SKF	6032-2Z	d = 160	D = 240	B = 38	Deep groove ball bearing with seals or shields
FAG	6034	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6034-2RSR	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6034-C3	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6034-M	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6034-M-C3	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6034-M-C4	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6034-M-J20C	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6034-M-J20C-C3	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6034-MA	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6034-MA-C3	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6034-MA-C4	d = 170	D = 260	B = 42	Deep groove ball bearing
KOYO	6034	d = 170	D = 260	B = 42	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	6034 2RU	d = 170	D = 260	B = 42	Deep groove ball bearing
KOYO	6034 ZZX	d = 170	D = 260	B = 42	Deep groove ball bearing
NSK	6034	d = 170	D = 260	B = 42	Deep groove ball bearing
NSK	6034VV	d = 170	D = 260	B = 42	Deep groove ball bearing
NSK	6034ZZS	d = 170	D = 260	B = 42	Deep groove ball bearing
SKF	6034 M	d = 170	D = 260	B = 42	Deep groove ball bearing
FAG	6036-M	d = 180	D = 280	B = 46	Deep groove ball bearing
FAG	6036-M-C3	d = 180	D = 280	B = 46	Deep groove ball bearing
FAG	6036-M-C4	d = 180	D = 280	B = 46	Deep groove ball bearing
FAG	6036-M-J20AA	d = 180	D = 280	B = 46	Deep groove ball bearing
FAG	6036-M-J20AA-C3	d = 180	D = 280	B = 46	Deep groove ball bearing
FAG	6036-MA-C3	d = 180	D = 280	B = 46	Deep groove ball bearing
FAG	6036-MA-C4	d = 180	D = 280	B = 46	Deep groove ball bearing
KOYO	6036	d = 180	D = 280	B = 46	Deep groove ball bearing
KOYO	6036 2RU	d = 180	D = 280	B = 46	Deep groove ball bearing
KOYO	6036 ZZX	d = 180	D = 280	B = 46	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NSK	6036	d = 180	D = 280	B = 46	Deep groove ball bearing
NSK	6036VV	d = 180	D = 280	B = 46	Deep groove ball bearing
NSK	6036ZZS	d = 180	D = 280	B = 46	Deep groove ball bearing
SKF	6036 M	d = 180	D = 280	B = 46	Deep groove ball bearing
FAG	6038-M	d = 190	D = 290	B = 46	Deep groove ball bearing
FAG	6038-M-C2	d = 190	D = 290	B = 46	Deep groove ball bearing
FAG	6038-M-C3	d = 190	D = 290	B = 46	Deep groove ball bearing
FAG	6038-M-C4	d = 190	D = 290	B = 46	Deep groove ball bearing
FAG	6038-MA-C3	d = 190	D = 290	B = 46	Deep groove ball bearing
KOYO	6038	d = 190	D = 290	B = 46	Deep groove ball bearing
KOYO	6038 ZZX	d = 190	D = 290	B = 46	Deep groove ball bearing
NSK	6038	d = 190	D = 290	B = 46	Deep groove ball bearing
NSK	6038ZZS	d = 190	D = 290	B = 46	Deep groove ball bearing
SKF	6038 M	d = 190	D = 290	B = 46	Deep groove ball bearing
FAG	6040-M	d = 200	D = 310	B = 51	Deep groove ball bearing
FAG	6040-M-C3	d = 200	D = 310	B = 51	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6040-M-C4	d = 200	D = 310	B = 51	Deep groove ball bearing
FAG	6040-MA-C3	d = 200	D = 310	B = 51	Deep groove ball bearing
KOYO	6040	d = 200	D = 310	B = 51	Deep groove ball bearing
KOYO	6040 ZZX	d = 200	D = 310	B = 51	Deep groove ball bearing
NSK	6040	d = 200	D = 310	B = 51	Deep groove ball bearing
NSK	6040ZZS	d = 200	D = 310	B = 51	Deep groove ball bearing
SKF	6040 M	d = 200	D = 310	B = 51	Deep groove ball bearing
FAG	6044-M	d = 220	D = 340	B = 56	Deep groove ball bearing
FAG	6044-M-C3	d = 220	D = 340	B = 56	Deep groove ball bearing
FAG	6044-M-C4	d = 220	D = 340	B = 56	Deep groove ball bearing
FAG	6044-M-J20AA-C3	d = 220	D = 340	B = 56	Deep groove ball bearing
FAG	6044-MA-C3	d = 220	D = 340	B = 56	Deep groove ball bearing
KOYO	6044	d = 220	D = 340	B = 56	Deep groove ball bearing
KOYO	6044 ZZX	d = 220	D = 340	B = 56	Deep groove ball bearing
NSK	6044	d = 220	D = 340	B = 56	Deep groove ball bearing
NSK	6044ZZS	d = 220	D = 340	B = 56	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6044 M	d = 220	D = 340	B = 56	Deep groove ball bearing
FAG	6048-M	d = 240	D = 360	B = 56	Deep groove ball bearing
FAG	6048-M-C3	d = 240	D = 360	B = 56	Deep groove ball bearing
FAG	6048-M-C4	d = 240	D = 360	B = 56	Deep groove ball bearing
FAG	6048-MA	d = 240	D = 360	B = 56	Deep groove ball bearing
FAG	6048-MA-C3	d = 240	D = 360	B = 56	Deep groove ball bearing
KOYO	6048	d = 240	D = 360	B = 56	Deep groove ball bearing
NSK	6048	d = 240	D = 360	B = 56	Deep groove ball bearing
SKF	6048 M	d = 240	D = 360	B = 56	Deep groove ball bearing
FAG	6052-M	d = 260	D = 400	B = 65	Deep groove ball bearing
FAG	6052-M-C2	d = 260	D = 400	B = 65	Deep groove ball bearing
FAG	6052-M-C3	d = 260	D = 400	B = 65	Deep groove ball bearing
FAG	6052-M-C4	d = 260	D = 400	B = 65	Deep groove ball bearing
KOYO	6052	d = 260	D = 400	B = 65	Deep groove ball bearing
SKF	6052 M	d = 260	D = 400	B = 65	Deep groove ball bearing
FAG	6056-M	d = 280	D = 420	B = 65	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6056-M-C2	d = 280	D = 420	B = 65	Deep groove ball bearing
FAG	6056-M-C3	d = 280	D = 420	B = 65	Deep groove ball bearing
FAG	6056-M-C4	d = 280	D = 420	B = 65	Deep groove ball bearing
KOYO	6056	d = 280	D = 420	B = 65	Deep groove ball bearing
NTN	6056	d = 280	D = 420	B = 65	Deep groove ball bearing
SKF	6056 M	d = 280	D = 420	B = 65	Deep groove ball bearing
FAG	6060-M	d = 300	D = 460	B = 74	Deep groove ball bearing
FAG	6060-M-C3	d = 300	D = 460	B = 74	Deep groove ball bearing
FAG	6060-M-C4	d = 300	D = 460	B = 74	Deep groove ball bearing
KOYO	6060	d = 300	D = 460	B = 74	Deep groove ball bearing
SKF	6060 M	d = 300	D = 460	B = 74	Deep groove ball bearing
FAG	6064-M	d = 320	D = 480	B = 74	Deep groove ball bearing
FAG	6064-M-C3	d = 320	D = 480	B = 74	Deep groove ball bearing
KOYO	6064	d = 320	D = 480	B = 74	Deep groove ball bearing
SKF	6064 M	d = 320	D = 480	B = 74	Deep groove ball bearing
FAG	6068-M	d = 340	D = 520	B = 82	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	6068-M-C3	d = 340	D = 520	B = 82	Deep groove ball bearing
KOYO	6068	d = 340	D = 520	B = 82	Deep groove ball bearing
SKF	6068 M	d = 340	D = 520	B = 82	Deep groove ball bearing
FAG	6072-M	d = 360	D = 540	B = 82	Deep groove ball bearing
FAG	6072-M-C3	d = 360	D = 540	B = 82	Deep groove ball bearing
FAG	6072-M-C4	d = 360	D = 540	B = 82	Deep groove ball bearing
KOYO	6072	d = 360	D = 540	B = 82	Deep groove ball bearing
SKF	6072 M	d = 360	D = 540	B = 82	Deep groove ball bearing
FAG	6076-M	d = 380	D = 560	B = 82	Deep groove ball bearing
FAG	6076-M-C3	d = 380	D = 560	B = 82	Deep groove ball bearing
KOYO	6076	d = 380	D = 560	B = 82	Deep groove ball bearing
SKF	6076 M	d = 380	D = 560	B = 82	Deep groove ball bearing
FAG	6080-M	d = 400	D = 600	B = 90	Deep groove ball bearing
FAG	6080-M-C3	d = 400	D = 600	B = 90	Deep groove ball bearing
FAG	6080-M-C4	d = 400	D = 600	B = 90	Deep groove ball bearing
KOYO	6080	d = 400	D = 600	B = 90	Deep groove ball bearing

6000 series ball bearings

6000 designation series

Rows begin with 60 followed by two digits, with the recorded suffix retained. Similar prefixes and miniature models are not assumed to be this series. These are catalogue examples, not every theoretically possible series size.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	6080 M	d = 400	D = 600	B = 90	Deep groove ball bearing
FAG	6084-M	d = 420	D = 620	B = 90	Deep groove ball bearing
FAG	6084-M-C3	d = 420	D = 620	B = 90	Deep groove ball bearing
KOYO	6084	d = 420	D = 620	B = 90	Deep groove ball bearing
SKF	6084 M	d = 420	D = 620	B = 90	Deep groove ball bearing
FAG	6088-M	d = 440	D = 650	B = 94	Deep groove ball bearing
FAG	6088-M-C3	d = 440	D = 650	B = 94	Deep groove ball bearing
KOYO	6088	d = 440	D = 650	B = 94	Deep groove ball bearing
SKF	6088 M	d = 440	D = 650	B = 94	Deep groove ball bearing
FAG	6092-M	d = 460	D = 680	B = 100	Deep groove ball bearing
FAG	6092-M-C3	d = 460	D = 680	B = 100	Deep groove ball bearing
FAG	6092-M-C4	d = 460	D = 680	B = 100	Deep groove ball bearing
KOYO	6092	d = 460	D = 680	B = 100	Deep groove ball bearing
FAG	6096-M	d = 480	D = 700	B = 100	Deep groove ball bearing
FAG	6096-M-C3	d = 480	D = 700	B = 100	Deep groove ball bearing
KOYO	6096	d = 480	D = 700	B = 100	Deep groove ball bearing