Angular contact ball bearings: size chart

Searchable nominal dimensions from verified catalogue records

8,032 dimension rows | 8,032 distinct model records | FAG, KOYO, NTN, SKF

Use the table

Choose the correct construction section, then use the PDF search for the complete designation. Compare the brand and all suffixes. Rows are ordered by inside, outside and axial dimensions, then brand and designation. Click a designation to open its existing BearingScope product record.

Read the symbols, not just three numbers

All numeric table entries are in millimetres. Preserve the printed symbol: an inner-ring bore, a roller-complement diameter, ring width and complete assembly height are different quantities. Section notes identify special construction and seat conditions.

Limits of this reference

This is an original BearingScope compilation, not a manufacturer manual, full technical datasheet, engineering drawing, CAD file or exhaustive standard-size schedule. Complete source-labelled dimension triples are included; incomplete or conflicting records are withheld. Equal nominal dimensions do not prove fit, performance, suffix equivalence or safe interchange.

Technical basis and data date

Values are retained manufacturer-catalogue facts from the matching FAG, KOYO, NTN, SKF records. Product captures predate this edition; reviewed source snapshots were assembled on 2-3 October 2026. Each linked model record identifies its manufacturer. Primary-source addresses, collection dates and dimension-property evidence are retained privately. Explanations and layout are original; no installation limits, vehicle fitment, load ratings or tolerances are inferred.

Sections in this download

Angular contact ball bearings - 8,032 rows - page 2

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	706 CD/HCP4A	d = 6	D = 17	B = 6	Super-precision, high-capacity, single row angular contact ball bearing
SKF	706 CD/P4A	d = 6	D = 17	B = 6	Super-precision, high-capacity, single row angular contact ball bearing
SKF	706 CDGA/HCP4A	d = 6	D = 17	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	706 CDGA/P4A	d = 6	D = 17	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	706 CDGB/HCP4A	d = 6	D = 17	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	706 CDGC/P4A	d = 6	D = 17	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	706 CE/HCP4A	d = 6	D = 17	B = 6	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	706 CEGA/HCP4A	d = 6	D = 17	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	707 ACD/HCP4AH	d = 7	D = 19	B = 6	Super-precision, high-capacity, single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	707 ACDGA/HCP4A	d = 7	D = 19	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	707 ACDGA/P4A	d = 7	D = 19	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	707 ACDGC/P4A	d = 7	D = 19	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	707 CDGA/P4A	d = 7	D = 19	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	707 CE/HCP4A	d = 7	D = 19	B = 6	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	707 CEGA/HCP4A	d = 7	D = 19	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	707 CEGA/P4A	d = 7	D = 19	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
FAG	30/7-B-TVH>C	d = 7	D = 19	B = 10	Angular contact ball bearing
SKF	719/8 CEGA/HCP4A	d = 8	D = 19	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	719/8 CEGA/P4A	d = 8	D = 19	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	708 ACD/HCP4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	708 ACD/P4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	708 ACDGA/HCP4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	708 ACDGA/P4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	708 ACDGB/P4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	708 ACDGC/P4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	708 CD/HCP4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	708 CD/P4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	708 CDGA/HCP4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	708 CDGA/P4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	708 CDGB/HCP4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	708 CDGB/P4A	d = 8	D = 22	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	708 CE/HCP4A	d = 8	D = 22	B = 7	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	708 CEGA/HCP4A	d = 8	D = 22	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	708 CEGA/P4A	d = 8	D = 22	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	708 CEGB/P4A	d = 8	D = 22	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
FAG	30/8-B-2RS-TVH	d = 8	D = 22	B = 11	Angular contact ball bearing
FAG	30/8-B-2Z-TVH	d = 8	D = 22	B = 11	Angular contact ball bearing
FAG	30/8-B-TVH	d = 8	D = 22	B = 11	Angular contact ball bearing
SKF	728 CDGA/P4A	d = 8	D = 24	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	728 CDGB/P4A	d = 8	D = 24	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	709 ACD/HCP4A	d = 9	D = 24	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	709 ACD/P4A	d = 9	D = 24	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	709 ACDGA/P4A	d = 9	D = 24	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	709 ACDGB/P4A	d = 9	D = 24	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	709 CD/HCP4A	d = 9	D = 24	B = 7	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	709 CD/P4A	d = 9	D = 24	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	709 CDGA/HCP4A	d = 9	D = 24	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	709 CDGA/P4A	d = 9	D = 24	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	709 CE/HCP4A	d = 9	D = 24	B = 7	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	709 CEGA/HCP4A	d = 9	D = 24	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	709 CEGA/P4A	d = 9	D = 24	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	729 CDGA/P4A	d = 9	D = 26	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	729 CDGB/P4A	d = 9	D = 26	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71800 ACD/HCP4	d = 10	D = 19	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71800 ACD/P4	d = 10	D = 19	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71800 ACDGA/P4	d = 10	D = 19	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71800 ACDGB/P4	d = 10	D = 19	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71800 CD/HCP4	d = 10	D = 19	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71800 CD/P4	d = 10	D = 19	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71800 CDGA/HCP4	d = 10	D = 19	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71800 CDGA/P4	d = 10	D = 19	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71800 CDGB/P4	d = 10	D = 19	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71900-C-2RSD-T-P4S-UL	d = 10	D = 22	B = 6	Spindle bearing
FAG	B71900-C-T-P4S-UL	d = 10	D = 22	B = 6	Spindle bearing
FAG	B71900-E-2RSD-T-P4S-UL	d = 10	D = 22	B = 6	Spindle bearing
FAG	B71900-E-T-P4S-UL	d = 10	D = 22	B = 6	Spindle bearing
FAG	HC71900-E-T-P4S-UL	d = 10	D = 22	B = 6	High speed spindle bearing
FAG	HCB71900-C-2RSD-T-P4S-UL	d = 10	D = 22	B = 6	Spindle bearing
FAG	HCB71900-E-2RSD-T-P4S-UL	d = 10	D = 22	B = 6	Spindle bearing
FAG	HCB71900-E-T-P4S-UL	d = 10	D = 22	B = 6	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCS71900-E-T-P4S-UL	d = 10	D = 22	B = 6	High speed spindle bearing
FAG	HS71900-C-T-P4S-UL	d = 10	D = 22	B = 6	High speed spindle bearing
FAG	HS71900-E-T-P4S-UL	d = 10	D = 22	B = 6	High speed spindle bearing
FAG	HSS71900-C-T-P4S-UL	d = 10	D = 22	B = 6	High speed spindle bearing
FAG	HSS71900-E-T-P4S-UL	d = 10	D = 22	B = 6	High speed spindle bearing
FAG	PTB71900-E	d = 10	D = 22	B = 6	Spindle bearing
FAG	PTB71900-E-2RSD	d = 10	D = 22	B = 6	Spindle bearing
KOYO	7900C FY	d = 10	D = 22	B = 6	Angular contact ball bearing
SKF	71900 ACD/HCP4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71900 ACD/P4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71900 ACDGA/HCP4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71900 ACDGA/P4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71900 ACDGB/P4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71900 ACDGC/P4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71900 ACE/P4A	d = 10	D = 22	B = 6	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71900 ACEGA/P4A	d = 10	D = 22	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71900 ACEGB/P4A	d = 10	D = 22	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71900 CD/HCP4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71900 CD/P4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71900 CDGA/HCP4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71900 CDGA/P4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71900 CDGB/P4A	d = 10	D = 22	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71900 CE/HCP4A	d = 10	D = 22	B = 6	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71900 CEGA/HCP4A	d = 10	D = 22	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71900 CEGA/P4A	d = 10	D = 22	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71900 CEGB/HCP4A	d = 10	D = 22	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71900 CEGB/P4A	d = 10	D = 22	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
KOYO	7900CDB FY	d = 10	D = 22	B = 12	Angular contact ball bearing
KOYO	7900CDF FY	d = 10	D = 22	B = 12	Angular contact ball bearing
KOYO	7900CDT FY	d = 10	D = 22	B = 12	Angular contact ball bearing
FAG	B7000-C-2RSD-T-P4S-UL	d = 10	D = 26	B = 8	Spindle bearing
FAG	B7000-C-T-P4S-UL	d = 10	D = 26	B = 8	Spindle bearing
FAG	B7000-E-2RSD-T-P4S-UL	d = 10	D = 26	B = 8	Spindle bearing
FAG	B7000-E-T-P4S-UL	d = 10	D = 26	B = 8	Spindle bearing
FAG	HC7000-E-T-P4S-UL	d = 10	D = 26	B = 8	High speed spindle bearing
FAG	HCB7000-C-2RSD-T-P4S-UL	d = 10	D = 26	B = 8	Spindle bearing
FAG	HCB7000-C-T-P4S-UL	d = 10	D = 26	B = 8	Spindle bearing
FAG	HCB7000-E-2RSD-T-P4S-UL	d = 10	D = 26	B = 8	Spindle bearing
FAG	HCB7000-E-T-P4S-UL	d = 10	D = 26	B = 8	Spindle bearing
FAG	HS7000-C-T-P4S-UL	d = 10	D = 26	B = 8	High speed spindle bearing
FAG	HS7000-E-T-P4S-UL	d = 10	D = 26	B = 8	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HSS7000-C-T-P4S-UL	d = 10	D = 26	B = 8	High speed spindle bearing
FAG	HSS7000-E-T-P4S-UL	d = 10	D = 26	B = 8	High speed spindle bearing
FAG	PTB7000-E	d = 10	D = 26	B = 8	Spindle bearing
FAG	PTB7000-E-2RSD	d = 10	D = 26	B = 8	Spindle bearing
KOYO	7000 FY	d = 10	D = 26	B = 8	Angular contact ball bearing
KOYO	7000B FY	d = 10	D = 26	B = 8	Angular contact ball bearing
KOYO	7000C FY	d = 10	D = 26	B = 8	Angular contact ball bearing
NTN	7000	d = 10	D = 26	B = 8	Angular contact ball bearing
SKF	7000 ACD/P4A	d = 10	D = 26	B = 8	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7000 ACDGA/P4A	d = 10	D = 26	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7000 ACDGB/P4A	d = 10	D = 26	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7000 ACDGC/P4A	d = 10	D = 26	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7000 ACEGB/P4A	d = 10	D = 26	B = 8	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7000 CD/HCP4A	d = 10	D = 26	B = 8	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7000 CD/P4A	d = 10	D = 26	B = 8	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7000 CDGA/HCP4A	d = 10	D = 26	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7000 CDGA/P4A	d = 10	D = 26	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7000 CDGB/P4A	d = 10	D = 26	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7000 CDGC/P4A	d = 10	D = 26	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7000 CE/HCP4A	d = 10	D = 26	B = 8	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7000 CEGA/HCP4A	d = 10	D = 26	B = 8	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7000 CEGA/P4A	d = 10	D = 26	B = 8	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7000 CEGB/HCP4A	d = 10	D = 26	B = 8	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
KOYO	7000BDB FY	d = 10	D = 26	B = 16	Angular contact ball bearing
KOYO	7000BDF FY	d = 10	D = 26	B = 16	Angular contact ball bearing
KOYO	7000BDT FY	d = 10	D = 26	B = 16	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7000CDB FY	d = 10	D = 26	B = 16	Angular contact ball bearing
KOYO	7000CDF FY	d = 10	D = 26	B = 16	Angular contact ball bearing
KOYO	7000CDT FY	d = 10	D = 26	B = 16	Angular contact ball bearing
KOYO	7000DB FY	d = 10	D = 26	B = 16	Angular contact ball bearing
KOYO	7000DF FY	d = 10	D = 26	B = 16	Angular contact ball bearing
KOYO	7000DT FY	d = 10	D = 26	B = 16	Angular contact ball bearing
FAG	7200-B-XL-2RS-TVP	d = 10	D = 30	B = 9	Angular contact ball bearing
FAG	7200-B-XL-2RS-TVP-L212	d = 10	D = 30	B = 9	Angular contact ball bearing
FAG	7200-B-XL-2RS-TVP-UL	d = 10	D = 30	B = 9	Angular contact ball bearing
FAG	7200-B-XL-JP	d = 10	D = 30	B = 9	Angular contact ball bearing
FAG	7200-B-XL-JP-UA	d = 10	D = 30	B = 9	Angular contact ball bearing
FAG	7200-B-XL-JP-UO	d = 10	D = 30	B = 9	Angular contact ball bearing
FAG	7200-B-XL-MP	d = 10	D = 30	B = 9	Angular contact ball bearing
FAG	7200-B-XL-TVP	d = 10	D = 30	B = 9	Angular contact ball bearing
FAG	7200-B-XL-TVP-UA	d = 10	D = 30	B = 9	Angular contact ball bearing
FAG	7200-B-XL-TVP-UL	d = 10	D = 30	B = 9	Angular contact ball bearing
FAG	7200-B-XL-TVP-UO	d = 10	D = 30	B = 9	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7200-C-2RSD-T-P4S-UL	d = 10	D = 30	B = 9	Spindle bearing
FAG	B7200-C-T-P4S-UL	d = 10	D = 30	B = 9	Spindle bearing
FAG	B7200-E-2RSD-T-P4S-UL	d = 10	D = 30	B = 9	Spindle bearing
FAG	B7200-E-T-P4S-UL	d = 10	D = 30	B = 9	Spindle bearing
FAG	HCB7200-C-2RSD-T-P4S-UL	d = 10	D = 30	B = 9	Spindle bearing
FAG	HCB7200-C-T-P4S-UL	d = 10	D = 30	B = 9	Spindle bearing
FAG	HCB7200-E-2RSD-T-P4S-UL	d = 10	D = 30	B = 9	Spindle bearing
FAG	HCB7200-E-T-P4S-UL	d = 10	D = 30	B = 9	Spindle bearing
KOYO	7200	d = 10	D = 30	B = 9	Angular contact ball bearing
KOYO	7200 FY	d = 10	D = 30	B = 9	Angular contact ball bearing
KOYO	7200B	d = 10	D = 30	B = 9	Angular contact ball bearing
KOYO	7200B FY	d = 10	D = 30	B = 9	Angular contact ball bearing
KOYO	7200C	d = 10	D = 30	B = 9	Angular contact ball bearing
KOYO	7200C FY	d = 10	D = 30	B = 9	Angular contact ball bearing
SKF	7200 ACD/HCP4A	d = 10	D = 30	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7200 ACD/P4A	d = 10	D = 30	B = 9	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7200 ACDGA/P4A	d = 10	D = 30	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7200 ACDGB/HCP4A	d = 10	D = 30	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7200 ACDGB/P4A	d = 10	D = 30	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7200 BECBP	d = 10	D = 30	B = 9	Single row angular contact ball bearing
SKF	7200 BEP	d = 10	D = 30	B = 9	Single row angular contact ball bearing
SKF	7200 CD/HCP4A	d = 10	D = 30	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7200 CD/P4A	d = 10	D = 30	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7200 CDGA/P4A	d = 10	D = 30	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7200 CDGB/P4A	d = 10	D = 30	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	3200-BB-2Z-TVH	d = 10	D = 30	B = 14	Angular contact ball bearing
FAG	3200-BB-2Z-TVH-C2	d = 10	D = 30	B = 14	Angular contact ball bearing
FAG	3200-BB-TVH	d = 10	D = 30	B = 14	Angular contact ball bearing
FAG	3200-BB-TVH-C3	d = 10	D = 30	B = 14	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3200 A-2RS1TN9	d = 10	D = 30	B = 14	Double row angular contact ball bearing with seals or shields
SKF	3200 A-2RS1TN9/MT33	d = 10	D = 30	B = 14	Double row angular contact ball bearing with seals or shields
SKF	3200 A-2ZTN9	d = 10	D = 30	B = 14	Double row angular contact ball bearing with seals or shields
SKF	3200 A-2ZTN9/MT33	d = 10	D = 30	B = 14	Double row angular contact ball bearing with seals or shields
SKF	3200 ATN9	d = 10	D = 30	B = 14	Double row angular contact ball bearing
SKF	3200 ATN9/C2/231323	d = 10	D = 30	B = 14	Double row angular contact ball bearing
SKF	3200 ATN9/C3	d = 10	D = 30	B = 14	Double row angular contact ball bearing
KOYO	3200	d = 10	D = 30	B = 14.3	Angular contact ball bearing
KOYO	7200BDB	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200BDB FY	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200BDF	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200BDF FY	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200BDT	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200BDT FY	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200CDB	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200CDB FY	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200CDF	d = 10	D = 30	B = 18	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7200CDF FY	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200CDT	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200CDT FY	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200DB	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200DB FY	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200DF	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200DF FY	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200DT	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7200DT FY	d = 10	D = 30	B = 18	Angular contact ball bearing
KOYO	7300	d = 10	D = 35	B = 11	Angular contact ball bearing
KOYO	7300 FY	d = 10	D = 35	B = 11	Angular contact ball bearing
KOYO	7300DB	d = 10	D = 35	B = 22	Angular contact ball bearing
KOYO	7300DB FY	d = 10	D = 35	B = 22	Angular contact ball bearing
KOYO	7300DF	d = 10	D = 35	B = 22	Angular contact ball bearing
KOYO	7300DF FY	d = 10	D = 35	B = 22	Angular contact ball bearing
KOYO	7300DT	d = 10	D = 35	B = 22	Angular contact ball bearing
KOYO	7300DT FY	d = 10	D = 35	B = 22	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71801 ACD/HCP4	d = 12	D = 21	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71801 ACD/P4	d = 12	D = 21	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71801 ACDGA/P4	d = 12	D = 21	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71801 ACDGB/P4	d = 12	D = 21	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71801 CD/HCP4	d = 12	D = 21	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71801 CD/P4	d = 12	D = 21	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71801 CDGA/HCP4	d = 12	D = 21	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71801 CDGA/P4	d = 12	D = 21	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71801 CDGB/HCP4	d = 12	D = 21	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71801 CDGB/P4	d = 12	D = 21	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71901-C-2RSD-T-P4S-UL	d = 12	D = 24	B = 6	Spindle bearing
FAG	B71901-C-T-P4S-UL	d = 12	D = 24	B = 6	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B71901-E-2RSD-T-P4S-UL	d = 12	D = 24	B = 6	Spindle bearing
FAG	B71901-E-T-P4S-UL	d = 12	D = 24	B = 6	Spindle bearing
FAG	HC71901-E-T-P4S-UL	d = 12	D = 24	B = 6	High speed spindle bearing
FAG	HCB71901-C-2RSD-T-P4S-UL	d = 12	D = 24	B = 6	Spindle bearing
FAG	HCB71901-C-T-P4S-UL	d = 12	D = 24	B = 6	Spindle bearing
FAG	HCB71901-E-2RSD-T-P4S-UL	d = 12	D = 24	B = 6	Spindle bearing
FAG	HCB71901-E-T-P4S-UL	d = 12	D = 24	B = 6	Spindle bearing
FAG	HCS71901-E-T-P4S-UL	d = 12	D = 24	B = 6	High speed spindle bearing
FAG	HS71901-C-T-P4S-UL	d = 12	D = 24	B = 6	High speed spindle bearing
FAG	HS71901-E-T-P4S-UL	d = 12	D = 24	B = 6	High speed spindle bearing
FAG	HSS71901-C-T-P4S-UL	d = 12	D = 24	B = 6	High speed spindle bearing
FAG	HSS71901-E-T-P4S-UL	d = 12	D = 24	B = 6	High speed spindle bearing
FAG	PTB71901-E	d = 12	D = 24	B = 6	Spindle bearing
FAG	PTB71901-E-2RSD	d = 12	D = 24	B = 6	Spindle bearing
KOYO	7901C FY	d = 12	D = 24	B = 6	Angular contact ball bearing
SKF	71901 ACD/HCP4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71901 ACD/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71901 ACDGA/HCP4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71901 ACDGA/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71901 ACDGB/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71901 ACDGC/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71901 ACEGA/HCP4A	d = 12	D = 24	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71901 ACEGA/P4A	d = 12	D = 24	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71901 ACEGB/P4A	d = 12	D = 24	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71901 ACEGC/P4A	d = 12	D = 24	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71901 CD/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71901 CDGA/HCP4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71901 CDGA/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71901 CDGB/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71901 CE/HCP4A	d = 12	D = 24	B = 6	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71901 CE/HCP4AH	d = 12	D = 24	B = 6	Super-precision, high-speed E design, single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71901 CEGA/HCP4A	d = 12	D = 24	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71901 CEGA/P4A	d = 12	D = 24	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71901 CEGB/P4A	d = 12	D = 24	B = 6	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S71901 ACDGA/HCP4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71901 ACDGA/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71901 ACDGB/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71901 ACDGC/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71901 CD/HCP4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71901 CDGA/HCP4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71901 CDGA/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71901 CDGB/P4A	d = 12	D = 24	B = 6	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
KOYO	7901CDB FY	d = 12	D = 24	B = 12	Angular contact ball bearing
KOYO	7901CDF FY	d = 12	D = 24	B = 12	Angular contact ball bearing
KOYO	7901CDT FY	d = 12	D = 24	B = 12	Angular contact ball bearing
FAG	B7001-C-2RSD-T-P4S-UL	d = 12	D = 28	B = 8	Spindle bearing
FAG	B7001-C-T-P4S-UL	d = 12	D = 28	B = 8	Spindle bearing
FAG	B7001-E-2RSD-T-P4S-UL	d = 12	D = 28	B = 8	Spindle bearing
FAG	B7001-E-T-P4S-UL	d = 12	D = 28	B = 8	Spindle bearing
FAG	HC7001-E-T-P4S-UL	d = 12	D = 28	B = 8	High speed spindle bearing
FAG	HCB7001-C-2RSD-T-P4S-UL	d = 12	D = 28	B = 8	Spindle bearing
FAG	HCB7001-C-T-P4S-UL	d = 12	D = 28	B = 8	Spindle bearing
FAG	HCB7001-E-2RSD-T-P4S-UL	d = 12	D = 28	B = 8	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB7001-E-T-P4S-UL	d = 12	D = 28	B = 8	Spindle bearing
FAG	HCS7001-E-T-P4S-UL	d = 12	D = 28	B = 8	High speed spindle bearing
FAG	HS7001-C-T-P4S-UL	d = 12	D = 28	B = 8	High speed spindle bearing
FAG	HS7001-E-T-P4S-UL	d = 12	D = 28	B = 8	High speed spindle bearing
FAG	HSS7001-C-T-P4S-UL	d = 12	D = 28	B = 8	High speed spindle bearing
FAG	HSS7001-E-T-P4S-UL	d = 12	D = 28	B = 8	High speed spindle bearing
FAG	PTB7001-E	d = 12	D = 28	B = 8	Spindle bearing
FAG	PTB7001-E-2RSD	d = 12	D = 28	B = 8	Spindle bearing
KOYO	7001 FY	d = 12	D = 28	B = 8	Angular contact ball bearing
KOYO	7001B FY	d = 12	D = 28	B = 8	Angular contact ball bearing
KOYO	7001C FY	d = 12	D = 28	B = 8	Angular contact ball bearing
NTN	7001	d = 12	D = 28	B = 8	Angular contact ball bearing
SKF	7001 ACD/P4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7001 ACDGA/HCP4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7001 ACDGA/P4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7001 ACDGB/P4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7001 ACDGC/P4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7001 ACDGD/P4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7001 ACEGB/HCP4A	d = 12	D = 28	B = 8	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7001 ACEGB/P4A	d = 12	D = 28	B = 8	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7001 CD/HCP4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7001 CD/P4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7001 CDGA/HCP4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7001 CDGA/P4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7001 CDGB/P4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7001 CDGC/P4A	d = 12	D = 28	B = 8	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7001 CE/P4A	d = 12	D = 28	B = 8	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7001 CEGA/HCP4A	d = 12	D = 28	B = 8	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7001 CEGA/P4A	d = 12	D = 28	B = 8	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S7001 ACEGA/HCP4A	d = 12	D = 28	B = 8	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7001 ACEGA/P4A	d = 12	D = 28	B = 8	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7001 ACEGC/P4A	d = 12	D = 28	B = 8	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7001 CE/HCP4A	d = 12	D = 28	B = 8	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7001 CEGA/HCP4A	d = 12	D = 28	B = 8	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7001 CEGB/HCP4A	d = 12	D = 28	B = 8	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7001 CEGB/P4A	d = 12	D = 28	B = 8	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7001BDB FY	d = 12	D = 28	B = 16	Angular contact ball bearing
KOYO	7001BDF FY	d = 12	D = 28	B = 16	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7001BDT FY	d = 12	D = 28	B = 16	Angular contact ball bearing
KOYO	7001CDB FY	d = 12	D = 28	B = 16	Angular contact ball bearing
KOYO	7001CDF FY	d = 12	D = 28	B = 16	Angular contact ball bearing
KOYO	7001CDT FY	d = 12	D = 28	B = 16	Angular contact ball bearing
KOYO	7001DB FY	d = 12	D = 28	B = 16	Angular contact ball bearing
KOYO	7001DF FY	d = 12	D = 28	B = 16	Angular contact ball bearing
KOYO	7001DT FY	d = 12	D = 28	B = 16	Angular contact ball bearing
FAG	7201-B-XL-2RS-TVP	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	7201-B-XL-2RS-TVP-P5-UL	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	7201-B-XL-2RS-TVP-UA	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	7201-B-XL-2RS-TVP-UO	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	7201-B-XL-JP	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	7201-B-XL-JP-UA	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	7201-B-XL-JP-UO	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	7201-B-XL-TVP	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	7201-B-XL-TVP-P5-UL	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	7201-B-XL-TVP-P5-UO	d = 12	D = 32	B = 10	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7201-B-XL-TVP-UA	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	7201-B-XL-TVP-UO	d = 12	D = 32	B = 10	Angular contact ball bearing
FAG	B7201-C-2RSD-T-P4S-UL	d = 12	D = 32	B = 10	Spindle bearing
FAG	B7201-C-T-P4S-UL	d = 12	D = 32	B = 10	Spindle bearing
FAG	B7201-E-2RSD-T-P4S-UL	d = 12	D = 32	B = 10	Spindle bearing
FAG	B7201-E-T-P4S-UL	d = 12	D = 32	B = 10	Spindle bearing
FAG	HCB7201-C-2RSD-T-P4S-UL	d = 12	D = 32	B = 10	Spindle bearing
FAG	HCB7201-C-T-P4S-UL	d = 12	D = 32	B = 10	Spindle bearing
FAG	HCB7201-E-2RSD-T-P4S-UL	d = 12	D = 32	B = 10	Spindle bearing
FAG	HCB7201-E-T-P4S-UL	d = 12	D = 32	B = 10	Spindle bearing
KOYO	7201	d = 12	D = 32	B = 10	Angular contact ball bearing
KOYO	7201 FY	d = 12	D = 32	B = 10	Angular contact ball bearing
KOYO	7201B	d = 12	D = 32	B = 10	Angular contact ball bearing
KOYO	7201B FY	d = 12	D = 32	B = 10	Angular contact ball bearing
KOYO	7201C	d = 12	D = 32	B = 10	Angular contact ball bearing
KOYO	7201C FY	d = 12	D = 32	B = 10	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7201 ACD/P4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7201 ACDGA/HCP4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7201 ACDGA/P4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7201 ACDGB/HCP4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7201 ACDGB/P4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7201 ACDGC/P4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7201 BECBP	d = 12	D = 32	B = 10	Single row angular contact ball bearing
SKF	7201 BEGAP	d = 12	D = 32	B = 10	Single row angular contact ball bearing
SKF	7201 BEP	d = 12	D = 32	B = 10	Single row angular contact ball bearing
SKF	7201 CD/HCP4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7201 CD/P4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7201 CDGA/HCP4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7201 CDGA/P4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7201 CDGB/P4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7201 CDGA/HCP4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7201 CDGA/P4A	d = 12	D = 32	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3201-BB-2RSR-TVH	d = 12	D = 32	B = 15.9	Angular contact ball bearing
FAG	3201-BB-2Z-TVH	d = 12	D = 32	B = 15.9	Angular contact ball bearing
FAG	3201-BB-2Z-TVH-L055	d = 12	D = 32	B = 15.9	Angular contact ball bearing
FAG	3201-BB-TVH	d = 12	D = 32	B = 15.9	Angular contact ball bearing
FAG	3201-BB-TVH-C3	d = 12	D = 32	B = 15.9	Angular contact ball bearing
KOYO	3201	d = 12	D = 32	B = 15.9	Angular contact ball bearing
SKF	3201 A-2RS1TN9	d = 12	D = 32	B = 15.9	Double row angular contact ball bearing with seals or shields
SKF	3201 A-2RS1TN9/C3LHT23	d = 12	D = 32	B = 15.9	Double row angular contact ball bearing with seals or shields
SKF	3201 A-2RS1TN9/MT33	d = 12	D = 32	B = 15.9	Double row angular contact ball bearing with seals or shields
SKF	3201 A-2ZTN9	d = 12	D = 32	B = 15.9	Double row angular contact ball bearing with seals or shields
SKF	3201 A-2ZTN9/GFF	d = 12	D = 32	B = 15.9	Double row angular contact ball bearing with seals or shields

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3201 A-2ZTN9/MT33	d = 12	D = 32	B = 15.9	Double row angular contact ball bearing with seals or shields
SKF	3201 ATN9	d = 12	D = 32	B = 15.9	Double row angular contact ball bearing
KOYO	7201BDB	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201BDB FY	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201BDF	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201BDF FY	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201BDT	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201BDT FY	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201CDB	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201CDB FY	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201CDF	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201CDF FY	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201CDT	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201CDT FY	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201DB	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201DB FY	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201DF	d = 12	D = 32	B = 20	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7201DF FY	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201DT	d = 12	D = 32	B = 20	Angular contact ball bearing
KOYO	7201DT FY	d = 12	D = 32	B = 20	Angular contact ball bearing
FAG	7301-B-XL-JP	d = 12	D = 37	B = 12	Angular contact ball bearing
FAG	7301-B-XL-JP-UA	d = 12	D = 37	B = 12	Angular contact ball bearing
FAG	7301-B-XL-JP-UO	d = 12	D = 37	B = 12	Angular contact ball bearing
FAG	7301-B-XL-TVP	d = 12	D = 37	B = 12	Angular contact ball bearing
FAG	7301-B-XL-TVP-P5-UL	d = 12	D = 37	B = 12	Angular contact ball bearing
FAG	7301-B-XL-TVP-UA	d = 12	D = 37	B = 12	Angular contact ball bearing
FAG	7301-B-XL-TVP-UL	d = 12	D = 37	B = 12	Angular contact ball bearing
FAG	7301-B-XL-TVP-UO	d = 12	D = 37	B = 12	Angular contact ball bearing
KOYO	7301	d = 12	D = 37	B = 12	Angular contact ball bearing
KOYO	7301 FY	d = 12	D = 37	B = 12	Angular contact ball bearing
SKF	7301 BE-2RZP	d = 12	D = 37	B = 12	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7301 BEP	d = 12	D = 37	B = 12	Single row angular contact ball bearing
KOYO	7301DB	d = 12	D = 37	B = 24	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7301DB FY	d = 12	D = 37	B = 24	Angular contact ball bearing
KOYO	7301DF	d = 12	D = 37	B = 24	Angular contact ball bearing
KOYO	7301DF FY	d = 12	D = 37	B = 24	Angular contact ball bearing
KOYO	7301DT	d = 12	D = 37	B = 24	Angular contact ball bearing
KOYO	7301DT FY	d = 12	D = 37	B = 24	Angular contact ball bearing
SKF	71802 ACD/HCP4	d = 15	D = 24	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71802 ACD/P4	d = 15	D = 24	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71802 ACDGA/P4	d = 15	D = 24	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71802 ACDGB/P4	d = 15	D = 24	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71802 CD/HCP4	d = 15	D = 24	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71802 CD/P4	d = 15	D = 24	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71802 CDGA/HCP4	d = 15	D = 24	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71802 CDGA/P4	d = 15	D = 24	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71802 CDGB/P4	d = 15	D = 24	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71902-C-2RSD-T-P4S-UL	d = 15	D = 28	B = 7	Spindle bearing
FAG	B71902-C-T-P4S-UL	d = 15	D = 28	B = 7	Spindle bearing
FAG	B71902-E-2RSD-T-P4S-UL	d = 15	D = 28	B = 7	Spindle bearing
FAG	B71902-E-T-P4S-UL	d = 15	D = 28	B = 7	Spindle bearing
FAG	HC71902-E-T-P4S-UL	d = 15	D = 28	B = 7	High speed spindle bearing
FAG	HCB71902-C-T-P4S-UL	d = 15	D = 28	B = 7	Spindle bearing
FAG	HCB71902-E-2RSD-T-P4S-UL	d = 15	D = 28	B = 7	Spindle bearing
FAG	HCB71902-E-T-P4S-UL	d = 15	D = 28	B = 7	Spindle bearing
FAG	HCS71902-E-T-P4S-UL	d = 15	D = 28	B = 7	High speed spindle bearing
FAG	HS71902-C-T-P4S-UL	d = 15	D = 28	B = 7	High speed spindle bearing
FAG	HS71902-E-T-P4S-UL	d = 15	D = 28	B = 7	High speed spindle bearing
FAG	HSS71902-C-T-P4S-UL	d = 15	D = 28	B = 7	High speed spindle bearing
FAG	HSS71902-E-T-P4S-UL	d = 15	D = 28	B = 7	High speed spindle bearing
FAG	PTB71902-E	d = 15	D = 28	B = 7	Spindle bearing
FAG	PTB71902-E-2RSD	d = 15	D = 28	B = 7	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7902C FY	d = 15	D = 28	B = 7	Angular contact ball bearing
SKF	71902 ACD/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71902 ACDGA/HCP4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71902 ACDGA/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71902 ACDGB/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71902 ACDGC/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71902 ACE/HCP4A	d = 15	D = 28	B = 7	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71902 ACEGA/HCP4A	d = 15	D = 28	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71902 ACEGA/P4A	d = 15	D = 28	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71902 ACEGB/P4A	d = 15	D = 28	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71902 CD/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71902 CDGA/HCP4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71902 CDGA/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71902 CDGB/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71902 CDGC/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71902 CE/HCP4A	d = 15	D = 28	B = 7	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71902 CE/HCP4AH	d = 15	D = 28	B = 7	Super-precision, high-speed E design, single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71902 CE/P4A	d = 15	D = 28	B = 7	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71902 CEGA/HCP4A	d = 15	D = 28	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71902 CEGA/HCP4AH	d = 15	D = 28	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71902 CEGA/P4A	d = 15	D = 28	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71902 CEGB/P4A	d = 15	D = 28	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71902 FEGA/HCP4A	d = 15	D = 28	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71902/VA9D1	d = 15	D = 28	B = 7	Super-precision universally matchable single row angular contact ball bearing for driven tools
SKF	S71902 ACDGA/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71902 ACDGC/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71902 CD/HCP4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71902 CDGA/HCP4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71902 CDGA/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71902 CDGB/P4A	d = 15	D = 28	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
KOYO	7902CDB FY	d = 15	D = 28	B = 14	Angular contact ball bearing
KOYO	7902CDF FY	d = 15	D = 28	B = 14	Angular contact ball bearing
KOYO	7902CDT FY	d = 15	D = 28	B = 14	Angular contact ball bearing
FAG	B7002-C-2RSD-T-P4S-UL	d = 15	D = 32	B = 9	Spindle bearing
FAG	B7002-C-T-P4S-UL	d = 15	D = 32	B = 9	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7002-E-2RSD-T-P4S-UL	d = 15	D = 32	B = 9	Spindle bearing
FAG	B7002-E-T-P4S-UL	d = 15	D = 32	B = 9	Spindle bearing
FAG	HC7002-E-T-P4S-UL	d = 15	D = 32	B = 9	High speed spindle bearing
FAG	HCB7002-C-2RSD-T-P4S-UL	d = 15	D = 32	B = 9	Spindle bearing
FAG	HCB7002-C-T-P4S-UL	d = 15	D = 32	B = 9	Spindle bearing
FAG	HCB7002-E-2RSD-T-P4S-UL	d = 15	D = 32	B = 9	Spindle bearing
FAG	HCB7002-E-T-P4S-UL	d = 15	D = 32	B = 9	Spindle bearing
FAG	HCS7002-E-T-P4S-UL	d = 15	D = 32	B = 9	High speed spindle bearing
FAG	HS7002-C-T-P4S-UL	d = 15	D = 32	B = 9	High speed spindle bearing
FAG	HS7002-E-T-P4S-UL	d = 15	D = 32	B = 9	High speed spindle bearing
FAG	HSS7002-C-T-P4S-UL	d = 15	D = 32	B = 9	High speed spindle bearing
FAG	HSS7002-E-T-P4S-UL	d = 15	D = 32	B = 9	High speed spindle bearing
FAG	PTB7002-E	d = 15	D = 32	B = 9	Spindle bearing
FAG	PTB7002-E-2RSD	d = 15	D = 32	B = 9	Spindle bearing
KOYO	7002 FY	d = 15	D = 32	B = 9	Angular contact ball bearing
KOYO	7002B FY	d = 15	D = 32	B = 9	Angular contact ball bearing
KOYO	7002C FY	d = 15	D = 32	B = 9	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NTN	7002	d = 15	D = 32	B = 9	Angular contact ball bearing
SKF	7002 ACD/P4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7002 ACDGA/HCP4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7002 ACDGA/P4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7002 ACDGB/HCP4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7002 ACDGB/P4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7002 ACDGC/P4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7002 ACEGA/HCP4A	d = 15	D = 32	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7002 CD/HCP4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7002 CD/P4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7002 CDGA/HCP4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7002 CDGA/P4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7002 CDGB/HCP4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7002 CDGB/P4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7002 CDGC/P4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7002 CE/HCP4A	d = 15	D = 32	B = 9	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7002 CE/P4A	d = 15	D = 32	B = 9	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7002 CEGA/HCP4A	d = 15	D = 32	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7002 CEGA/P4A	d = 15	D = 32	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7002 CEGB/P4A	d = 15	D = 32	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7002 CEGC/HCP4A	d = 15	D = 32	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7002 FEGA/HCP4A	d = 15	D = 32	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7002 ACDGA/P4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7002 ACEGA/HCP4A	d = 15	D = 32	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7002 ACEGA/P4A	d = 15	D = 32	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7002 CDGA/P4A	d = 15	D = 32	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7002 CEGA/HCP4A	d = 15	D = 32	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7002 CEGA/P4A	d = 15	D = 32	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7002BDB FY	d = 15	D = 32	B = 18	Angular contact ball bearing
KOYO	7002BDF FY	d = 15	D = 32	B = 18	Angular contact ball bearing
KOYO	7002BDT FY	d = 15	D = 32	B = 18	Angular contact ball bearing
KOYO	7002CDB FY	d = 15	D = 32	B = 18	Angular contact ball bearing
KOYO	7002CDF FY	d = 15	D = 32	B = 18	Angular contact ball bearing
KOYO	7002CDT FY	d = 15	D = 32	B = 18	Angular contact ball bearing
KOYO	7002DB FY	d = 15	D = 32	B = 18	Angular contact ball bearing
KOYO	7002DF FY	d = 15	D = 32	B = 18	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7002DT FY	d = 15	D = 32	B = 18	Angular contact ball bearing
FAG	7202-B-XL-2RS-TVP	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-2RS-TVP-P5-UL	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-2RS-TVP-UA	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-2RS-TVP-UL	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-2RS-TVP-UO	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-JP	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-JP-UA	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-JP-UO	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-TVP	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-TVP-P5	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-TVP-P5-UL	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-TVP-P5-UO	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-TVP-UA	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-TVP-UB	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	7202-B-XL-TVP-UO	d = 15	D = 35	B = 11	Angular contact ball bearing
FAG	B7202-C-2RSD-T-P4S-UL	d = 15	D = 35	B = 11	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7202-C-T-P4S-UL	d = 15	D = 35	B = 11	Spindle bearing
FAG	B7202-E-2RSD-T-P4S-UL	d = 15	D = 35	B = 11	Spindle bearing
FAG	B7202-E-T-P4S-UL	d = 15	D = 35	B = 11	Spindle bearing
FAG	HCB7202-C-2RSD-T-P4S-UL	d = 15	D = 35	B = 11	Spindle bearing
FAG	HCB7202-C-T-P4S-UL	d = 15	D = 35	B = 11	Spindle bearing
FAG	HCB7202-E-T-P4S-UL	d = 15	D = 35	B = 11	Spindle bearing
KOYO	7202	d = 15	D = 35	B = 11	Angular contact ball bearing
KOYO	7202 FY	d = 15	D = 35	B = 11	Angular contact ball bearing
KOYO	7202B	d = 15	D = 35	B = 11	Angular contact ball bearing
KOYO	7202B FY	d = 15	D = 35	B = 11	Angular contact ball bearing
KOYO	7202C	d = 15	D = 35	B = 11	Angular contact ball bearing
KOYO	7202C FY	d = 15	D = 35	B = 11	Angular contact ball bearing
SKF	7202 ACD/HCP4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7202 ACD/P4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7202 ACDGA/HCP4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7202 ACDGA/P4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7202 ACDGB/P4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7202 ACDGC/P4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7202 BE-2RZP	d = 15	D = 35	B = 11	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7202 BECBP	d = 15	D = 35	B = 11	Single row angular contact ball bearing
SKF	7202 BEGAP	d = 15	D = 35	B = 11	Single row angular contact ball bearing
SKF	7202 BEGBP	d = 15	D = 35	B = 11	Single row angular contact ball bearing
SKF	7202 BEP	d = 15	D = 35	B = 11	Single row angular contact ball bearing
SKF	7202 CD/HCP4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7202 CD/P4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7202 CDGA/HCP4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7202 CDGA/P4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7202 CDGB/HCP4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7202 CDGB/P4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7202 CDGC/P4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7202 ACDGA/P4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7202 ACDGB/P4A	d = 15	D = 35	B = 11	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3202-BD-XL	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-2HRS	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-2HRS-C3	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-2HRS-TVH	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-2HRS-TVH-C3	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-2Z	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-2Z-C3	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-2Z-TVH	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-2Z-TVH-C2	d = 15	D = 35	B = 15.9	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3202-BD-XL-2Z-TVH-C3	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-C3	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-TVH	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-TVH-C2	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-TVH-C3	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-TVH-L285	d = 15	D = 35	B = 15.9	Angular contact ball bearing
FAG	3202-BD-XL-TVH-L285-C3	d = 15	D = 35	B = 15.9	Angular contact ball bearing
KOYO	3202	d = 15	D = 35	B = 15.9	Angular contact ball bearing
SKF	3202 A-2RS1TN9/MT33	d = 15	D = 35	B = 15.9	Double row angular contact ball bearing with seals or shields
SKF	3202 A-2ZTN9/MT33	d = 15	D = 35	B = 15.9	Double row angular contact ball bearing with seals or shields
SKF	3202 ATN9	d = 15	D = 35	B = 15.9	Double row angular contact ball bearing
KOYO	7202BDB	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202BDB FY	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202BDF	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202BDF FY	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202BDT	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202BDT FY	d = 15	D = 35	B = 22	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7202CDB	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202CDB FY	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202CDF	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202CDF FY	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202CDT	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202CDT FY	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202DB	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202DB FY	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202DF	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202DF FY	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202DT	d = 15	D = 35	B = 22	Angular contact ball bearing
KOYO	7202DT FY	d = 15	D = 35	B = 22	Angular contact ball bearing
FAG	7302-B-XL-2RS-TVP	d = 15	D = 42	B = 13	Angular contact ball bearing
FAG	7302-B-XL-JP	d = 15	D = 42	B = 13	Angular contact ball bearing
FAG	7302-B-XL-JP-UA	d = 15	D = 42	B = 13	Angular contact ball bearing
FAG	7302-B-XL-JP-UO	d = 15	D = 42	B = 13	Angular contact ball bearing
FAG	7302-B-XL-MP	d = 15	D = 42	B = 13	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7302-B-XL-TVP	d = 15	D = 42	B = 13	Angular contact ball bearing
FAG	7302-B-XL-TVP-P5-UH	d = 15	D = 42	B = 13	Angular contact ball bearing
FAG	7302-B-XL-TVP-UA	d = 15	D = 42	B = 13	Angular contact ball bearing
FAG	7302-B-XL-TVP-UL	d = 15	D = 42	B = 13	Angular contact ball bearing
FAG	7302-B-XL-TVP-UO	d = 15	D = 42	B = 13	Angular contact ball bearing
KOYO	7302	d = 15	D = 42	B = 13	Angular contact ball bearing
KOYO	7302 FY	d = 15	D = 42	B = 13	Angular contact ball bearing
SKF	7302 BE-2RZP	d = 15	D = 42	B = 13	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7302 BECBP	d = 15	D = 42	B = 13	Single row angular contact ball bearing
SKF	7302 BEP	d = 15	D = 42	B = 13	Single row angular contact ball bearing
FAG	3302-BD-XL-2HRS-TVH	d = 15	D = 42	B = 19	Angular contact ball bearing
FAG	3302-BD-XL-2HRS-TVH-C3	d = 15	D = 42	B = 19	Angular contact ball bearing
FAG	3302-BD-XL-2Z-TVH	d = 15	D = 42	B = 19	Angular contact ball bearing
FAG	3302-BD-XL-2Z-TVH-C3	d = 15	D = 42	B = 19	Angular contact ball bearing
FAG	3302-BD-XL-TVH	d = 15	D = 42	B = 19	Angular contact ball bearing
FAG	3302-BD-XL-TVH-C3	d = 15	D = 42	B = 19	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3302-BD-XL-TVH-L285	d = 15	D = 42	B = 19	Angular contact ball bearing
FAG	3302-BD-XL-TVH-L285-C3	d = 15	D = 42	B = 19	Angular contact ball bearing
KOYO	3302	d = 15	D = 42	B = 19	Angular contact ball bearing
SKF	3302 A-2RS1TN9/MT33	d = 15	D = 42	B = 19	Double row angular contact ball bearing with seals or shields
SKF	3302 A-2ZTN9/MT33	d = 15	D = 42	B = 19	Double row angular contact ball bearing with seals or shields
SKF	3302 ATN9	d = 15	D = 42	B = 19	Double row angular contact ball bearing
KOYO	7302DB	d = 15	D = 42	B = 26	Angular contact ball bearing
KOYO	7302DB FY	d = 15	D = 42	B = 26	Angular contact ball bearing
KOYO	7302DF	d = 15	D = 42	B = 26	Angular contact ball bearing
KOYO	7302DF FY	d = 15	D = 42	B = 26	Angular contact ball bearing
KOYO	7302DT	d = 15	D = 42	B = 26	Angular contact ball bearing
KOYO	7302DT FY	d = 15	D = 42	B = 26	Angular contact ball bearing
SKF	71803 ACD/P4	d = 17	D = 26	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71803 ACDGA/HCP4	d = 17	D = 26	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71803 ACDGA/P4	d = 17	D = 26	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71803 ACDGB/P4	d = 17	D = 26	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71803 CD/HCP4	d = 17	D = 26	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71803 CD/P4	d = 17	D = 26	B = 5	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71803 CDGA/HCP4	d = 17	D = 26	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71803 CDGA/P4	d = 17	D = 26	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71803 CDGB/P4	d = 17	D = 26	B = 5	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71903-C-2RSD-T-P4S-UL	d = 17	D = 30	B = 7	Spindle bearing
FAG	B71903-C-T-P4S-UL	d = 17	D = 30	B = 7	Spindle bearing
FAG	B71903-E-2RSD-T-P4S-UL	d = 17	D = 30	B = 7	Spindle bearing
FAG	B71903-E-T-P4S-UL	d = 17	D = 30	B = 7	Spindle bearing
FAG	HC71903-E-T-P4S-UL	d = 17	D = 30	B = 7	High speed spindle bearing
FAG	HCB71903-C-2RSD-T-P4S-UL	d = 17	D = 30	B = 7	Spindle bearing
FAG	HCB71903-C-T-P4S-UL	d = 17	D = 30	B = 7	Spindle bearing
FAG	HCB71903-E-2RSD-T-P4S-UL	d = 17	D = 30	B = 7	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB71903-E-T-P4S-UL	d = 17	D = 30	B = 7	Spindle bearing
FAG	HCS71903-E-T-P4S-UL	d = 17	D = 30	B = 7	High speed spindle bearing
FAG	HS71903-C-T-P4S-UL	d = 17	D = 30	B = 7	High speed spindle bearing
FAG	HS71903-E-T-P4S-UL	d = 17	D = 30	B = 7	High speed spindle bearing
FAG	HSS71903-C-T-P4S-UL	d = 17	D = 30	B = 7	High speed spindle bearing
FAG	HSS71903-E-T-P4S-UL	d = 17	D = 30	B = 7	High speed spindle bearing
FAG	PTB71903-E	d = 17	D = 30	B = 7	Spindle bearing
FAG	PTB71903-E-2RSD	d = 17	D = 30	B = 7	Spindle bearing
KOYO	7903C FY	d = 17	D = 30	B = 7	Angular contact ball bearing
SKF	71903 ACD/P4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71903 ACDGA/HCP4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71903 ACDGA/P4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71903 ACDGB/P4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71903 ACDGC/P4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71903 ACDGD/P4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71903 ACEGA/HCP4A	d = 17	D = 30	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71903 CD/P4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71903 CDGA/HCP4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71903 CDGA/P4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71903 CDGB/HCP4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71903 CDGB/P4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71903 CDGC/P4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71903 CE/HCP4A	d = 17	D = 30	B = 7	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71903 CEGA/HCP4A	d = 17	D = 30	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71903 CEGA/HCP4AH	d = 17	D = 30	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71903 CEGA/P4A	d = 17	D = 30	B = 7	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71903/VA9D1	d = 17	D = 30	B = 7	Super-precision universally matchable single row angular contact ball bearing for driven tools
SKF	S71903 ACDGA/P4A	d = 17	D = 30	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
KOYO	7903CDB FY	d = 17	D = 30	B = 14	Angular contact ball bearing
KOYO	7903CDF FY	d = 17	D = 30	B = 14	Angular contact ball bearing
KOYO	7903CDT FY	d = 17	D = 30	B = 14	Angular contact ball bearing
FAG	B7003-C-2RSD-T-P4S-UL	d = 17	D = 35	B = 10	Spindle bearing
FAG	B7003-C-T-P4S-UL	d = 17	D = 35	B = 10	Spindle bearing
FAG	B7003-E-2RSD-T-P4S-UL	d = 17	D = 35	B = 10	Spindle bearing
FAG	B7003-E-T-P4S-UL	d = 17	D = 35	B = 10	Spindle bearing
FAG	HC7003-E-T-P4S-UL	d = 17	D = 35	B = 10	High speed spindle bearing
FAG	HCB7003-C-2RSD-T-P4S-UL	d = 17	D = 35	B = 10	Spindle bearing
FAG	HCB7003-C-T-P4S-UL	d = 17	D = 35	B = 10	Spindle bearing
FAG	HCB7003-E-2RSD-T-P4S-UL	d = 17	D = 35	B = 10	Spindle bearing
FAG	HCB7003-E-T-P4S-UL	d = 17	D = 35	B = 10	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCS7003-E-T-P4S-UL	d = 17	D = 35	B = 10	High speed spindle bearing
FAG	HS7003-C-T-P4S-UL	d = 17	D = 35	B = 10	High speed spindle bearing
FAG	HSS7003-C-T-P4S-UL	d = 17	D = 35	B = 10	High speed spindle bearing
FAG	HSS7003-E-T-P4S-UL	d = 17	D = 35	B = 10	High speed spindle bearing
FAG	PTB7003-E	d = 17	D = 35	B = 10	Spindle bearing
FAG	PTB7003-E-2RSD	d = 17	D = 35	B = 10	Spindle bearing
KOYO	7003 FY	d = 17	D = 35	B = 10	Angular contact ball bearing
KOYO	7003B FY	d = 17	D = 35	B = 10	Angular contact ball bearing
KOYO	7003C FY	d = 17	D = 35	B = 10	Angular contact ball bearing
NTN	7003	d = 17	D = 35	B = 10	Angular contact ball bearing
SKF	7003 ACD/HCP4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7003 ACD/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7003 ACDGA/HCP4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7003 ACDGA/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7003 ACDGB/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7003 ACDGC/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7003 CD/HCP4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7003 CD/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7003 CDGA/HCP4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7003 CDGA/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7003 CDGB/HCP4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7003 CDGB/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7003 CDGC/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7003 CE/HCP4A	d = 17	D = 35	B = 10	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7003 CE/HCP4AH	d = 17	D = 35	B = 10	Super-precision, high-speed E design, single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7003 CEGA/HCP4A	d = 17	D = 35	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7003 CEGA/P4A	d = 17	D = 35	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7003 CEGB/HCP4A	d = 17	D = 35	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7003 CEGB/P4A	d = 17	D = 35	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7003 FEGA/HCP4AH	d = 17	D = 35	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7003/VA9D1	d = 17	D = 35	B = 10	Super-precision universally matchable single row angular contact ball bearing for driven tools
SKF	S7003 ACDGA/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7003 ACEGA/HCP4A	d = 17	D = 35	B = 10	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7003 ACEGA/P4A	d = 17	D = 35	B = 10	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7003 CD/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7003 CDGA/HCP4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7003 CDGA/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7003 CDGC/P4A	d = 17	D = 35	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7003 CE/HCP4A	d = 17	D = 35	B = 10	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7003 CEGA/HCP4A	d = 17	D = 35	B = 10	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7003 CEGA/P4A	d = 17	D = 35	B = 10	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7003 CEGB/P4A	d = 17	D = 35	B = 10	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7003BDB FY	d = 17	D = 35	B = 20	Angular contact ball bearing
KOYO	7003BDF FY	d = 17	D = 35	B = 20	Angular contact ball bearing
KOYO	7003BDT FY	d = 17	D = 35	B = 20	Angular contact ball bearing
KOYO	7003CDB FY	d = 17	D = 35	B = 20	Angular contact ball bearing
KOYO	7003CDF FY	d = 17	D = 35	B = 20	Angular contact ball bearing
KOYO	7003CDT FY	d = 17	D = 35	B = 20	Angular contact ball bearing
KOYO	7003DB FY	d = 17	D = 35	B = 20	Angular contact ball bearing
KOYO	7003DF FY	d = 17	D = 35	B = 20	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7003DT FY	d = 17	D = 35	B = 20	Angular contact ball bearing
FAG	7203-B-XL-2RS-TVP	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-2RS-TVP-L431	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-2RS-TVP-UO	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-JP	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-JP-UA	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-JP-UO	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-MP	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-MP-UA	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-TVP	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-TVP-P5-UL	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-TVP-P5-UO	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-TVP-UA	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-TVP-UB	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-TVP-UL	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	7203-B-XL-TVP-UO	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	B7203-C-2RSD-T-P4S-UL	d = 17	D = 40	B = 12	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7203-C-T-P4S-UL	d = 17	D = 40	B = 12	Spindle bearing
FAG	B7203-E-2RSD-T-P4S-UL	d = 17	D = 40	B = 12	Spindle bearing
FAG	B7203-E-T-P4S-UL	d = 17	D = 40	B = 12	Spindle bearing
FAG	HC7203-B-XL-2RS-TVP	d = 17	D = 40	B = 12	Angular contact ball bearing
FAG	HCB7203-C-2RSD-T-P4S-UL	d = 17	D = 40	B = 12	Spindle bearing
FAG	HCB7203-C-T-P4S-UL	d = 17	D = 40	B = 12	Spindle bearing
FAG	HCB7203-E-2RSD-T-P4S-UL	d = 17	D = 40	B = 12	Spindle bearing
FAG	HCB7203-E-T-P4S-UL	d = 17	D = 40	B = 12	Spindle bearing
KOYO	7203	d = 17	D = 40	B = 12	Angular contact ball bearing
KOYO	7203 FY	d = 17	D = 40	B = 12	Angular contact ball bearing
KOYO	7203B	d = 17	D = 40	B = 12	Angular contact ball bearing
KOYO	7203B FY	d = 17	D = 40	B = 12	Angular contact ball bearing
KOYO	7203C	d = 17	D = 40	B = 12	Angular contact ball bearing
KOYO	7203C FY	d = 17	D = 40	B = 12	Angular contact ball bearing
SKF	7203 ACD/HCP4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7203 ACD/P4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7203 ACDGA/HCP4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7203 ACDGA/P4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7203 ACDGB/P4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7203 ACDGC/P4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7203 BE-2RZP	d = 17	D = 40	B = 12	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7203 BECBM	d = 17	D = 40	B = 12	Single row angular contact ball bearing
SKF	7203 BECBP	d = 17	D = 40	B = 12	Single row angular contact ball bearing
SKF	7203 BEGAP	d = 17	D = 40	B = 12	Single row angular contact ball bearing
SKF	7203 BEP	d = 17	D = 40	B = 12	Single row angular contact ball bearing
SKF	7203 CD/HCP4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7203 CD/P4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7203 CDGA/HCP4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7203 CDGA/P4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7203 CDGB/HCP4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7203 CDGB/P4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7203 CDGA/HCP4A	d = 17	D = 40	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3203-BD-XL	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-2HRS	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-2HRS-C3	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-2HRS-TVH	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-2HRS-TVH-C3	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-2HRS-TVH-C5	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-2Z	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-2Z-C3	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-2Z-TVH	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-2Z-TVH-C3	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-C3	d = 17	D = 40	B = 17.5	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3203-BD-XL-TVH	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-TVH-C2	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-TVH-C3	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-TVH-L285	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-TVH-L285-C3	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-Z-TVH	d = 17	D = 40	B = 17.5	Angular contact ball bearing
FAG	3203-BD-XL-Z-TVH-C3	d = 17	D = 40	B = 17.5	Angular contact ball bearing
KOYO	3203	d = 17	D = 40	B = 17.5	Angular contact ball bearing
KOYO	5203	d = 17	D = 40	B = 17.5	Angular contact ball bearing
KOYO	5203 2RS	d = 17	D = 40	B = 17.5	Angular contact ball bearing
KOYO	5203 ZZ	d = 17	D = 40	B = 17.5	Angular contact ball bearing
SKF	3203 A-2RS1TN9/C3	d = 17	D = 40	B = 17.5	Double row angular contact ball bearing with seals or shields
SKF	3203 A-2RS1TN9/C3MT33	d = 17	D = 40	B = 17.5	Double row angular contact ball bearing with seals or shields
SKF	3203 A-2RS1TN9/GWK9	d = 17	D = 40	B = 17.5	Double row angular contact ball bearing with seals or shields
SKF	3203 A-2RS1TN9/MT33	d = 17	D = 40	B = 17.5	Double row angular contact ball bearing with seals or shields
SKF	3203 A-2ZTN9/C3WT	d = 17	D = 40	B = 17.5	Double row angular contact ball bearing with seals or shields
SKF	3203 A-2ZTN9/MT33	d = 17	D = 40	B = 17.5	Double row angular contact ball bearing with seals or shields

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3203 ATN9	d = 17	D = 40	B = 17.5	Double row angular contact ball bearing
KOYO	7203BDB	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203BDB FY	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203BDF	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203BDF FY	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203BDT	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203BDT FY	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203CDB	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203CDB FY	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203CDF	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203CDF FY	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203CDT	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203CDT FY	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203DB	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203DB FY	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203DF	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203DF FY	d = 17	D = 40	B = 24	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7203DT	d = 17	D = 40	B = 24	Angular contact ball bearing
KOYO	7203DT FY	d = 17	D = 40	B = 24	Angular contact ball bearing
FAG	7303-B-XL-2RS-TVP	d = 17	D = 47	B = 14	Angular contact ball bearing
FAG	7303-B-XL-2RS-TVP-UO	d = 17	D = 47	B = 14	Angular contact ball bearing
FAG	7303-B-XL-JP	d = 17	D = 47	B = 14	Angular contact ball bearing
FAG	7303-B-XL-TVP	d = 17	D = 47	B = 14	Angular contact ball bearing
FAG	7303-B-XL-TVP-P5	d = 17	D = 47	B = 14	Angular contact ball bearing
FAG	7303-B-XL-TVP-P5-UL	d = 17	D = 47	B = 14	Angular contact ball bearing
FAG	7303-B-XL-TVP-UA	d = 17	D = 47	B = 14	Angular contact ball bearing
FAG	7303-B-XL-TVP-UO	d = 17	D = 47	B = 14	Angular contact ball bearing
KOYO	7303	d = 17	D = 47	B = 14	Angular contact ball bearing
KOYO	7303 FY	d = 17	D = 47	B = 14	Angular contact ball bearing
KOYO	7303B	d = 17	D = 47	B = 14	Angular contact ball bearing
KOYO	7303B FY	d = 17	D = 47	B = 14	Angular contact ball bearing
KOYO	7303C	d = 17	D = 47	B = 14	Angular contact ball bearing
KOYO	7303C FY	d = 17	D = 47	B = 14	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7303 BE-2RZP	d = 17	D = 47	B = 14	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7303 BECBP	d = 17	D = 47	B = 14	Single row angular contact ball bearing
SKF	7303 BEGAP	d = 17	D = 47	B = 14	Single row angular contact ball bearing
SKF	7303 BEP	d = 17	D = 47	B = 14	Single row angular contact ball bearing
FAG	3303-BD-XL-2HRS-TVH	d = 17	D = 47	B = 22.2	Angular contact ball bearing
FAG	3303-BD-XL-2HRS-TVH-C3	d = 17	D = 47	B = 22.2	Angular contact ball bearing
FAG	3303-BD-XL-2Z-TVH	d = 17	D = 47	B = 22.2	Angular contact ball bearing
FAG	3303-BD-XL-2Z-TVH-C3	d = 17	D = 47	B = 22.2	Angular contact ball bearing
FAG	3303-BD-XL-TVH	d = 17	D = 47	B = 22.2	Angular contact ball bearing
FAG	3303-BD-XL-TVH-C3	d = 17	D = 47	B = 22.2	Angular contact ball bearing
FAG	3303-BD-XL-TVH-L285	d = 17	D = 47	B = 22.2	Angular contact ball bearing
FAG	3303-BD-XL-TVH-L285-C3	d = 17	D = 47	B = 22.2	Angular contact ball bearing
KOYO	3303	d = 17	D = 47	B = 22.2	Angular contact ball bearing
SKF	3303 A-2RS1TN9/MT33	d = 17	D = 47	B = 22.2	Double row angular contact ball bearing with seals or shields
SKF	3303 A-2ZTN9/MT33	d = 17	D = 47	B = 22.2	Double row angular contact ball bearing with seals or shields
SKF	3303 ATN9	d = 17	D = 47	B = 22.2	Double row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7303BDB	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303BDB FY	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303BDF	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303BDF FY	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303BDT	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303BDT FY	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303CDB	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303CDB FY	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303CDF	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303CDF FY	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303CDT	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303CDT FY	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303DB	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303DB FY	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303DF	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303DF FY	d = 17	D = 47	B = 28	Angular contact ball bearing
KOYO	7303DT	d = 17	D = 47	B = 28	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7303DT FY	d = 17	D = 47	B = 28	Angular contact ball bearing
SKF	71804 ACD/HCP4	d = 20	D = 32	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71804 ACD/P4	d = 20	D = 32	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71804 ACDGA/HCP4	d = 20	D = 32	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71804 ACDGA/P4	d = 20	D = 32	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71804 ACDGB/P4	d = 20	D = 32	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71804 ACDGC/P4	d = 20	D = 32	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71804 CD/HCP4	d = 20	D = 32	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71804 CD/P4	d = 20	D = 32	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71804 CDGA/HCP4	d = 20	D = 32	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71804 CDGA/P4	d = 20	D = 32	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71804 CDGB/P4	d = 20	D = 32	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71804 CDGC/P4	d = 20	D = 32	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71904-C-2RSD-T-P4S-UL	d = 20	D = 37	B = 9	Spindle bearing
FAG	B71904-C-T-P4S-UL	d = 20	D = 37	B = 9	Spindle bearing
FAG	B71904-E-2RSD-T-P4S-UL	d = 20	D = 37	B = 9	Spindle bearing
FAG	B71904-E-T-P4S-UL	d = 20	D = 37	B = 9	Spindle bearing
FAG	HC71904-E-T-P4S-UL	d = 20	D = 37	B = 9	High speed spindle bearing
FAG	HCB71904-C-2RSD-T-P4S-UL	d = 20	D = 37	B = 9	Spindle bearing
FAG	HCB71904-C-T-P4S-UL	d = 20	D = 37	B = 9	Spindle bearing
FAG	HCB71904-E-2RSD-T-P4S-UL	d = 20	D = 37	B = 9	Spindle bearing
FAG	HCB71904-E-T-P4S-UL	d = 20	D = 37	B = 9	Spindle bearing
FAG	HCS71904-E-T-P4S-UL	d = 20	D = 37	B = 9	High speed spindle bearing
FAG	HS71904-C-T-P4S-UL	d = 20	D = 37	B = 9	High speed spindle bearing
FAG	HS71904-E-T-P4S-UL	d = 20	D = 37	B = 9	High speed spindle bearing
FAG	HSS71904-C-T-P4S-UL	d = 20	D = 37	B = 9	High speed spindle bearing
FAG	HSS71904-E-T-P4S-UL	d = 20	D = 37	B = 9	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	PTB71904-E	d = 20	D = 37	B = 9	Spindle bearing
FAG	PTB71904-E-2RSD	d = 20	D = 37	B = 9	Spindle bearing
KOYO	7904C FY	d = 20	D = 37	B = 9	Angular contact ball bearing
SKF	71904 ACD/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71904 ACD/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71904 ACDGA/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 ACDGA/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 ACDGB/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 ACDGB/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 ACDGC/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 ACDGD/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 ACE/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-speed E design, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71904 ACEGA/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71904 ACEGA/P4A	d = 20	D = 37	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71904 ACEGB/P4A	d = 20	D = 37	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71904 CD/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71904 CD/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71904 CDGA/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 CDGA/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 CDGB/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 CDGB/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 CDGC/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71904 CE/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-speed E design, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71904 CEGA/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71904 CEGA/P4A	d = 20	D = 37	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71904 CEGB/P4A	d = 20	D = 37	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71904 FE/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71904 FEGA/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S71904 ACD/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71904 ACDGA/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71904 ACDGA/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71904 ACDGB/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71904 ACEGA/HCP4A	d = 20	D = 37	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71904 ACEGA/P4A	d = 20	D = 37	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71904 CD/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71904 CD/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71904 CDGA/HCP4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71904 CDGA/P4A	d = 20	D = 37	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71904 CEGA/HCP4A	d = 20	D = 37	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71904 CEGA/P4A	d = 20	D = 37	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71904/VA9D1	d = 20	D = 37	B = 9	Super-precision universally matchable single row angular contact ball bearing with seals for driven tools
KOYO	7904CDB FY	d = 20	D = 37	B = 18	Angular contact ball bearing
KOYO	7904CDF FY	d = 20	D = 37	B = 18	Angular contact ball bearing
KOYO	7904CDT FY	d = 20	D = 37	B = 18	Angular contact ball bearing
FAG	7004-B-XL-2RS-TVP	d = 20	D = 42	B = 12	Angular contact ball bearing
FAG	7004-B-XL-2RS-TVP-L055	d = 20	D = 42	B = 12	Angular contact ball bearing
FAG	7004-B-XL-2RS-TVP-L212	d = 20	D = 42	B = 12	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7004-B-XL-TVP	d = 20	D = 42	B = 12	Angular contact ball bearing
FAG	7004-B-XL-TVP-UL	d = 20	D = 42	B = 12	Angular contact ball bearing
FAG	B7004-C-2RSD-T-P4S-UL	d = 20	D = 42	B = 12	Spindle bearing
FAG	B7004-C-T-P4S-UL	d = 20	D = 42	B = 12	Spindle bearing
FAG	B7004-E-2RSD-T-P4S-UL	d = 20	D = 42	B = 12	Spindle bearing
FAG	B7004-E-T-P4S-UL	d = 20	D = 42	B = 12	Spindle bearing
FAG	HC7004-B-XL-2RS-TVP	d = 20	D = 42	B = 12	Angular contact ball bearing
FAG	HC7004-E-T-P4S-UL	d = 20	D = 42	B = 12	High speed spindle bearing
FAG	HCB7004-C-2RSD-T-P4S-UL	d = 20	D = 42	B = 12	Spindle bearing
FAG	HCB7004-C-T-P4S-UL	d = 20	D = 42	B = 12	Spindle bearing
FAG	HCB7004-E-2RSD-T-P4S-UL	d = 20	D = 42	B = 12	Spindle bearing
FAG	HCB7004-E-T-P4S-UL	d = 20	D = 42	B = 12	Spindle bearing
FAG	HCS7004-E-T-P4S-UL	d = 20	D = 42	B = 12	High speed spindle bearing
FAG	HS7004-C-T-P4S-UL	d = 20	D = 42	B = 12	High speed spindle bearing
FAG	HS7004-E-T-P4S-UL	d = 20	D = 42	B = 12	High speed spindle bearing
FAG	HSS7004-C-T-P4S-UL	d = 20	D = 42	B = 12	High speed spindle bearing
FAG	HSS7004-E-T-P4S-UL	d = 20	D = 42	B = 12	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	PTB7004-E	d = 20	D = 42	B = 12	Spindle bearing
FAG	PTB7004-E-2RSD	d = 20	D = 42	B = 12	Spindle bearing
KOYO	7004 FY	d = 20	D = 42	B = 12	Angular contact ball bearing
KOYO	7004B FY	d = 20	D = 42	B = 12	Angular contact ball bearing
KOYO	7004C FY	d = 20	D = 42	B = 12	Angular contact ball bearing
NTN	7004	d = 20	D = 42	B = 12	Angular contact ball bearing
SKF	7004 ACD/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7004 ACDGA/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7004 ACDGA/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7004 ACDGB/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7004 ACDGC/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7004 ACDGC/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7004 ACEGA/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7004 ACEGA/P4A	d = 20	D = 42	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7004 CD/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7004 CDGA/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7004 CDGA/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7004 CDGB/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7004 CDGC/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7004 CE/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7004 CE/P4A	d = 20	D = 42	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7004 CEGA/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7004 CEGA/HCP4AH1	d = 20	D = 42	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7004 CEGA/P4A	d = 20	D = 42	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7004 CEGB/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7004 CEGB/P4A	d = 20	D = 42	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7004 FEGA/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7004 FEGA/HCP4AH1	d = 20	D = 42	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	S7004 ACD/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7004 ACDGA/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7004 ACDGA/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7004 ACDGB/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7004 ACDGC/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7004 ACEGA/HCP4A	d = 20	D = 42	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7004 ACEGA/P4A	d = 20	D = 42	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7004 CDGA/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7004 CDGA/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7004 CDGB/P4A	d = 20	D = 42	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7004 CE/HCP4A	d = 20	D = 42	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7004 CEGA/HCP4A	d = 20	D = 42	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7004 CEGA/P4A	d = 20	D = 42	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7004 CEGB/P4A	d = 20	D = 42	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7004 FEGA/HCP4A	d = 20	D = 42	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7004BDB FY	d = 20	D = 42	B = 24	Angular contact ball bearing
KOYO	7004BDF FY	d = 20	D = 42	B = 24	Angular contact ball bearing
KOYO	7004BDT FY	d = 20	D = 42	B = 24	Angular contact ball bearing
KOYO	7004CDB FY	d = 20	D = 42	B = 24	Angular contact ball bearing
KOYO	7004CDF FY	d = 20	D = 42	B = 24	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7004CDT FY	d = 20	D = 42	B = 24	Angular contact ball bearing
KOYO	7004DB FY	d = 20	D = 42	B = 24	Angular contact ball bearing
KOYO	7004DF FY	d = 20	D = 42	B = 24	Angular contact ball bearing
KOYO	7004DT FY	d = 20	D = 42	B = 24	Angular contact ball bearing
FAG	7204-B-XL-2RS-TVP	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-2RS-TVP-UO	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-JP	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-JP-UA	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-JP-UO	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-TVP	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-TVP-L055-UM	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-TVP-P5-UL	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-TVP-P5-UO	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-TVP-P6-L404-UO	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-TVP-UA	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-TVP-UB	d = 20	D = 47	B = 14	Angular contact ball bearing
FAG	7204-B-XL-TVP-UO	d = 20	D = 47	B = 14	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7204-C-2RSD-T-P4S-UL	d = 20	D = 47	B = 14	Spindle bearing
FAG	B7204-C-T-P4S-UL	d = 20	D = 47	B = 14	Spindle bearing
FAG	B7204-E-2RSD-T-P4S-UL	d = 20	D = 47	B = 14	Spindle bearing
FAG	B7204-E-T-P4S-UL	d = 20	D = 47	B = 14	Spindle bearing
FAG	HCB7204-C-2RSD-T-P4S-UL	d = 20	D = 47	B = 14	Spindle bearing
FAG	HCB7204-C-T-P4S-UL	d = 20	D = 47	B = 14	Spindle bearing
FAG	HCB7204-E-2RSD-T-P4S-UL	d = 20	D = 47	B = 14	Spindle bearing
FAG	HCB7204-E-T-P4S-UL	d = 20	D = 47	B = 14	Spindle bearing
KOYO	7204	d = 20	D = 47	B = 14	Angular contact ball bearing
KOYO	7204 FY	d = 20	D = 47	B = 14	Angular contact ball bearing
KOYO	7204B	d = 20	D = 47	B = 14	Angular contact ball bearing
KOYO	7204B FY	d = 20	D = 47	B = 14	Angular contact ball bearing
KOYO	7204C	d = 20	D = 47	B = 14	Angular contact ball bearing
KOYO	7204C FY	d = 20	D = 47	B = 14	Angular contact ball bearing
SKF	7204 ACCBM	d = 20	D = 47	B = 14	Single row angular contact ball bearing with 25° contact angle
SKF	7204 ACD/P4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7204 ACDGA/P4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7204 ACDGB/P4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7204 ACDGC/P4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7204 BE-2RZP	d = 20	D = 47	B = 14	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7204 BECBJ	d = 20	D = 47	B = 14	Single row angular contact ball bearing
SKF	7204 BECBM	d = 20	D = 47	B = 14	Single row angular contact ball bearing
SKF	7204 BECBP	d = 20	D = 47	B = 14	Single row angular contact ball bearing
SKF	7204 BECBY	d = 20	D = 47	B = 14	Single row angular contact ball bearing
SKF	7204 BEGAP	d = 20	D = 47	B = 14	Single row angular contact ball bearing
SKF	7204 BEGBP	d = 20	D = 47	B = 14	Single row angular contact ball bearing
SKF	7204 BEP	d = 20	D = 47	B = 14	Single row angular contact ball bearing
SKF	7204 CD/HCP4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7204 CD/P4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7204 CDGA/HCP4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7204 CDGA/P4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7204 CDGB/HCP4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7204 CDGB/P4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7204 CDGC/P4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7204 ACDGB/P4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7204 CDGA/HCP4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7204 CDGC/P4A	d = 20	D = 47	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3204-BD-XL	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-2HRS	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-2HRS-C3	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-2HRS-TVH	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-2HRS-TVH-C2	d = 20	D = 47	B = 20.6	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3204-BD-XL-2HRS-TVH-C3	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-2HRS-TVH-L055	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-2Z	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-2Z-C3	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-2Z-TVH	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-2Z-TVH-C3	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-C3	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-TVH	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-TVH-C2	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-TVH-C3	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-TVH-L285	d = 20	D = 47	B = 20.6	Angular contact ball bearing
FAG	3204-BD-XL-TVH-L285-C3	d = 20	D = 47	B = 20.6	Angular contact ball bearing
KOYO	3204	d = 20	D = 47	B = 20.6	Angular contact ball bearing
KOYO	5204	d = 20	D = 47	B = 20.6	Angular contact ball bearing
KOYO	5204 2RS	d = 20	D = 47	B = 20.6	Angular contact ball bearing
KOYO	5204 ZZ	d = 20	D = 47	B = 20.6	Angular contact ball bearing
SKF	3204 A	d = 20	D = 47	B = 20.6	Double row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3204 A-2RS1	d = 20	D = 47	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3204 A-2RS1TN9/MT33	d = 20	D = 47	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3204 A-2Z	d = 20	D = 47	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3204 A-2ZTN9/MT33	d = 20	D = 47	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3204 A-ZTN9/MT33	d = 20	D = 47	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3204 ATN9	d = 20	D = 47	B = 20.6	Double row angular contact ball bearing
KOYO	7204BDB	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204BDB FY	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204BDF	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204BDF FY	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204BDT	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204BDT FY	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204CDB	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204CDB FY	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204CDF	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204CDF FY	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204CDT	d = 20	D = 47	B = 28	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7204CDT FY	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204DB	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204DB FY	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204DF	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204DF FY	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204DT	d = 20	D = 47	B = 28	Angular contact ball bearing
KOYO	7204DT FY	d = 20	D = 47	B = 28	Angular contact ball bearing
FAG	7304-B-XL-2RS-TVP	d = 20	D = 52	B = 15	Angular contact ball bearing
FAG	7304-B-XL-2RS-TVP-UL	d = 20	D = 52	B = 15	Angular contact ball bearing
FAG	7304-B-XL-JP	d = 20	D = 52	B = 15	Angular contact ball bearing
FAG	7304-B-XL-JP-UA	d = 20	D = 52	B = 15	Angular contact ball bearing
FAG	7304-B-XL-MP	d = 20	D = 52	B = 15	Angular contact ball bearing
FAG	7304-B-XL-MP-UA	d = 20	D = 52	B = 15	Angular contact ball bearing
FAG	7304-B-XL-TVP	d = 20	D = 52	B = 15	Angular contact ball bearing
FAG	7304-B-XL-TVP-P5	d = 20	D = 52	B = 15	Angular contact ball bearing
FAG	7304-B-XL-TVP-P5-UL	d = 20	D = 52	B = 15	Angular contact ball bearing
FAG	7304-B-XL-TVP-P5-UO	d = 20	D = 52	B = 15	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7304-B-XL-TVP-UA	d = 20	D = 52	B = 15	Angular contact ball bearing
FAG	7304-B-XL-TVP-UO	d = 20	D = 52	B = 15	Angular contact ball bearing
KOYO	7304	d = 20	D = 52	B = 15	Angular contact ball bearing
KOYO	7304 FY	d = 20	D = 52	B = 15	Angular contact ball bearing
KOYO	7304B	d = 20	D = 52	B = 15	Angular contact ball bearing
KOYO	7304B FY	d = 20	D = 52	B = 15	Angular contact ball bearing
KOYO	7304C	d = 20	D = 52	B = 15	Angular contact ball bearing
KOYO	7304C FY	d = 20	D = 52	B = 15	Angular contact ball bearing
SKF	7304 ACCBM	d = 20	D = 52	B = 15	Single row angular contact ball bearing with 25° contact angle
SKF	7304 BE-2RZP	d = 20	D = 52	B = 15	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7304 BECBM	d = 20	D = 52	B = 15	Single row angular contact ball bearing
SKF	7304 BECBP	d = 20	D = 52	B = 15	Single row angular contact ball bearing
SKF	7304 BECBY	d = 20	D = 52	B = 15	Single row angular contact ball bearing
SKF	7304 BEGAP	d = 20	D = 52	B = 15	Single row angular contact ball bearing
SKF	7304 BEP	d = 20	D = 52	B = 15	Single row angular contact ball bearing
FAG	3304-BD-XL	d = 20	D = 52	B = 22.2	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3304-BD-XL-2HRS	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2HRS-C3	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2HRS-TVH	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2HRS-TVH-C3	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2HRS-TVH-L091-C3	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2HRS-TVH-L310-C3	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2HRS-TVH-L405	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2HRS-TVH-L405-C3	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2Z	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2Z-C3	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2Z-TVH	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-2Z-TVH-C3	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-C3	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-TVH	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-TVH-C3	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-TVH-L285	d = 20	D = 52	B = 22.2	Angular contact ball bearing
FAG	3304-BD-XL-TVH-L285-C3	d = 20	D = 52	B = 22.2	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	3304	d = 20	D = 52	B = 22.2	Angular contact ball bearing
KOYO	5304	d = 20	D = 52	B = 22.2	Angular contact ball bearing
KOYO	5304 2RS	d = 20	D = 52	B = 22.2	Angular contact ball bearing
KOYO	5304 ZZ	d = 20	D = 52	B = 22.2	Angular contact ball bearing
SKF	3304 A	d = 20	D = 52	B = 22.2	Double row angular contact ball bearing
SKF	3304 A-2RS1	d = 20	D = 52	B = 22.2	Double row angular contact ball bearing with seals or shields
SKF	3304 A-2RS1TN9/MT33	d = 20	D = 52	B = 22.2	Double row angular contact ball bearing with seals or shields
SKF	3304 A-2Z	d = 20	D = 52	B = 22.2	Double row angular contact ball bearing with seals or shields
SKF	3304 A-2Z/C3	d = 20	D = 52	B = 22.2	Double row angular contact ball bearing with seals or shields
SKF	3304 A-2ZTN9/MT33	d = 20	D = 52	B = 22.2	Double row angular contact ball bearing with seals or shields
SKF	3304 ATN9	d = 20	D = 52	B = 22.2	Double row angular contact ball bearing
KOYO	7304BDB	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304BDB FY	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304BDF	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304BDF FY	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304BDT	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304BDT FY	d = 20	D = 52	B = 30	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7304CDB	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304CDB FY	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304CDF	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304CDF FY	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304CDT	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304CDT FY	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304DB	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304DB FY	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304DF	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304DF FY	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304DT	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7304DT FY	d = 20	D = 52	B = 30	Angular contact ball bearing
KOYO	7404 FY	d = 20	D = 72	B = 19	Angular contact ball bearing
KOYO	7404B FY	d = 20	D = 72	B = 19	Angular contact ball bearing
KOYO	7404BDB FY	d = 20	D = 72	B = 38	Angular contact ball bearing
KOYO	7404BDF FY	d = 20	D = 72	B = 38	Angular contact ball bearing
KOYO	7404BDT FY	d = 20	D = 72	B = 38	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7404DB FY	d = 20	D = 72	B = 38	Angular contact ball bearing
KOYO	7404DF FY	d = 20	D = 72	B = 38	Angular contact ball bearing
KOYO	7404DT FY	d = 20	D = 72	B = 38	Angular contact ball bearing
SKF	71805 ACD/HCP4	d = 25	D = 37	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71805 ACD/P4	d = 25	D = 37	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71805 ACDGA/HCP4	d = 25	D = 37	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71805 ACDGA/P4	d = 25	D = 37	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71805 ACDGB/P4	d = 25	D = 37	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71805 ACDGC/P4	d = 25	D = 37	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71805 CD/P4	d = 25	D = 37	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71805 CDGA/HCP4	d = 25	D = 37	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71805 CDGA/P4	d = 25	D = 37	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71805 CDGB/P4	d = 25	D = 37	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71905-C-2RSD-T-P4S-UL	d = 25	D = 42	B = 9	Spindle bearing
FAG	B71905-C-T-P4S-UL	d = 25	D = 42	B = 9	Spindle bearing
FAG	B71905-E-2RSD-T-P4S-UL	d = 25	D = 42	B = 9	Spindle bearing
FAG	B71905-E-T-P4S-UL	d = 25	D = 42	B = 9	Spindle bearing
FAG	HC71905-E-T-P4S-UL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	HCB71905-C-2RSD-T-P4S-UL	d = 25	D = 42	B = 9	Spindle bearing
FAG	HCB71905-C-T-P4S-UL	d = 25	D = 42	B = 9	Spindle bearing
FAG	HCB71905-E-2RSD-T-P4S-UL	d = 25	D = 42	B = 9	Spindle bearing
FAG	HCB71905-E-T-P4S-UL	d = 25	D = 42	B = 9	Spindle bearing
FAG	HCM71905-C-2RSD-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	HCM71905-C-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	HCM71905-E-2RSD-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	HCM71905-E-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	HCS71905-E-T-P4S-UL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	HS71905-C-T-P4S-UL	d = 25	D = 42	B = 9	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HS71905-E-T-P4S-UL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	HSS71905-C-T-P4S-UL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	HSS71905-E-T-P4S-UL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	M71905-C-2RSD-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	M71905-C-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	M71905-E-2RSD-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	M71905-E-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	PTB71905-E	d = 25	D = 42	B = 9	Spindle bearing
FAG	PTB71905-E-2RSD	d = 25	D = 42	B = 9	Spindle bearing
FAG	VCM71905-C-2RSD-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	VCM71905-C-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	VCM71905-E-2RSD-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
FAG	VCM71905-E-T-P4S-UL-XL	d = 25	D = 42	B = 9	High speed spindle bearing
KOYO	7905C FY	d = 25	D = 42	B = 9	Angular contact ball bearing
SKF	71905 ACD/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71905 ACDGA/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71905 ACDGA/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71905 ACDGB/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71905 ACDGC/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71905 ACDGD/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71905 ACEGA/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71905 ACEGA/P4A	d = 25	D = 42	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71905 ACEGB/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71905 CD/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71905 CD/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71905 CDGA/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71905 CDGA/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71905 CDGB/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71905 CDGB/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71905 CDGC/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71905 CE/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71905 CEGA/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71905 CEGA/P4A	d = 25	D = 42	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71905 FEGA/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71905 FEGA/P4A	d = 25	D = 42	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71905/VA9D1	d = 25	D = 42	B = 9	Super-precision universally matchable single row angular contact ball bearing for driven tools
SKF	S71905 ACDGA/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71905 ACDGA/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71905 ACDGC/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71905 ACEGA/HCP4A	d = 25	D = 42	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71905 ACEGA/P4A	d = 25	D = 42	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71905 CDGA/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71905 CDGA/P4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71905 CDGB/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71905 CE/HCP4A	d = 25	D = 42	B = 9	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71905 CEGA/HCP4A	d = 25	D = 42	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71905 CEGA/P4A	d = 25	D = 42	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71905 CEGB/HCP4A	d = 25	D = 42	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71905/VA9D1	d = 25	D = 42	B = 9	Super-precision universally matchable single row angular contact ball bearing with seals for driven tools

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7905CDB FY	d = 25	D = 42	B = 18	Angular contact ball bearing
KOYO	7905CDF FY	d = 25	D = 42	B = 18	Angular contact ball bearing
KOYO	7905CDT FY	d = 25	D = 42	B = 18	Angular contact ball bearing
FAG	7005-B-XL-2RS-TVP	d = 25	D = 47	B = 12	Angular contact ball bearing
FAG	7005-B-XL-2RS-TVP-UL	d = 25	D = 47	B = 12	Angular contact ball bearing
FAG	7005-B-XL-2RSD-TVP	d = 25	D = 47	B = 12	Angular contact ball bearing
FAG	7005-B-XL-TVP	d = 25	D = 47	B = 12	Angular contact ball bearing
FAG	B7005-C-2RSD-T-P4S-UL	d = 25	D = 47	B = 12	Spindle bearing
FAG	B7005-C-T-P4S-UL	d = 25	D = 47	B = 12	Spindle bearing
FAG	B7005-E-2RSD-T-P4S-UL	d = 25	D = 47	B = 12	Spindle bearing
FAG	B7005-E-T-P4S-UL	d = 25	D = 47	B = 12	Spindle bearing
FAG	HC7005-E-T-P4S-UL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	HCB7005-C-2RSD-T-P4S-UL	d = 25	D = 47	B = 12	Spindle bearing
FAG	HCB7005-C-T-P4S-UL	d = 25	D = 47	B = 12	Spindle bearing
FAG	HCB7005-E-2RSD-T-P4S-UL	d = 25	D = 47	B = 12	Spindle bearing
FAG	HCB7005-E-T-P4S-UL	d = 25	D = 47	B = 12	Spindle bearing
FAG	HCM7005-C-2RSD-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM7005-C-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	HCM7005-E-2RSD-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	HCM7005-E-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	HCS7005-E-T-P4S-UL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	HS7005-C-T-P4S-UL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	HS7005-E-T-P4S-UL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	HSS7005-C-T-P4S-UL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	HSS7005-E-T-P4S-UL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	M7005-C-2RSD-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	M7005-C-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	M7005-E-2RSD-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	M7005-E-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	PTB7005-E	d = 25	D = 47	B = 12	Spindle bearing
FAG	PTB7005-E-2RSD	d = 25	D = 47	B = 12	Spindle bearing
FAG	VCM7005-C-2RSD-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	VCM7005-C-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing
FAG	VCM7005-E-2RSD-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM7005-E-T-P4S-UL-XL	d = 25	D = 47	B = 12	High speed spindle bearing
KOYO	7005 FY	d = 25	D = 47	B = 12	Angular contact ball bearing
KOYO	7005B FY	d = 25	D = 47	B = 12	Angular contact ball bearing
KOYO	7005C FY	d = 25	D = 47	B = 12	Angular contact ball bearing
NTN	7005	d = 25	D = 47	B = 12	Angular contact ball bearing
SKF	7005 ACD/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7005 ACD/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7005 ACDGA/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7005 ACDGA/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7005 ACDGB/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7005 ACDGC/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7005 ACDGC/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7005 ACDGD/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7005 ACE/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7005 ACE/P4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7005 ACEGA/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7005 ACEGA/HCP4AL1	d = 25	D = 47	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7005 ACEGA/P4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7005 ACEGB/P4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7005 CD/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7005 CD/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7005 CD/P4AH	d = 25	D = 47	B = 12	Super-precision, high-capacity, single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7005 CDGA/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7005 CDGA/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7005 CDGB/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7005 CDGC/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7005 CE/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7005 CE/P4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7005 CEGA/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7005 CEGA/P4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7005 CEGB/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7005 CEGB/P4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7005 FEGA/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7005/VA9D1	d = 25	D = 47	B = 12	Super-precision universally matchable single row angular contact ball bearing for driven tools
SKF	S7005 ACDGA/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7005 ACDGA/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7005 ACDGB/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7005 ACEGA/HCP4A	d = 25	D = 47	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7005 ACEGA/P4A	d = 25	D = 47	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7005 CDGA/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7005 CDGA/P4A	d = 25	D = 47	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7005 CE/HCP4A	d = 25	D = 47	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7005 CEGA/HCP4A	d = 25	D = 47	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7005 CEGA/P4A	d = 25	D = 47	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7005 FEGA/HCP4A	d = 25	D = 47	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7005/VA9D1	d = 25	D = 47	B = 12	Super-precision universally matchable single row angular contact ball bearing with seals for driven tools

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7005BDB FY	d = 25	D = 47	B = 24	Angular contact ball bearing
KOYO	7005BDF FY	d = 25	D = 47	B = 24	Angular contact ball bearing
KOYO	7005BDT FY	d = 25	D = 47	B = 24	Angular contact ball bearing
KOYO	7005CDB FY	d = 25	D = 47	B = 24	Angular contact ball bearing
KOYO	7005CDF FY	d = 25	D = 47	B = 24	Angular contact ball bearing
KOYO	7005CDT FY	d = 25	D = 47	B = 24	Angular contact ball bearing
KOYO	7005DB FY	d = 25	D = 47	B = 24	Angular contact ball bearing
KOYO	7005DF FY	d = 25	D = 47	B = 24	Angular contact ball bearing
KOYO	7005DT FY	d = 25	D = 47	B = 24	Angular contact ball bearing
FAG	7205-B-XL-2RS-TVP	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-2RS-TVP-UL	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-JP	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-JP-UA	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-JP-UO	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-MP	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-RSO-TVP-P6-UO	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-RSO-TVP-UO	d = 25	D = 52	B = 15	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7205-B-XL-TVP	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-TVP-P5	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-TVP-P5-UA	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-TVP-P5-UL	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-TVP-P5-UO	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-TVP-P6-UA	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-TVP-UA	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-TVP-UB	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	7205-B-XL-TVP-UO	d = 25	D = 52	B = 15	Angular contact ball bearing
FAG	B7205-C-2RSD-T-P4S-UL	d = 25	D = 52	B = 15	Spindle bearing
FAG	B7205-C-T-P4S-UL	d = 25	D = 52	B = 15	Spindle bearing
FAG	B7205-E-2RSD-T-P4S-UL	d = 25	D = 52	B = 15	Spindle bearing
FAG	B7205-E-T-P4S-UL	d = 25	D = 52	B = 15	Spindle bearing
FAG	HCB7205-C-2RSD-T-P4S-UL	d = 25	D = 52	B = 15	Spindle bearing
FAG	HCB7205-C-T-P4S-UL	d = 25	D = 52	B = 15	Spindle bearing
FAG	HCB7205-E-2RSD-T-P4S-UL	d = 25	D = 52	B = 15	Spindle bearing
FAG	HCB7205-E-T-P4S-UL	d = 25	D = 52	B = 15	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7205	d = 25	D = 52	B = 15	Angular contact ball bearing
KOYO	7205 FY	d = 25	D = 52	B = 15	Angular contact ball bearing
KOYO	7205B	d = 25	D = 52	B = 15	Angular contact ball bearing
KOYO	7205B FY	d = 25	D = 52	B = 15	Angular contact ball bearing
KOYO	7205C	d = 25	D = 52	B = 15	Angular contact ball bearing
KOYO	7205C FY	d = 25	D = 52	B = 15	Angular contact ball bearing
SKF	7205 ACCBM	d = 25	D = 52	B = 15	Single row angular contact ball bearing with 25° contact angle
SKF	7205 ACD/HCP4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7205 ACD/P4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7205 ACDGA/HCP4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7205 ACDGA/P4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7205 ACDGB/HCP4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7205 ACDGB/P4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7205 ACDGC/P4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7205 BE-2RZP	d = 25	D = 52	B = 15	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7205 BECBM	d = 25	D = 52	B = 15	Single row angular contact ball bearing
SKF	7205 BECBP	d = 25	D = 52	B = 15	Single row angular contact ball bearing
SKF	7205 BECBPH	d = 25	D = 52	B = 15	Single row angular contact ball bearing
SKF	7205 BECBY	d = 25	D = 52	B = 15	Single row angular contact ball bearing
SKF	7205 BEGAP	d = 25	D = 52	B = 15	Single row angular contact ball bearing
SKF	7205 BEGAY	d = 25	D = 52	B = 15	Single row angular contact ball bearing
SKF	7205 BEGBY	d = 25	D = 52	B = 15	Single row angular contact ball bearing
SKF	7205 BEP	d = 25	D = 52	B = 15	Single row angular contact ball bearing
SKF	7205 BEY	d = 25	D = 52	B = 15	Single row angular contact ball bearing
SKF	7205 CD/HCP4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7205 CD/P4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7205 CDGA/HCP4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7205 CDGA/P4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7205 CDGB/HCP4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7205 CDGB/P4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7205 CDGC/P4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7205 CDGA/HCP4A	d = 25	D = 52	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3205-BD-XL	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2HRS	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2HRS-C3	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2HRS-TVH	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2HRS-TVH-C2	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2HRS-TVH-C3	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2HRS-TVH-C4	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2HRS-TVH-L114-C3	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2HRS-TVH-L195-A40-73	d = 25	D = 52	B = 20.6	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3205-BD-XL-2Z	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2Z-C3	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2Z-TVH	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2Z-TVH-C2	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-2Z-TVH-C3	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-C3	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-TVH	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-TVH-C2	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-TVH-C3	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-TVH-L285	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-TVH-L285-C2	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-TVH-L285-C3	d = 25	D = 52	B = 20.6	Angular contact ball bearing
FAG	3205-BD-XL-TVH-P5	d = 25	D = 52	B = 20.6	Angular contact ball bearing
KOYO	3205	d = 25	D = 52	B = 20.6	Angular contact ball bearing
KOYO	5205	d = 25	D = 52	B = 20.6	Angular contact ball bearing
KOYO	5205 2RS	d = 25	D = 52	B = 20.6	Angular contact ball bearing
KOYO	5205 ZZ	d = 25	D = 52	B = 20.6	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3205 A	d = 25	D = 52	B = 20.6	Double row angular contact ball bearing
SKF	3205 A-2RS1	d = 25	D = 52	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3205 A-2RS1/C3LVT114F7	d = 25	D = 52	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3205 A-2RS1TN9/MT33	d = 25	D = 52	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3205 A-2Z	d = 25	D = 52	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3205 A-2Z/C3	d = 25	D = 52	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3205 A-2ZTN9/C3MT33	d = 25	D = 52	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3205 A-2ZTN9/MT33	d = 25	D = 52	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3205 A-RS1ZTN9/MT33	d = 25	D = 52	B = 20.6	Double row angular contact ball bearing with seals or shields
SKF	3205 ATN9	d = 25	D = 52	B = 20.6	Double row angular contact ball bearing
KOYO	7205BDB	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205BDB FY	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205BDF	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205BDF FY	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205BDT	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205BDT FY	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205CDB	d = 25	D = 52	B = 30	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7205CDB FY	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205CDF	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205CDF FY	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205CDT	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205CDT FY	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205DB	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205DB FY	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205DF	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205DF FY	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205DT	d = 25	D = 52	B = 30	Angular contact ball bearing
KOYO	7205DT FY	d = 25	D = 52	B = 30	Angular contact ball bearing
FAG	7305-B-XL-2RS-TVP	d = 25	D = 62	B = 17	Angular contact ball bearing
FAG	7305-B-XL-JP	d = 25	D = 62	B = 17	Angular contact ball bearing
FAG	7305-B-XL-JP-UA	d = 25	D = 62	B = 17	Angular contact ball bearing
FAG	7305-B-XL-JP-UO	d = 25	D = 62	B = 17	Angular contact ball bearing
FAG	7305-B-XL-MP	d = 25	D = 62	B = 17	Angular contact ball bearing
FAG	7305-B-XL-MP-UA	d = 25	D = 62	B = 17	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7305-B-XL-MP-UO	d = 25	D = 62	B = 17	Angular contact ball bearing
FAG	7305-B-XL-TVP	d = 25	D = 62	B = 17	Angular contact ball bearing
FAG	7305-B-XL-TVP-P5	d = 25	D = 62	B = 17	Angular contact ball bearing
FAG	7305-B-XL-TVP-UA	d = 25	D = 62	B = 17	Angular contact ball bearing
FAG	7305-B-XL-TVP-UB	d = 25	D = 62	B = 17	Angular contact ball bearing
FAG	7305-B-XL-TVP-UO	d = 25	D = 62	B = 17	Angular contact ball bearing
KOYO	7305	d = 25	D = 62	B = 17	Angular contact ball bearing
KOYO	7305 FY	d = 25	D = 62	B = 17	Angular contact ball bearing
KOYO	7305B	d = 25	D = 62	B = 17	Angular contact ball bearing
KOYO	7305B FY	d = 25	D = 62	B = 17	Angular contact ball bearing
KOYO	7305C	d = 25	D = 62	B = 17	Angular contact ball bearing
KOYO	7305C FY	d = 25	D = 62	B = 17	Angular contact ball bearing
SKF	7305 ACCBM	d = 25	D = 62	B = 17	Single row angular contact ball bearing with 25° contact angle
SKF	7305 BE-2RZP	d = 25	D = 62	B = 17	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7305 BECBM	d = 25	D = 62	B = 17	Single row angular contact ball bearing
SKF	7305 BECBP	d = 25	D = 62	B = 17	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7305 BECBY	d = 25	D = 62	B = 17	Single row angular contact ball bearing
SKF	7305 BEGAP	d = 25	D = 62	B = 17	Single row angular contact ball bearing
SKF	7305 BEGBP	d = 25	D = 62	B = 17	Single row angular contact ball bearing
SKF	7305 BEGBY	d = 25	D = 62	B = 17	Single row angular contact ball bearing
SKF	7305 BEP	d = 25	D = 62	B = 17	Single row angular contact ball bearing
FAG	3305-BD-XL	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2HRS	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2HRS-C3	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2HRS-TVH	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2HRS-TVH-C3	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2HRS-TVH-C4	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2HRS-TVH-L100-C3	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2HRS-TVH-L195-A41-75	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2Z	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2Z-C3	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2Z-TVH	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-2Z-TVH-C3	d = 25	D = 62	B = 25.4	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3305-BD-XL-2Z-TVH-L140-C3	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-C3	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-TVH	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-TVH-C3	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-TVH-L285	d = 25	D = 62	B = 25.4	Angular contact ball bearing
FAG	3305-BD-XL-TVH-L285-C3	d = 25	D = 62	B = 25.4	Angular contact ball bearing
KOYO	3305	d = 25	D = 62	B = 25.4	Angular contact ball bearing
KOYO	5305	d = 25	D = 62	B = 25.4	Angular contact ball bearing
KOYO	5305 2RS	d = 25	D = 62	B = 25.4	Angular contact ball bearing
KOYO	5305 ZZ	d = 25	D = 62	B = 25.4	Angular contact ball bearing
SKF	3305 A	d = 25	D = 62	B = 25.4	Double row angular contact ball bearing
SKF	3305 A-2RS1/C3	d = 25	D = 62	B = 25.4	Double row angular contact ball bearing with seals or shields
SKF	3305 A-2RS1TN9/MT33	d = 25	D = 62	B = 25.4	Double row angular contact ball bearing with seals or shields
SKF	3305 A-2Z	d = 25	D = 62	B = 25.4	Double row angular contact ball bearing with seals or shields
SKF	3305 A-2Z/C3	d = 25	D = 62	B = 25.4	Double row angular contact ball bearing with seals or shields
SKF	3305 A-2ZTN9/MT33	d = 25	D = 62	B = 25.4	Double row angular contact ball bearing with seals or shields
SKF	3305 A/C3S1	d = 25	D = 62	B = 25.4	Double row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3305 ATN9	d = 25	D = 62	B = 25.4	Double row angular contact ball bearing
KOYO	7305BDB	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305BDB FY	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305BDF	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305BDF FY	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305BDT	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305BDT FY	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305CDB	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305CDB FY	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305CDF	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305CDF FY	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305CDT	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305CDT FY	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305DB	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305DB FY	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305DF	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305DF FY	d = 25	D = 62	B = 34	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7305DT	d = 25	D = 62	B = 34	Angular contact ball bearing
KOYO	7305DT FY	d = 25	D = 62	B = 34	Angular contact ball bearing
FAG	7405-B-XL-MP	d = 25	D = 80	B = 21	Angular contact ball bearing
FAG	7405-B-XL-MP-UA	d = 25	D = 80	B = 21	Angular contact ball bearing
FAG	7405-B-XL-MP-UO	d = 25	D = 80	B = 21	Angular contact ball bearing
KOYO	7405	d = 25	D = 80	B = 21	Angular contact ball bearing
KOYO	7405 FY	d = 25	D = 80	B = 21	Angular contact ball bearing
KOYO	7405B	d = 25	D = 80	B = 21	Angular contact ball bearing
KOYO	7405B FY	d = 25	D = 80	B = 21	Angular contact ball bearing
SKF	7405 BCBM	d = 25	D = 80	B = 21	Single row angular contact ball bearing
SKF	7405 BM	d = 25	D = 80	B = 21	Single row angular contact ball bearing
KOYO	7405BDB	d = 25	D = 80	B = 42	Angular contact ball bearing
KOYO	7405BDB FY	d = 25	D = 80	B = 42	Angular contact ball bearing
KOYO	7405BDF	d = 25	D = 80	B = 42	Angular contact ball bearing
KOYO	7405BDF FY	d = 25	D = 80	B = 42	Angular contact ball bearing
KOYO	7405BDT	d = 25	D = 80	B = 42	Angular contact ball bearing
KOYO	7405BDT FY	d = 25	D = 80	B = 42	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7405DB	d = 25	D = 80	B = 42	Angular contact ball bearing
KOYO	7405DB FY	d = 25	D = 80	B = 42	Angular contact ball bearing
KOYO	7405DF	d = 25	D = 80	B = 42	Angular contact ball bearing
KOYO	7405DF FY	d = 25	D = 80	B = 42	Angular contact ball bearing
KOYO	7405DT	d = 25	D = 80	B = 42	Angular contact ball bearing
KOYO	7405DT FY	d = 25	D = 80	B = 42	Angular contact ball bearing
SKF	71806 ACD/HCP4	d = 30	D = 42	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71806 ACD/P4	d = 30	D = 42	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71806 ACDGA/HCP4	d = 30	D = 42	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71806 ACDGA/P4	d = 30	D = 42	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71806 ACDGB/P4	d = 30	D = 42	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71806 CD/P4	d = 30	D = 42	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71806 CDGA/HCP4	d = 30	D = 42	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71806 CDGA/P4	d = 30	D = 42	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71806 CDGB/P4	d = 30	D = 42	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71906-C-2RSD-T-P4S-UL	d = 30	D = 47	B = 9	Spindle bearing
FAG	B71906-C-T-P4S-UL	d = 30	D = 47	B = 9	Spindle bearing
FAG	B71906-E-2RSD-T-P4S-UL	d = 30	D = 47	B = 9	Spindle bearing
FAG	B71906-E-T-P4S-UL	d = 30	D = 47	B = 9	Spindle bearing
FAG	HC71906-E-T-P4S-UL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	HCB71906-C-2RSD-T-P4S-UL	d = 30	D = 47	B = 9	Spindle bearing
FAG	HCB71906-C-T-P4S-UL	d = 30	D = 47	B = 9	Spindle bearing
FAG	HCB71906-E-2RSD-T-P4S-UL	d = 30	D = 47	B = 9	Spindle bearing
FAG	HCB71906-E-T-P4S-UL	d = 30	D = 47	B = 9	Spindle bearing
FAG	HCM71906-C-2RSD-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	HCM71906-C-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	HCM71906-E-2RSD-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	HCM71906-E-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	HCS71906-E-T-P4S-UL	d = 30	D = 47	B = 9	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HS71906-C-T-P4S-UL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	HS71906-E-T-P4S-UL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	HSS71906-C-T-P4S-UL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	HSS71906-E-T-P4S-UL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	M71906-C-2RSD-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	M71906-C-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	M71906-E-2RSD-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	M71906-E-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	PTB71906-E	d = 30	D = 47	B = 9	Spindle bearing
FAG	PTB71906-E-2RSD	d = 30	D = 47	B = 9	Spindle bearing
FAG	VCM71906-C-2RSD-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	VCM71906-C-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	VCM71906-E-2RSD-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
FAG	VCM71906-E-T-P4S-UL-XL	d = 30	D = 47	B = 9	High speed spindle bearing
KOYO	7906C FY	d = 30	D = 47	B = 9	Angular contact ball bearing
SKF	71906 ACD/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71906 ACD/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71906 ACDGA/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 ACDGA/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 ACDGB/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 ACDGB/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 ACDGC/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 ACDGC/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 ACEGA/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71906 ACEGA/P4A	d = 30	D = 47	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71906 CD/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71906 CD/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71906 CDGA/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 CDGA/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 CDGB/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 CDGB/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 CDGC/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71906 CEGA/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71906 CEGA/P4A	d = 30	D = 47	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71906 CEGC/P4A	d = 30	D = 47	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71906 FEGA/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71906/VA9D1	d = 30	D = 47	B = 9	Super-precision universally matchable single row angular contact ball bearing for driven tools
SKF	S71906 ACDGA/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71906 ACDGA/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71906 ACEGA/HCP4A	d = 30	D = 47	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71906 ACEGA/P4A	d = 30	D = 47	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71906 CD/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71906 CDGA/HCP4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71906 CDGA/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71906 CDGB/P4A	d = 30	D = 47	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71906 CE/P4A	d = 30	D = 47	B = 9	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71906 CEGA/HCP4A	d = 30	D = 47	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71906 CEGA/P4A	d = 30	D = 47	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71906 CEGB/HCP4A	d = 30	D = 47	B = 9	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71906/VA9D1	d = 30	D = 47	B = 9	Super-precision universally matchable single row angular contact ball bearing with seals for driven tools
KOYO	7906CDB FY	d = 30	D = 47	B = 18	Angular contact ball bearing
KOYO	7906CDF FY	d = 30	D = 47	B = 18	Angular contact ball bearing
KOYO	7906CDT FY	d = 30	D = 47	B = 18	Angular contact ball bearing
FAG	7006-B-XL-2RS-FKM-TVP-L454	d = 30	D = 55	B = 13	Angular contact ball bearing
FAG	7006-B-XL-2RS-TVP	d = 30	D = 55	B = 13	Angular contact ball bearing
FAG	7006-B-XL-2RS-TVP-UL	d = 30	D = 55	B = 13	Angular contact ball bearing
FAG	7006-B-XL-2RS-TVP-UO	d = 30	D = 55	B = 13	Angular contact ball bearing
FAG	7006-B-XL-TVP	d = 30	D = 55	B = 13	Angular contact ball bearing
FAG	B7006-C-2RSD-T-P4S-UL	d = 30	D = 55	B = 13	Spindle bearing
FAG	B7006-C-T-P4S-UL	d = 30	D = 55	B = 13	Spindle bearing
FAG	B7006-E-2RSD-T-P4S-UL	d = 30	D = 55	B = 13	Spindle bearing
FAG	B7006-E-T-P4S-UL	d = 30	D = 55	B = 13	Spindle bearing
FAG	HC7006-E-T-P4S-UL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	HCB7006-C-2RSD-T-P4S-UL	d = 30	D = 55	B = 13	Spindle bearing
FAG	HCB7006-C-T-P4S-UL	d = 30	D = 55	B = 13	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB7006-E-2RSD-T-P4S-UL	d = 30	D = 55	B = 13	Spindle bearing
FAG	HCB7006-E-T-P4S-UL	d = 30	D = 55	B = 13	Spindle bearing
FAG	HCM7006-C-2RSD-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	HCM7006-C-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	HCM7006-E-2RSD-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	HCM7006-E-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	HCS7006-E-T-P4S-UL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	HS7006-C-T-P4S-UL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	HS7006-E-T-P4S-UL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	HSS7006-C-T-P4S-UL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	HSS7006-E-T-P4S-UL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	M7006-C-2RSD-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	M7006-C-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	M7006-E-2RSD-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	M7006-E-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	PTB7006-E	d = 30	D = 55	B = 13	Spindle bearing
FAG	PTB7006-E-2RSD	d = 30	D = 55	B = 13	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM7006-C-2RSD-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	VCM7006-C-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	VCM7006-E-2RSD-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
FAG	VCM7006-E-T-P4S-UL-XL	d = 30	D = 55	B = 13	High speed spindle bearing
KOYO	7006 FY	d = 30	D = 55	B = 13	Angular contact ball bearing
KOYO	7006B FY	d = 30	D = 55	B = 13	Angular contact ball bearing
KOYO	7006C FY	d = 30	D = 55	B = 13	Angular contact ball bearing
NTN	7006	d = 30	D = 55	B = 13	Angular contact ball bearing
SKF	7006 ACD/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7006 ACDGA/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7006 ACDGA/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7006 ACDGB/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7006 ACDGB/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7006 ACDGC/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7006 ACDGD/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7006 ACEGA/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7006 ACEGA/HCP4AL1	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7006 ACEGA/P4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7006 ACEGB/P4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7006 CD/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7006 CD/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7006 CDGA/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7006 CDGA/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7006 CDGB/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7006 CDGB/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7006 CDGC/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7006 CE/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7006 CE/P4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7006 CEGA/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7006 CEGA/P4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7006 CEGB/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7006 CEGB/P4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7006 FEGA/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7006 FEGA/HCP4AH1	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7006 FEGA/P4A	d = 30	D = 55	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7006/VA9D1	d = 30	D = 55	B = 13	Super-precision universally matchable single row angular contact ball bearing for driven tools

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7006 ACDGA/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7006 ACDGA/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7006 ACDGB/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7006 ACDGC/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7006 ACEGA/HCP4A	d = 30	D = 55	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7006 ACEGA/P4A	d = 30	D = 55	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7006 CDGA/HCP4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7006 CDGA/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7006 CDGB/P4A	d = 30	D = 55	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7006 CEGA/HCP4A	d = 30	D = 55	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7006 CEGA/P4A	d = 30	D = 55	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7006 FEGA/HCP4A	d = 30	D = 55	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7006/VA9D1	d = 30	D = 55	B = 13	Super-precision universally matchable single row angular contact ball bearing with seals for driven tools
KOYO	7006BDB FY	d = 30	D = 55	B = 26	Angular contact ball bearing
KOYO	7006BDF FY	d = 30	D = 55	B = 26	Angular contact ball bearing
KOYO	7006BDT FY	d = 30	D = 55	B = 26	Angular contact ball bearing
KOYO	7006CDB FY	d = 30	D = 55	B = 26	Angular contact ball bearing
KOYO	7006CDF FY	d = 30	D = 55	B = 26	Angular contact ball bearing
KOYO	7006CDT FY	d = 30	D = 55	B = 26	Angular contact ball bearing
KOYO	7006DB FY	d = 30	D = 55	B = 26	Angular contact ball bearing
KOYO	7006DF FY	d = 30	D = 55	B = 26	Angular contact ball bearing
KOYO	7006DT FY	d = 30	D = 55	B = 26	Angular contact ball bearing
FAG	7206-B-XL-2RS-TVP	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-2RS-TVP-UL	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-2RS-TVP-UO	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-JP	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-JP-UA	d = 30	D = 62	B = 16	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7206-B-XL-JP-UO	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-MP	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-MP-UA	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-MP-UB	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-MP-UO	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-TVP	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-TVP-P5-UA	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-TVP-P5-UL	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-TVP-P5-UO	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-TVP-UA	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-TVP-UB	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	7206-B-XL-TVP-UO	d = 30	D = 62	B = 16	Angular contact ball bearing
FAG	B7206-C-2RSD-T-P4S-UL	d = 30	D = 62	B = 16	Spindle bearing
FAG	B7206-C-T-P4S-UL	d = 30	D = 62	B = 16	Spindle bearing
FAG	B7206-E-2RSD-T-P4S-UL	d = 30	D = 62	B = 16	Spindle bearing
FAG	B7206-E-T-P4S-UL	d = 30	D = 62	B = 16	Spindle bearing
FAG	HCB7206-C-2RSD-T-P4S-UL	d = 30	D = 62	B = 16	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB7206-C-T-P4S-UL	d = 30	D = 62	B = 16	Spindle bearing
FAG	HCB7206-E-2RSD-T-P4S-UL	d = 30	D = 62	B = 16	Spindle bearing
FAG	HCB7206-E-T-P4S-UL	d = 30	D = 62	B = 16	Spindle bearing
KOYO	7206	d = 30	D = 62	B = 16	Angular contact ball bearing
KOYO	7206 FY	d = 30	D = 62	B = 16	Angular contact ball bearing
KOYO	7206B	d = 30	D = 62	B = 16	Angular contact ball bearing
KOYO	7206B FY	d = 30	D = 62	B = 16	Angular contact ball bearing
KOYO	7206C	d = 30	D = 62	B = 16	Angular contact ball bearing
KOYO	7206C FY	d = 30	D = 62	B = 16	Angular contact ball bearing
SKF	7206 ACCBM	d = 30	D = 62	B = 16	Single row angular contact ball bearing with 25° contact angle
SKF	7206 ACD/HCP4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7206 ACD/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7206 ACDGA/HCP4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7206 ACDGA/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7206 ACDGB/HCP4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7206 ACDGB/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7206 ACDGC/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7206 ACDGD/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7206 BE-2RZP	d = 30	D = 62	B = 16	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7206 BECBM	d = 30	D = 62	B = 16	Single row angular contact ball bearing
SKF	7206 BECBP	d = 30	D = 62	B = 16	Single row angular contact ball bearing
SKF	7206 BECBPH	d = 30	D = 62	B = 16	Single row angular contact ball bearing
SKF	7206 BECBY	d = 30	D = 62	B = 16	Single row angular contact ball bearing
SKF	7206 BEGAP	d = 30	D = 62	B = 16	Single row angular contact ball bearing
SKF	7206 BEGBP	d = 30	D = 62	B = 16	Single row angular contact ball bearing
SKF	7206 BEP	d = 30	D = 62	B = 16	Single row angular contact ball bearing
SKF	7206 CD/HCP4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7206 CD/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7206 CDGA/HCP4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7206 CDGA/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7206 CDGB/HCP4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7206 CDGB/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7206 CDGC/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7206 CDGD/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7206 ACD/HCP4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7206 ACDGA/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7206 ACDGB/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7206 CDGA/P4A	d = 30	D = 62	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3206-BD-XL	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2HRS	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2HRS-C3	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2HRS-L138-C3	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2HRS-TVH	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2HRS-TVH-C2	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2HRS-TVH-C3	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2HRS-TVH-L207	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2Z	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2Z-C3	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2Z-TVH	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2Z-TVH-C3	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-2Z-TVH-L069-C3	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-C3	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-P5	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-TVH	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-TVH-C2	d = 30	D = 62	B = 23.8	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3206-BD-XL-TVH-C3	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-TVH-L285	d = 30	D = 62	B = 23.8	Angular contact ball bearing
FAG	3206-BD-XL-TVH-L285-C3	d = 30	D = 62	B = 23.8	Angular contact ball bearing
KOYO	3206	d = 30	D = 62	B = 23.8	Angular contact ball bearing
KOYO	5206	d = 30	D = 62	B = 23.8	Angular contact ball bearing
KOYO	5206 2RS	d = 30	D = 62	B = 23.8	Angular contact ball bearing
KOYO	5206 ZZ	d = 30	D = 62	B = 23.8	Angular contact ball bearing
SKF	3206 A	d = 30	D = 62	B = 23.8	Double row angular contact ball bearing
SKF	3206 A-2RS1	d = 30	D = 62	B = 23.8	Double row angular contact ball bearing with seals or shields
SKF	3206 A-2RS1/C3	d = 30	D = 62	B = 23.8	Double row angular contact ball bearing with seals or shields
SKF	3206 A-2RS1/C3LVT114F7	d = 30	D = 62	B = 23.8	Double row angular contact ball bearing with seals or shields
SKF	3206 A-2RS1TN9/MT33	d = 30	D = 62	B = 23.8	Double row angular contact ball bearing with seals or shields
SKF	3206 A-2Z	d = 30	D = 62	B = 23.8	Double row angular contact ball bearing with seals or shields
SKF	3206 A-2Z/C3	d = 30	D = 62	B = 23.8	Double row angular contact ball bearing with seals or shields
SKF	3206 A-2ZTN9/MT33	d = 30	D = 62	B = 23.8	Double row angular contact ball bearing with seals or shields
SKF	3206 A-2ZTN9/WT	d = 30	D = 62	B = 23.8	Double row angular contact ball bearing with seals or shields
SKF	3206 ATN9	d = 30	D = 62	B = 23.8	Double row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7206BDB	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206BDB FY	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206BDF	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206BDF FY	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206BDT	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206BDT FY	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206CDB	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206CDB FY	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206CDF	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206CDF FY	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206CDT	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206CDT FY	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206DB	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206DB FY	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206DF	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206DF FY	d = 30	D = 62	B = 32	Angular contact ball bearing
KOYO	7206DT	d = 30	D = 62	B = 32	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7206DT FY	d = 30	D = 62	B = 32	Angular contact ball bearing
FAG	7306-B-XL-2RS-TVP	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-2RS-TVP-L138	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-2RS-TVP-L198	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-2RS-TVP-L237	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-2RS-TVP-UO	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-JP	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-JP-UA	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-JP-UO	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-MP	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-MP-UA	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-MP-UB	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-MP-UO	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-TVP	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-TVP-P5-UA	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-TVP-P5-UL	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-TVP-UA	d = 30	D = 72	B = 19	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7306-B-XL-TVP-UB	d = 30	D = 72	B = 19	Angular contact ball bearing
FAG	7306-B-XL-TVP-UO	d = 30	D = 72	B = 19	Angular contact ball bearing
KOYO	7306	d = 30	D = 72	B = 19	Angular contact ball bearing
KOYO	7306 FY	d = 30	D = 72	B = 19	Angular contact ball bearing
KOYO	7306B	d = 30	D = 72	B = 19	Angular contact ball bearing
KOYO	7306B FY	d = 30	D = 72	B = 19	Angular contact ball bearing
KOYO	7306C	d = 30	D = 72	B = 19	Angular contact ball bearing
KOYO	7306C FY	d = 30	D = 72	B = 19	Angular contact ball bearing
SKF	7306 ACCBM	d = 30	D = 72	B = 19	Single row angular contact ball bearing with 25° contact angle
SKF	7306 BE-2RZP	d = 30	D = 72	B = 19	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7306 BECBM	d = 30	D = 72	B = 19	Single row angular contact ball bearing
SKF	7306 BECBP	d = 30	D = 72	B = 19	Single row angular contact ball bearing
SKF	7306 BECBY	d = 30	D = 72	B = 19	Single row angular contact ball bearing
SKF	7306 BEGAM	d = 30	D = 72	B = 19	Single row angular contact ball bearing
SKF	7306 BEGAP	d = 30	D = 72	B = 19	Single row angular contact ball bearing
SKF	7306 BEGBP	d = 30	D = 72	B = 19	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7306 BEGBY	d = 30	D = 72	B = 19	Single row angular contact ball bearing
SKF	7306 BEP	d = 30	D = 72	B = 19	Single row angular contact ball bearing
FAG	3306-BD-XL	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2HRS	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2HRS-C3	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2HRS-L405-C3	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2HRS-TVH	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2HRS-TVH-C3	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2HRS-TVH-L069-C3	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2Z	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2Z-C3	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2Z-TVH	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2Z-TVH-C3	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-2Z-TVH-L140-C3	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-C3	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-TVH	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-TVH-C2	d = 30	D = 72	B = 30.2	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3306-BD-XL-TVH-C3	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-TVH-L285	d = 30	D = 72	B = 30.2	Angular contact ball bearing
FAG	3306-BD-XL-TVH-L285-C3	d = 30	D = 72	B = 30.2	Angular contact ball bearing
KOYO	3306	d = 30	D = 72	B = 30.2	Angular contact ball bearing
KOYO	5306	d = 30	D = 72	B = 30.2	Angular contact ball bearing
KOYO	5306 2RS	d = 30	D = 72	B = 30.2	Angular contact ball bearing
KOYO	5306 ZZ	d = 30	D = 72	B = 30.2	Angular contact ball bearing
SKF	3306 A	d = 30	D = 72	B = 30.2	Double row angular contact ball bearing
SKF	3306 A-2RS1	d = 30	D = 72	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3306 A-2RS1TN9/MT33	d = 30	D = 72	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3306 A-2Z	d = 30	D = 72	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3306 A-2ZTN9/MT33	d = 30	D = 72	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3306 ATN9	d = 30	D = 72	B = 30.2	Double row angular contact ball bearing
KOYO	7306BDB	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306BDB FY	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306BDF	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306BDF FY	d = 30	D = 72	B = 38	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7306BDT	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306BDT FY	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306CDB	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306CDB FY	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306CDF	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306CDF FY	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306CDT	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306CDT FY	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306DB	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306DB FY	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306DF	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306DF FY	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306DT	d = 30	D = 72	B = 38	Angular contact ball bearing
KOYO	7306DT FY	d = 30	D = 72	B = 38	Angular contact ball bearing
FAG	7406-B-XL-MP	d = 30	D = 90	B = 23	Angular contact ball bearing
FAG	7406-B-XL-MP-UA	d = 30	D = 90	B = 23	Angular contact ball bearing
FAG	7406-B-XL-MP-UO	d = 30	D = 90	B = 23	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7406	d = 30	D = 90	B = 23	Angular contact ball bearing
KOYO	7406 FY	d = 30	D = 90	B = 23	Angular contact ball bearing
KOYO	7406B	d = 30	D = 90	B = 23	Angular contact ball bearing
KOYO	7406B FY	d = 30	D = 90	B = 23	Angular contact ball bearing
SKF	7406 BCBM	d = 30	D = 90	B = 23	Single row angular contact ball bearing
SKF	7406 BM	d = 30	D = 90	B = 23	Single row angular contact ball bearing
KOYO	7406BDB	d = 30	D = 90	B = 46	Angular contact ball bearing
KOYO	7406BDB FY	d = 30	D = 90	B = 46	Angular contact ball bearing
KOYO	7406BDF	d = 30	D = 90	B = 46	Angular contact ball bearing
KOYO	7406BDF FY	d = 30	D = 90	B = 46	Angular contact ball bearing
KOYO	7406BDT	d = 30	D = 90	B = 46	Angular contact ball bearing
KOYO	7406BDT FY	d = 30	D = 90	B = 46	Angular contact ball bearing
KOYO	7406DB	d = 30	D = 90	B = 46	Angular contact ball bearing
KOYO	7406DB FY	d = 30	D = 90	B = 46	Angular contact ball bearing
KOYO	7406DF	d = 30	D = 90	B = 46	Angular contact ball bearing
KOYO	7406DF FY	d = 30	D = 90	B = 46	Angular contact ball bearing
KOYO	7406DT	d = 30	D = 90	B = 46	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7406DT FY	d = 30	D = 90	B = 46	Angular contact ball bearing
SKF	KDN.S03503AS0	d = 35	D = 41	B = 2.5	Ultra-Slim thin section angular contact ball bearing
SKF	71807 ACDGA/HCP4	d = 35	D = 47	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71807 ACDGA/P4	d = 35	D = 47	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71807 ACDGB/P4	d = 35	D = 47	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71807 ACDGC/P4	d = 35	D = 47	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71807 CD/HCP4	d = 35	D = 47	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71807 CD/P4	d = 35	D = 47	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71807 CDGA/HCP4	d = 35	D = 47	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71807 CDGA/P4	d = 35	D = 47	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71807 CDGB/P4	d = 35	D = 47	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71907-C-2RSD-T-P4S-UL	d = 35	D = 55	B = 10	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B71907-C-T-P4S-UL	d = 35	D = 55	B = 10	Spindle bearing
FAG	B71907-E-2RSD-T-P4S-UL	d = 35	D = 55	B = 10	Spindle bearing
FAG	B71907-E-T-P4S-UL	d = 35	D = 55	B = 10	Spindle bearing
FAG	HC71907-E-T-P4S-UL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	HCB71907-C-2RSD-T-P4S-UL	d = 35	D = 55	B = 10	Spindle bearing
FAG	HCB71907-E-2RSD-T-P4S-UL	d = 35	D = 55	B = 10	Spindle bearing
FAG	HCM71907-C-2RSD-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	HCM71907-C-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	HCM71907-E-2RSD-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	HCM71907-E-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	HCS71907-E-T-P4S-UL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	HS71907-C-T-P4S-UL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	HS71907-E-T-P4S-UL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	HSS71907-C-T-P4S-UL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	HSS71907-E-T-P4S-UL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	M71907-C-2RSD-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	M71907-C-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	M71907-E-2RSD-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	M71907-E-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	PTB71907-E	d = 35	D = 55	B = 10	Spindle bearing
FAG	PTB71907-E-2RSD	d = 35	D = 55	B = 10	Spindle bearing
FAG	VCM71907-C-2RSD-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	VCM71907-C-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	VCM71907-E-2RSD-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
FAG	VCM71907-E-T-P4S-UL-XL	d = 35	D = 55	B = 10	High speed spindle bearing
KOYO	7907C FY	d = 35	D = 55	B = 10	Angular contact ball bearing
SKF	71907 ACBGA/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71907 ACD/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71907 ACDGA/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71907 ACDGA/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71907 ACDGB/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71907 ACDGB/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71907 ACDGC/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71907 ACEGA/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71907 ACEGA/HCP4AL	d = 35	D = 55	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71907 ACEGA/P4A	d = 35	D = 55	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71907 ACEGB/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71907 ACEGB/P4A	d = 35	D = 55	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71907 CD/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71907 CDGA/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71907 CDGA/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71907 CDGB/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71907 CDGB/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71907 CDGC/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71907 CEGA/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71907 CEGA/P4A	d = 35	D = 55	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71907 CEGB/P4A	d = 35	D = 55	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71907 FEGA/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71907/VA9D1	d = 35	D = 55	B = 10	Super-precision universally matchable single row angular contact ball bearing for driven tools
SKF	S71907 ACDGA/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71907 ACDGA/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71907 ACDGB/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71907 ACEGA/HCP4A	d = 35	D = 55	B = 10	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71907 ACEGA/P4A	d = 35	D = 55	B = 10	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71907 CD/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71907 CDGA/HCP4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71907 CDGA/P4A	d = 35	D = 55	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71907 CEGA/HCP4A	d = 35	D = 55	B = 10	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71907 CEGA/P4A	d = 35	D = 55	B = 10	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7907CDB FY	d = 35	D = 55	B = 20	Angular contact ball bearing
KOYO	7907CDF FY	d = 35	D = 55	B = 20	Angular contact ball bearing
KOYO	7907CDT FY	d = 35	D = 55	B = 20	Angular contact ball bearing
FAG	7007-B-XL-2RS-TVP	d = 35	D = 62	B = 14	Angular contact ball bearing
FAG	7007-B-XL-2RS-TVP-P5-L260-UO	d = 35	D = 62	B = 14	Angular contact ball bearing
FAG	7007-B-XL-2RS-TVP-P5-UO	d = 35	D = 62	B = 14	Angular contact ball bearing
FAG	7007-B-XL-TVP	d = 35	D = 62	B = 14	Angular contact ball bearing
FAG	7007-B-XL-TVP-UO	d = 35	D = 62	B = 14	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7007-C-2RSD-T-P4S-UL	d = 35	D = 62	B = 14	Spindle bearing
FAG	B7007-C-T-P4S-UL	d = 35	D = 62	B = 14	Spindle bearing
FAG	B7007-E-2RSD-T-P4S-UL	d = 35	D = 62	B = 14	Spindle bearing
FAG	B7007-E-T-P4S-UL	d = 35	D = 62	B = 14	Spindle bearing
FAG	HC7007-E-T-P4S-UL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	HCB7007-C-2RSD-T-P4S-UL	d = 35	D = 62	B = 14	Spindle bearing
FAG	HCB7007-C-T-P4S-UL	d = 35	D = 62	B = 14	Spindle bearing
FAG	HCB7007-E-2RSD-T-P4S-UL	d = 35	D = 62	B = 14	Spindle bearing
FAG	HCM7007-C-2RSD-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	HCM7007-C-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	HCM7007-E-2RSD-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	HCM7007-E-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	HCS7007-E-T-P4S-UL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	HS7007-C-T-P4S-UL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	HS7007-E-T-P4S-UL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	HSS7007-C-T-P4S-UL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	HSS7007-E-T-P4S-UL	d = 35	D = 62	B = 14	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	M7007-C-2RSD-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	M7007-C-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	M7007-E-2RSD-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	M7007-E-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	PTB7007-E	d = 35	D = 62	B = 14	Spindle bearing
FAG	PTB7007-E-2RSD	d = 35	D = 62	B = 14	Spindle bearing
FAG	VCM7007-C-2RSD-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	VCM7007-E-2RSD-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
FAG	VCM7007-E-T-P4S-UL-XL	d = 35	D = 62	B = 14	High speed spindle bearing
KOYO	7007 FY	d = 35	D = 62	B = 14	Angular contact ball bearing
KOYO	7007B FY	d = 35	D = 62	B = 14	Angular contact ball bearing
KOYO	7007C FY	d = 35	D = 62	B = 14	Angular contact ball bearing
NTN	7007	d = 35	D = 62	B = 14	Angular contact ball bearing
SKF	7007 ACD/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7007 ACD/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7007 ACDGA/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 ACDGA/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 ACDGB/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 ACDGB/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 ACDGC/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 ACDGD/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 ACE/P4A	d = 35	D = 62	B = 14	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7007 ACEGA/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7007 ACEGA/HCP4AH1	d = 35	D = 62	B = 14	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7007 ACEGA/HCP4AL	d = 35	D = 62	B = 14	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7007 ACEGA/P4A	d = 35	D = 62	B = 14	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7007 ACEGB/P4A	d = 35	D = 62	B = 14	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7007 CBGA/P4A	d = 35	D = 62	B = 14	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7007 CD/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7007 CD/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7007 CDGA/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 CDGA/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 CDGB/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 CDGC/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 CDGC/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7007 CE/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-speed E design, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7007 CE/P4A	d = 35	D = 62	B = 14	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7007 CEGA/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7007 CEGA/P4A	d = 35	D = 62	B = 14	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7007 CEGB/P4A	d = 35	D = 62	B = 14	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7007 FEGA/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7007 FEGA/HCP4AH1	d = 35	D = 62	B = 14	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7007/VA9D1	d = 35	D = 62	B = 14	Super-precision universally matchable single row angular contact ball bearing for driven tools
SKF	S7007 ACDGA/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7007 ACDGA/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7007 ACDGB/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7007 ACEGA/HCP4A	d = 35	D = 62	B = 14	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7007 ACEGA/P4A	d = 35	D = 62	B = 14	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7007 CDGA/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7007 CDGA/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7007 CDGB/HCP4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7007 CDGB/P4A	d = 35	D = 62	B = 14	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7007 CEGA/HCP4A	d = 35	D = 62	B = 14	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7007 CEGA/P4A	d = 35	D = 62	B = 14	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7007 FEGA/HCP4A	d = 35	D = 62	B = 14	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7007BDB FY	d = 35	D = 62	B = 28	Angular contact ball bearing
KOYO	7007BDF FY	d = 35	D = 62	B = 28	Angular contact ball bearing
KOYO	7007BDT FY	d = 35	D = 62	B = 28	Angular contact ball bearing
KOYO	7007CDB FY	d = 35	D = 62	B = 28	Angular contact ball bearing
KOYO	7007CDF FY	d = 35	D = 62	B = 28	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7007CDT FY	d = 35	D = 62	B = 28	Angular contact ball bearing
KOYO	7007DB FY	d = 35	D = 62	B = 28	Angular contact ball bearing
KOYO	7007DF FY	d = 35	D = 62	B = 28	Angular contact ball bearing
KOYO	7007DT FY	d = 35	D = 62	B = 28	Angular contact ball bearing
FAG	7207-B-XL-2RS-TVP	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-2RS-TVP-UA	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-JP	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-JP-P5-UL	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-JP-UA	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-JP-UO	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-MP	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-MP-UA	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-MP-UB	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-MP-UO	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-TVP	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-TVP-P5-UA	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-TVP-P5-UL	d = 35	D = 72	B = 17	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7207-B-XL-TVP-P5-UO	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-TVP-UA	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-TVP-UB	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	7207-B-XL-TVP-UO	d = 35	D = 72	B = 17	Angular contact ball bearing
FAG	B7207-C-2RSD-T-P4S-UL	d = 35	D = 72	B = 17	Spindle bearing
FAG	B7207-C-T-P4S-UL	d = 35	D = 72	B = 17	Spindle bearing
FAG	B7207-E-2RSD-T-P4S-UL	d = 35	D = 72	B = 17	Spindle bearing
FAG	B7207-E-T-P4S-UL	d = 35	D = 72	B = 17	Spindle bearing
FAG	HCB7207-C-2RSD-T-P4S-UL	d = 35	D = 72	B = 17	Spindle bearing
FAG	HCB7207-C-T-P4S-UL	d = 35	D = 72	B = 17	Spindle bearing
FAG	HCB7207-E-2RSD-T-P4S-UL	d = 35	D = 72	B = 17	Spindle bearing
FAG	HCB7207-E-T-P4S-UL	d = 35	D = 72	B = 17	Spindle bearing
KOYO	7207	d = 35	D = 72	B = 17	Angular contact ball bearing
KOYO	7207 FY	d = 35	D = 72	B = 17	Angular contact ball bearing
KOYO	7207B	d = 35	D = 72	B = 17	Angular contact ball bearing
KOYO	7207B FY	d = 35	D = 72	B = 17	Angular contact ball bearing
KOYO	7207C	d = 35	D = 72	B = 17	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7207C FY	d = 35	D = 72	B = 17	Angular contact ball bearing
SKF	7207 ACCBM	d = 35	D = 72	B = 17	Single row angular contact ball bearing with 25° contact angle
SKF	7207 ACD/HCP4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7207 ACD/P4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7207 ACDGA/HCP4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7207 ACDGA/P4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7207 ACDGB/P4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7207 ACDGC/P4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7207 BE-2RZP	d = 35	D = 72	B = 17	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7207 BECBM	d = 35	D = 72	B = 17	Single row angular contact ball bearing
SKF	7207 BECBP	d = 35	D = 72	B = 17	Single row angular contact ball bearing
SKF	7207 BECBY	d = 35	D = 72	B = 17	Single row angular contact ball bearing
SKF	7207 BEGAM	d = 35	D = 72	B = 17	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7207 BEGAP	d = 35	D = 72	B = 17	Single row angular contact ball bearing
SKF	7207 BEGBP	d = 35	D = 72	B = 17	Single row angular contact ball bearing
SKF	7207 BEP	d = 35	D = 72	B = 17	Single row angular contact ball bearing
SKF	7207 CD/HCP4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7207 CD/P4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7207 CDGA/HCP4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7207 CDGA/P4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7207 CDGB/P4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7207 CDGC/P4A	d = 35	D = 72	B = 17	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	3207-BD-XL	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-2HRS	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-2HRS-C3	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-2HRS-L140-C3	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-2HRS-TVH	d = 35	D = 72	B = 27	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3207-BD-XL-2HRS-TVH-C3	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-2Z	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-2Z-C3	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-2Z-TVH	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-2Z-TVH-C3	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-C3	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-TVH	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-TVH-C3	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-TVH-L140-C3	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-TVH-L285	d = 35	D = 72	B = 27	Angular contact ball bearing
FAG	3207-BD-XL-TVH-L285-C3	d = 35	D = 72	B = 27	Angular contact ball bearing
KOYO	3207	d = 35	D = 72	B = 27	Angular contact ball bearing
KOYO	5207	d = 35	D = 72	B = 27	Angular contact ball bearing
KOYO	5207 2RS	d = 35	D = 72	B = 27	Angular contact ball bearing
KOYO	5207 ZZ	d = 35	D = 72	B = 27	Angular contact ball bearing
SKF	3207 A	d = 35	D = 72	B = 27	Double row angular contact ball bearing
SKF	3207 A-2RS1	d = 35	D = 72	B = 27	Double row angular contact ball bearing with seals or shields

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3207 A-2RS1/C3	d = 35	D = 72	B = 27	Double row angular contact ball bearing with seals or shields
SKF	3207 A-2RS1TN9/MT33	d = 35	D = 72	B = 27	Double row angular contact ball bearing with seals or shields
SKF	3207 A-2Z	d = 35	D = 72	B = 27	Double row angular contact ball bearing with seals or shields
SKF	3207 A-2Z/C3	d = 35	D = 72	B = 27	Double row angular contact ball bearing with seals or shields
SKF	3207 A-2ZTN9/MT33	d = 35	D = 72	B = 27	Double row angular contact ball bearing with seals or shields
SKF	3207 ATN9	d = 35	D = 72	B = 27	Double row angular contact ball bearing
KOYO	7207BDB	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207BDB FY	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207BDF	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207BDF FY	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207BDT	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207BDT FY	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207CDB	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207CDB FY	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207CDF	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207CDF FY	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207CDT	d = 35	D = 72	B = 34	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7207CDT FY	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207DB	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207DB FY	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207DF	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207DF FY	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207DT	d = 35	D = 72	B = 34	Angular contact ball bearing
KOYO	7207DT FY	d = 35	D = 72	B = 34	Angular contact ball bearing
FAG	7307-B-XL-2RS-TVP	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-JP	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-JP-UA	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-JP-UB	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-JP-UO	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-MP	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-MP-P6-UA	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-MP-UA	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-MP-UB	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-MP-UO	d = 35	D = 80	B = 21	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7307-B-XL-TVP	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-TVP-P5	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-TVP-P5-UL	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-TVP-UA	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-TVP-UB	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-TVP-UL	d = 35	D = 80	B = 21	Angular contact ball bearing
FAG	7307-B-XL-TVP-UO	d = 35	D = 80	B = 21	Angular contact ball bearing
KOYO	7307	d = 35	D = 80	B = 21	Angular contact ball bearing
KOYO	7307 FY	d = 35	D = 80	B = 21	Angular contact ball bearing
KOYO	7307B	d = 35	D = 80	B = 21	Angular contact ball bearing
KOYO	7307B FY	d = 35	D = 80	B = 21	Angular contact ball bearing
KOYO	7307C	d = 35	D = 80	B = 21	Angular contact ball bearing
KOYO	7307C FY	d = 35	D = 80	B = 21	Angular contact ball bearing
SKF	7307 ACCBM	d = 35	D = 80	B = 21	Single row angular contact ball bearing with 25° contact angle
SKF	7307 BE-2RZP	d = 35	D = 80	B = 21	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7307 BECBM	d = 35	D = 80	B = 21	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7307 BECBP	d = 35	D = 80	B = 21	Single row angular contact ball bearing
SKF	7307 BECBY	d = 35	D = 80	B = 21	Single row angular contact ball bearing
SKF	7307 BEGAM	d = 35	D = 80	B = 21	Single row angular contact ball bearing
SKF	7307 BEGAP	d = 35	D = 80	B = 21	Single row angular contact ball bearing
SKF	7307 BEGAPH	d = 35	D = 80	B = 21	Single row angular contact ball bearing
SKF	7307 BEGBP	d = 35	D = 80	B = 21	Single row angular contact ball bearing
SKF	7307 BEP	d = 35	D = 80	B = 21	Single row angular contact ball bearing
FAG	3307-BD-XL	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-2HRS	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-2HRS-C3	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-2HRS-TVH	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-2HRS-TVH-C3	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-2HRS-TVH-L100	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-2Z	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-2Z-C3	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-2Z-TVH	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-2Z-TVH-C3	d = 35	D = 80	B = 34.9	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3307-BD-XL-2Z-TVH-L140-C3	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-C3	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-P5	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-TVH	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-TVH-C2	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-TVH-C3	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-TVH-C4	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-TVH-L140-C3	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-TVH-L285	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-BD-XL-TVH-L285-C3	d = 35	D = 80	B = 34.9	Angular contact ball bearing
FAG	3307-DA	d = 35	D = 80	B = 34.9	Angular contact ball bearing
KOYO	3307	d = 35	D = 80	B = 34.9	Angular contact ball bearing
KOYO	5307	d = 35	D = 80	B = 34.9	Angular contact ball bearing
KOYO	5307 2RS	d = 35	D = 80	B = 34.9	Angular contact ball bearing
KOYO	5307 ZZ	d = 35	D = 80	B = 34.9	Angular contact ball bearing
SKF	3307 A	d = 35	D = 80	B = 34.9	Double row angular contact ball bearing
SKF	3307 A-2RS1	d = 35	D = 80	B = 34.9	Double row angular contact ball bearing with seals or shields

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3307 A-2RS1TN9/MT33	d = 35	D = 80	B = 34.9	Double row angular contact ball bearing with seals or shields
SKF	3307 A-2Z	d = 35	D = 80	B = 34.9	Double row angular contact ball bearing with seals or shields
SKF	3307 A-2ZTN9/MT33	d = 35	D = 80	B = 34.9	Double row angular contact ball bearing with seals or shields
SKF	3307 ATN9	d = 35	D = 80	B = 34.9	Double row angular contact ball bearing
KOYO	7307BDB	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307BDB FY	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307BDF	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307BDF FY	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307BDT	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307BDT FY	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307CDB	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307CDB FY	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307CDF	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307CDF FY	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307CDT	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307CDT FY	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307DB	d = 35	D = 80	B = 42	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7307DB FY	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307DF	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307DF FY	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307DT	d = 35	D = 80	B = 42	Angular contact ball bearing
KOYO	7307DT FY	d = 35	D = 80	B = 42	Angular contact ball bearing
FAG	7407-B-XL-MP	d = 35	D = 100	B = 25	Angular contact ball bearing
FAG	7407-B-XL-MP-UA	d = 35	D = 100	B = 25	Angular contact ball bearing
FAG	7407-B-XL-MP-UO	d = 35	D = 100	B = 25	Angular contact ball bearing
KOYO	7407	d = 35	D = 100	B = 25	Angular contact ball bearing
KOYO	7407 FY	d = 35	D = 100	B = 25	Angular contact ball bearing
KOYO	7407B	d = 35	D = 100	B = 25	Angular contact ball bearing
KOYO	7407B FY	d = 35	D = 100	B = 25	Angular contact ball bearing
SKF	7407 BCBM	d = 35	D = 100	B = 25	Single row angular contact ball bearing
SKF	7407 BM	d = 35	D = 100	B = 25	Single row angular contact ball bearing
KOYO	7407BDB	d = 35	D = 100	B = 50	Angular contact ball bearing
KOYO	7407BDB FY	d = 35	D = 100	B = 50	Angular contact ball bearing
KOYO	7407BDF	d = 35	D = 100	B = 50	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7407BDF FY	d = 35	D = 100	B = 50	Angular contact ball bearing
KOYO	7407BDT	d = 35	D = 100	B = 50	Angular contact ball bearing
KOYO	7407BDT FY	d = 35	D = 100	B = 50	Angular contact ball bearing
KOYO	7407DB	d = 35	D = 100	B = 50	Angular contact ball bearing
KOYO	7407DB FY	d = 35	D = 100	B = 50	Angular contact ball bearing
KOYO	7407DF	d = 35	D = 100	B = 50	Angular contact ball bearing
KOYO	7407DF FY	d = 35	D = 100	B = 50	Angular contact ball bearing
KOYO	7407DT	d = 35	D = 100	B = 50	Angular contact ball bearing
KOYO	7407DT FY	d = 35	D = 100	B = 50	Angular contact ball bearing
SKF	71808 ACD/HCP4	d = 40	D = 52	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71808 ACD/P4	d = 40	D = 52	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71808 ACDGA/HCP4	d = 40	D = 52	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71808 ACDGA/P4	d = 40	D = 52	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71808 ACDGB/P4	d = 40	D = 52	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71808 CD/P4	d = 40	D = 52	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71808 CDGA/P4	d = 40	D = 52	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71808 CDGB/P4	d = 40	D = 52	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71908-C-2RSD-T-P4S-UL	d = 40	D = 62	B = 12	Spindle bearing
FAG	B71908-C-T-P4S-UL	d = 40	D = 62	B = 12	Spindle bearing
FAG	B71908-E-2RSD-T-P4S-UL	d = 40	D = 62	B = 12	Spindle bearing
FAG	B71908-E-T-P4S-UL	d = 40	D = 62	B = 12	Spindle bearing
FAG	HC71908-E-T-P4S-UL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	HCB71908-C-2RSD-T-P4S-UL	d = 40	D = 62	B = 12	Spindle bearing
FAG	HCB71908-C-T-P4S-UL	d = 40	D = 62	B = 12	Spindle bearing
FAG	HCB71908-E-2RSD-T-P4S-UL	d = 40	D = 62	B = 12	Spindle bearing
FAG	HCB71908-E-T-P4S-UL	d = 40	D = 62	B = 12	Spindle bearing
FAG	HCM71908-C-2RSD-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	HCM71908-C-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	HCM71908-E-2RSD-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM71908-E-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	HCS71908-E-T-P4S-UL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	HS71908-C-T-P4S-UL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	HS71908-E-T-P4S-UL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	HSS71908-C-T-P4S-UL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	HSS71908-E-T-P4S-UL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	M71908-C-2RSD-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	M71908-C-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	M71908-E-2RSD-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	M71908-E-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	PTB71908-E	d = 40	D = 62	B = 12	Spindle bearing
FAG	PTB71908-E-2RSD	d = 40	D = 62	B = 12	Spindle bearing
FAG	VCM71908-C-2RSD-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	VCM71908-C-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	VCM71908-E-2RSD-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
FAG	VCM71908-E-T-P4S-UL-XL	d = 40	D = 62	B = 12	High speed spindle bearing
KOYO	7908C FY	d = 40	D = 62	B = 12	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71908 ACBGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71908 ACBGA/HCP4AL	d = 40	D = 62	B = 12	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71908 ACD/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71908 ACDGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71908 ACDGA/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71908 ACDGB/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71908 ACDGC/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71908 ACE/P4A	d = 40	D = 62	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71908 ACEGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71908 ACEGA/HCP4AL	d = 40	D = 62	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71908 ACEGA/P4A	d = 40	D = 62	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71908 CBGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71908 CD/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71908 CD/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71908 CDGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71908 CDGA/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71908 CDGB/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71908 CDGC/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71908 CE/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71908 CEGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71908 CEGA/P4A	d = 40	D = 62	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71908 CEGB/P4A	d = 40	D = 62	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71908 FEGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71908 FEGA/HCP4AL	d = 40	D = 62	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71908 FEGA/P4A	d = 40	D = 62	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71908/VA9D1	d = 40	D = 62	B = 12	Super-precision universally matchable single row angular contact ball bearing for driven tools
SKF	S71908 ACB/P4A	d = 40	D = 62	B = 12	Super-precision, high-speed B design, single row angular contact ball bearing with seals
SKF	S71908 ACDGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71908 ACDGA/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71908 ACE/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71908 ACEGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71908 ACEGA/P4A	d = 40	D = 62	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71908 ACEGB/P4A	d = 40	D = 62	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71908 CD/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71908 CDGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71908 CDGA/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71908 CDGB/P4A	d = 40	D = 62	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71908 CEGA/HCP4A	d = 40	D = 62	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71908 CEGA/P4A	d = 40	D = 62	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7908CDB FY	d = 40	D = 62	B = 24	Angular contact ball bearing
KOYO	7908CDF FY	d = 40	D = 62	B = 24	Angular contact ball bearing
KOYO	7908CDT FY	d = 40	D = 62	B = 24	Angular contact ball bearing
FAG	7008-B-XL-2RS-TVP	d = 40	D = 68	B = 15	Angular contact ball bearing
FAG	7008-B-XL-2RS-TVP-UL	d = 40	D = 68	B = 15	Angular contact ball bearing
FAG	7008-B-XL-TVP	d = 40	D = 68	B = 15	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7008-C-2RSD-T-P4S-UL	d = 40	D = 68	B = 15	Spindle bearing
FAG	B7008-C-T-P4S-UL	d = 40	D = 68	B = 15	Spindle bearing
FAG	B7008-E-2RSD-T-P4S-UL	d = 40	D = 68	B = 15	Spindle bearing
FAG	B7008-E-T-P4S-UL	d = 40	D = 68	B = 15	Spindle bearing
FAG	HC7008-E-T-P4S-UL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	HCB7008-C-2RSD-T-P4S-UL	d = 40	D = 68	B = 15	Spindle bearing
FAG	HCB7008-C-T-P4S-UL	d = 40	D = 68	B = 15	Spindle bearing
FAG	HCB7008-E-2RSD-T-P4S-UL	d = 40	D = 68	B = 15	Spindle bearing
FAG	HCB7008-E-T-P4S-UL	d = 40	D = 68	B = 15	Spindle bearing
FAG	HCM7008-C-2RSD-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	HCM7008-C-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	HCM7008-E-2RSD-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	HCM7008-E-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	HCS7008-E-T-P4S-UL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	HS7008-C-T-P4S-UL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	HS7008-E-T-P4S-UL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	HSS7008-C-T-P4S-UL	d = 40	D = 68	B = 15	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HSS7008-E-T-P4S-UL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	M7008-C-2RSD-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	M7008-C-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	M7008-E-2RSD-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	M7008-E-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	PTB7008-E	d = 40	D = 68	B = 15	Spindle bearing
FAG	PTB7008-E-2RSD	d = 40	D = 68	B = 15	Spindle bearing
FAG	VCM7008-C-2RSD-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	VCM7008-C-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	VCM7008-E-2RSD-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
FAG	VCM7008-E-T-P4S-UL-XL	d = 40	D = 68	B = 15	High speed spindle bearing
KOYO	7008 FY	d = 40	D = 68	B = 15	Angular contact ball bearing
KOYO	7008B FY	d = 40	D = 68	B = 15	Angular contact ball bearing
KOYO	7008C FY	d = 40	D = 68	B = 15	Angular contact ball bearing
NTN	7008	d = 40	D = 68	B = 15	Angular contact ball bearing
SKF	7008 ACBGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7008 ACBGA/P4A	d = 40	D = 68	B = 15	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7008 ACD/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7008 ACD/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7008 ACDGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7008 ACDGA/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7008 ACDGB/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7008 ACDGC/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7008 ACDGD/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7008 ACEGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7008 ACEGA/HCP4AH1	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7008 ACEGA/HCP4AL1	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7008 ACEGA/P4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7008 ACEGB/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7008 ACEGB/P4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7008 CBGA/P4A	d = 40	D = 68	B = 15	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7008 CD/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7008 CD/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7008 CDGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7008 CDGA/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7008 CDGATP/P4B	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7008 CDGB/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7008 CDGC/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7008 CE/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7008 CE/P4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7008 CEGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7008 CEGA/HCP4AH1	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7008 CEGA/P4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7008 CEGB/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7008 CEGB/P4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7008 FEGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7008/VA9D1	d = 40	D = 68	B = 15	Super-precision universally matchable single row angular contact ball bearing for driven tools
SKF	S7008 ACDGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7008 ACDGA/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7008 ACDGB/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7008 ACDGB/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7008 ACDGC/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7008 ACE/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7008 ACEGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7008 ACEGA/P4A	d = 40	D = 68	B = 15	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7008 ACEGB/P4A	d = 40	D = 68	B = 15	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7008 CD/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7008 CDGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7008 CDGA/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7008 CDGB/HCP4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7008 CDGB/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7008 CDGC/P4A	d = 40	D = 68	B = 15	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7008 CEGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7008 CEGA/P4A	d = 40	D = 68	B = 15	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7008 CEGB/HCP4A	d = 40	D = 68	B = 15	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7008 FEGA/HCP4A	d = 40	D = 68	B = 15	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7008/VA9D1	d = 40	D = 68	B = 15	Super-precision universally matchable single row angular contact ball bearing with seals for driven tools
FAG	3008-B-TVH	d = 40	D = 68	B = 21	Angular contact ball bearing
KOYO	7008BDB FY	d = 40	D = 68	B = 30	Angular contact ball bearing
KOYO	7008BDF FY	d = 40	D = 68	B = 30	Angular contact ball bearing
KOYO	7008BDT FY	d = 40	D = 68	B = 30	Angular contact ball bearing
KOYO	7008CDB FY	d = 40	D = 68	B = 30	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7008CDF FY	d = 40	D = 68	B = 30	Angular contact ball bearing
KOYO	7008CDT FY	d = 40	D = 68	B = 30	Angular contact ball bearing
KOYO	7008DB FY	d = 40	D = 68	B = 30	Angular contact ball bearing
KOYO	7008DF FY	d = 40	D = 68	B = 30	Angular contact ball bearing
KOYO	7008DT FY	d = 40	D = 68	B = 30	Angular contact ball bearing
FAG	7208-B-XL-2RS-TVP	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-2RS-TVP-UL	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-JP	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-JP-UA	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-JP-UO	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-MP	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-MP-UA	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-MP-UB	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-MP-UO	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-TVP	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-TVP-P5	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-TVP-P5-UL	d = 40	D = 80	B = 18	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7208-B-XL-TVP-P5-UO	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-TVP-UA	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-TVP-UB	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	7208-B-XL-TVP-UO	d = 40	D = 80	B = 18	Angular contact ball bearing
FAG	B7208-C-2RSD-T-P4S-UL	d = 40	D = 80	B = 18	Spindle bearing
FAG	B7208-C-T-P4S-UL	d = 40	D = 80	B = 18	Spindle bearing
FAG	B7208-E-2RSD-T-P4S-UL	d = 40	D = 80	B = 18	Spindle bearing
FAG	B7208-E-T-P4S-UL	d = 40	D = 80	B = 18	Spindle bearing
FAG	HCB7208-C-2RSD-T-P4S-UL	d = 40	D = 80	B = 18	Spindle bearing
FAG	HCB7208-C-T-P4S-UL	d = 40	D = 80	B = 18	Spindle bearing
FAG	HCB7208-E-2RSD-T-P4S-UL	d = 40	D = 80	B = 18	Spindle bearing
FAG	HCB7208-E-T-P4S-UL	d = 40	D = 80	B = 18	Spindle bearing
KOYO	7208	d = 40	D = 80	B = 18	Angular contact ball bearing
KOYO	7208 FY	d = 40	D = 80	B = 18	Angular contact ball bearing
KOYO	7208B	d = 40	D = 80	B = 18	Angular contact ball bearing
KOYO	7208B FY	d = 40	D = 80	B = 18	Angular contact ball bearing
KOYO	7208C	d = 40	D = 80	B = 18	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7208C FY	d = 40	D = 80	B = 18	Angular contact ball bearing
SKF	7208 ACCBM	d = 40	D = 80	B = 18	Single row angular contact ball bearing with 25° contact angle
SKF	7208 ACD/HCP4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7208 ACD/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7208 ACDGA/HCP4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7208 ACDGA/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7208 ACDGB/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7208 ACDGC/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7208 BE-2RZP	d = 40	D = 80	B = 18	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7208 BECBJ	d = 40	D = 80	B = 18	Single row angular contact ball bearing
SKF	7208 BECBM	d = 40	D = 80	B = 18	Single row angular contact ball bearing
SKF	7208 BECBP	d = 40	D = 80	B = 18	Single row angular contact ball bearing
SKF	7208 BECBY	d = 40	D = 80	B = 18	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7208 BEGAP	d = 40	D = 80	B = 18	Single row angular contact ball bearing
SKF	7208 BEGBY	d = 40	D = 80	B = 18	Single row angular contact ball bearing
SKF	7208 BEP	d = 40	D = 80	B = 18	Single row angular contact ball bearing
SKF	7208 CD/HCP4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7208 CD/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7208 CDGA/HCP4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7208 CDGA/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7208 CDGB/HCP4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7208 CDGB/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7208 CDGC/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7208 ACDGA/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7208 CD/HCP4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7208 CDGA/HCP4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7208 CDGA/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7208 CDGC/P4A	d = 40	D = 80	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3208-BD-XL	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-2HRS	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-2HRS-C3	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-2HRS-L055-C3	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-2HRS-TVH	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-2HRS-TVH-C3	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-2HRS-TVH-L427	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-2Z	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-2Z-C3	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-2Z-TVH	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-2Z-TVH-C3	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-C3	d = 40	D = 80	B = 30.2	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3208-BD-XL-TVH	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-TVH-C2	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-TVH-C3	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-TVH-L285	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-TVH-L285-C3	d = 40	D = 80	B = 30.2	Angular contact ball bearing
FAG	3208-BD-XL-Z	d = 40	D = 80	B = 30.2	Angular contact ball bearing
KOYO	3208	d = 40	D = 80	B = 30.2	Angular contact ball bearing
KOYO	5208	d = 40	D = 80	B = 30.2	Angular contact ball bearing
KOYO	5208 2RS	d = 40	D = 80	B = 30.2	Angular contact ball bearing
KOYO	5208 ZZ	d = 40	D = 80	B = 30.2	Angular contact ball bearing
SKF	3208 A	d = 40	D = 80	B = 30.2	Double row angular contact ball bearing
SKF	3208 A-2RS1	d = 40	D = 80	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3208 A-2RS1/C3	d = 40	D = 80	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3208 A-2RS1/C3LVT114F7	d = 40	D = 80	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3208 A-2RS1TN9/MT33	d = 40	D = 80	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3208 A-2Z	d = 40	D = 80	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3208 A-2Z/C3	d = 40	D = 80	B = 30.2	Double row angular contact ball bearing with seals or shields

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3208 A-2ZTN9/MT33	d = 40	D = 80	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3208 ATN9	d = 40	D = 80	B = 30.2	Double row angular contact ball bearing
KOYO	7208BDB	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208BDB FY	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208BDF	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208BDF FY	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208BDT	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208BDT FY	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208CDB	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208CDB FY	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208CDF	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208CDF FY	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208CDT	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208CDT FY	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208DB	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208DB FY	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208DF	d = 40	D = 80	B = 36	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7208DF FY	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208DT	d = 40	D = 80	B = 36	Angular contact ball bearing
KOYO	7208DT FY	d = 40	D = 80	B = 36	Angular contact ball bearing
FAG	7308-B-XL-2RS-TVP	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-2RS-TVP-L100	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-2RS-TVP-L138	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-2RS-TVP-L198	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-2RS-TVP-L237	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-JP	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-JP-UA	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-JP-UO	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-MP	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-MP-P5-UL	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-MP-UA	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-MP-UB	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-MP-UO	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-MPA-P5-UL	d = 40	D = 90	B = 23	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7308-B-XL-TVP	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-TVP-P5-UL	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-TVP-UA	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-TVP-UB	d = 40	D = 90	B = 23	Angular contact ball bearing
FAG	7308-B-XL-TVP-UO	d = 40	D = 90	B = 23	Angular contact ball bearing
KOYO	7308	d = 40	D = 90	B = 23	Angular contact ball bearing
KOYO	7308 FY	d = 40	D = 90	B = 23	Angular contact ball bearing
KOYO	7308B	d = 40	D = 90	B = 23	Angular contact ball bearing
KOYO	7308B FY	d = 40	D = 90	B = 23	Angular contact ball bearing
KOYO	7308C	d = 40	D = 90	B = 23	Angular contact ball bearing
KOYO	7308C FY	d = 40	D = 90	B = 23	Angular contact ball bearing
SKF	7308 ACCBM	d = 40	D = 90	B = 23	Single row angular contact ball bearing with 25° contact angle
SKF	7308 BE-2RZP	d = 40	D = 90	B = 23	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7308 BECAP	d = 40	D = 90	B = 23	Single row angular contact ball bearing
SKF	7308 BECBJ	d = 40	D = 90	B = 23	Single row angular contact ball bearing
SKF	7308 BECBM	d = 40	D = 90	B = 23	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7308 BECBP	d = 40	D = 90	B = 23	Single row angular contact ball bearing
SKF	7308 BECBY	d = 40	D = 90	B = 23	Single row angular contact ball bearing
SKF	7308 BEGAM	d = 40	D = 90	B = 23	Single row angular contact ball bearing
SKF	7308 BEGAP	d = 40	D = 90	B = 23	Single row angular contact ball bearing
SKF	7308 BEGAPH	d = 40	D = 90	B = 23	Single row angular contact ball bearing
SKF	7308 BEGBM	d = 40	D = 90	B = 23	Single row angular contact ball bearing
SKF	7308 BEGBP	d = 40	D = 90	B = 23	Single row angular contact ball bearing
SKF	7308 BEGBY	d = 40	D = 90	B = 23	Single row angular contact ball bearing
SKF	7308 BEP	d = 40	D = 90	B = 23	Single row angular contact ball bearing
FAG	3308-BD-XL	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-2HRS	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-2HRS-C3	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-2HRS-TVH	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-2HRS-TVH-C3	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-2HRS-TVH-L055	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-2HRS-TVH-L055-C3	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-2Z	d = 40	D = 90	B = 36.5	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3308-BD-XL-2Z-C3	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-2Z-TVH	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-2Z-TVH-C3	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-2Z-TVH-L140-C3	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-C3	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-TVH	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-TVH-C3	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-TVH-L285	d = 40	D = 90	B = 36.5	Angular contact ball bearing
FAG	3308-BD-XL-TVH-L285-C3	d = 40	D = 90	B = 36.5	Angular contact ball bearing
KOYO	3308	d = 40	D = 90	B = 36.5	Angular contact ball bearing
KOYO	5308	d = 40	D = 90	B = 36.5	Angular contact ball bearing
KOYO	5308 2RS	d = 40	D = 90	B = 36.5	Angular contact ball bearing
KOYO	5308 ZZ	d = 40	D = 90	B = 36.5	Angular contact ball bearing
SKF	3308 A	d = 40	D = 90	B = 36.5	Double row angular contact ball bearing
SKF	3308 A-2RS1	d = 40	D = 90	B = 36.5	Double row angular contact ball bearing with seals or shields
SKF	3308 A-2RS1TN9/MT33	d = 40	D = 90	B = 36.5	Double row angular contact ball bearing with seals or shields
SKF	3308 A-2Z	d = 40	D = 90	B = 36.5	Double row angular contact ball bearing with seals or shields

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3308 A-2ZTN9/MT33	d = 40	D = 90	B = 36.5	Double row angular contact ball bearing with seals or shields
SKF	3308 ATN9	d = 40	D = 90	B = 36.5	Double row angular contact ball bearing
KOYO	7308BDB	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308BDB FY	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308BDF	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308BDF FY	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308BDT	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308BDT FY	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308CDB	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308CDB FY	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308CDF	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308CDF FY	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308CDT	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308CDT FY	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308DB	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308DB FY	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308DF	d = 40	D = 90	B = 46	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7308DF FY	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308DT	d = 40	D = 90	B = 46	Angular contact ball bearing
KOYO	7308DT FY	d = 40	D = 90	B = 46	Angular contact ball bearing
FAG	7408-B-XL-MP	d = 40	D = 110	B = 27	Angular contact ball bearing
FAG	7408-B-XL-MP-UA	d = 40	D = 110	B = 27	Angular contact ball bearing
FAG	7408-B-XL-MP-UO	d = 40	D = 110	B = 27	Angular contact ball bearing
KOYO	7408	d = 40	D = 110	B = 27	Angular contact ball bearing
KOYO	7408 FY	d = 40	D = 110	B = 27	Angular contact ball bearing
KOYO	7408B	d = 40	D = 110	B = 27	Angular contact ball bearing
KOYO	7408B FY	d = 40	D = 110	B = 27	Angular contact ball bearing
SKF	7408 BCBM	d = 40	D = 110	B = 27	Single row angular contact ball bearing
SKF	7408 BGBM	d = 40	D = 110	B = 27	Single row angular contact ball bearing
SKF	7408 BM	d = 40	D = 110	B = 27	Single row angular contact ball bearing
KOYO	7408BDB	d = 40	D = 110	B = 54	Angular contact ball bearing
KOYO	7408BDB FY	d = 40	D = 110	B = 54	Angular contact ball bearing
KOYO	7408BDF	d = 40	D = 110	B = 54	Angular contact ball bearing
KOYO	7408BDF FY	d = 40	D = 110	B = 54	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7408BDT	d = 40	D = 110	B = 54	Angular contact ball bearing
KOYO	7408BDT FY	d = 40	D = 110	B = 54	Angular contact ball bearing
KOYO	7408DB	d = 40	D = 110	B = 54	Angular contact ball bearing
KOYO	7408DB FY	d = 40	D = 110	B = 54	Angular contact ball bearing
KOYO	7408DF	d = 40	D = 110	B = 54	Angular contact ball bearing
KOYO	7408DF FY	d = 40	D = 110	B = 54	Angular contact ball bearing
KOYO	7408DT	d = 40	D = 110	B = 54	Angular contact ball bearing
KOYO	7408DT FY	d = 40	D = 110	B = 54	Angular contact ball bearing
SKF	71809 ACD/P4	d = 45	D = 58	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71809 ACDGA/HCP4	d = 45	D = 58	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71809 ACDGA/P4	d = 45	D = 58	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71809 ACDGB/P4	d = 45	D = 58	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71809 CD/P4	d = 45	D = 58	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71809 CDGA/P4	d = 45	D = 58	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71809 CDGB/P4	d = 45	D = 58	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71909-C-2RSD-T-P4S-UL	d = 45	D = 68	B = 12	Spindle bearing
FAG	B71909-C-T-P4S-UL	d = 45	D = 68	B = 12	Spindle bearing
FAG	B71909-E-2RSD-T-P4S-UL	d = 45	D = 68	B = 12	Spindle bearing
FAG	B71909-E-T-P4S-UL	d = 45	D = 68	B = 12	Spindle bearing
FAG	HC71909-E-T-P4S-UL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	HCB71909-C-2RSD-T-P4S-UL	d = 45	D = 68	B = 12	Spindle bearing
FAG	HCB71909-C-T-P4S-UL	d = 45	D = 68	B = 12	Spindle bearing
FAG	HCB71909-E-2RSD-T-P4S-UL	d = 45	D = 68	B = 12	Spindle bearing
FAG	HCB71909-E-T-P4S-UL	d = 45	D = 68	B = 12	Spindle bearing
FAG	HCM71909-C-2RSD-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	HCM71909-C-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	HCM71909-E-2RSD-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	HCM71909-E-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	HCS71909-E-T-P4S-UL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	HS71909-C-T-P4S-UL	d = 45	D = 68	B = 12	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HS71909-E-T-P4S-UL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	HSS71909-C-T-P4S-UL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	HSS71909-E-T-P4S-UL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	M71909-C-2RSD-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	M71909-C-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	M71909-E-2RSD-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	M71909-E-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	PTB71909-E	d = 45	D = 68	B = 12	Spindle bearing
FAG	PTB71909-E-2RSD	d = 45	D = 68	B = 12	Spindle bearing
FAG	VCM71909-C-2RSD-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	VCM71909-C-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	VCM71909-E-2RSD-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
FAG	VCM71909-E-T-P4S-UL-XL	d = 45	D = 68	B = 12	High speed spindle bearing
KOYO	7909C FY	d = 45	D = 68	B = 12	Angular contact ball bearing
SKF	71909 ACD/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71909 ACDGA/HCP4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71909 ACDGA/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71909 ACDGB/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71909 ACDGC/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71909 ACEGA/HCP4A	d = 45	D = 68	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71909 ACEGA/HCP4AL	d = 45	D = 68	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71909 ACEGA/P4A	d = 45	D = 68	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71909 CD/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71909 CDGA/HCP4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71909 CDGA/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71909 CDGB/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71909 CDGC/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71909 CE/P4A	d = 45	D = 68	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71909 CEGA/HCP4A	d = 45	D = 68	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71909 CEGA/HCP4AL	d = 45	D = 68	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71909 CEGA/P4A	d = 45	D = 68	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71909 CEGB/P4A	d = 45	D = 68	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71909 FEGA/HCP4A	d = 45	D = 68	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71909 FEGA/HCP4AL	d = 45	D = 68	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	S71909 ACD/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71909 ACDGA/HCP4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71909 ACDGA/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71909 ACDGB/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71909 ACE/HCP4A	d = 45	D = 68	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71909 ACEGA/HCP4A	d = 45	D = 68	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71909 ACEGA/P4A	d = 45	D = 68	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71909 ACEGB/HCP4A	d = 45	D = 68	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71909 CDGA/HCP4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71909 CDGA/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71909 CDGB/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71909 CDGC/P4A	d = 45	D = 68	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71909 CE/P4A	d = 45	D = 68	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71909 CEGA/HCP4A	d = 45	D = 68	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71909 CEGA/P4A	d = 45	D = 68	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7909CDB FY	d = 45	D = 68	B = 24	Angular contact ball bearing
KOYO	7909CDF FY	d = 45	D = 68	B = 24	Angular contact ball bearing
KOYO	7909CDT FY	d = 45	D = 68	B = 24	Angular contact ball bearing
FAG	B7009-C-2RSD-T-P4S-UL	d = 45	D = 75	B = 16	Spindle bearing
FAG	B7009-C-T-P4S-UL	d = 45	D = 75	B = 16	Spindle bearing
FAG	B7009-E-2RSD-T-P4S-UL	d = 45	D = 75	B = 16	Spindle bearing
FAG	B7009-E-T-P4S-UL	d = 45	D = 75	B = 16	Spindle bearing
FAG	HC7009-E-T-P4S-UL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	HCB7009-C-2RSD-T-P4S-UL	d = 45	D = 75	B = 16	Spindle bearing
FAG	HCB7009-C-T-P4S-UL	d = 45	D = 75	B = 16	Spindle bearing
FAG	HCB7009-CDLR-T-P4S-UL	d = 45	D = 75	B = 16	Spindle bearing
FAG	HCB7009-E-2RSD-T-P4S-UL	d = 45	D = 75	B = 16	Spindle bearing
FAG	HCB7009-E-T-P4S-UL	d = 45	D = 75	B = 16	Spindle bearing
FAG	HCB7009-EDLR-T-P4S-UL	d = 45	D = 75	B = 16	Spindle bearing
FAG	HCM7009-C-2RSD-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM7009-C-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	HCM7009-E-2RSD-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	HCM7009-E-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	HCS7009-E-T-P4S-UL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	HS7009-C-T-P4S-UL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	HS7009-E-T-P4S-UL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	HSS7009-C-T-P4S-UL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	HSS7009-E-T-P4S-UL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	M7009-C-2RSD-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	M7009-C-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	M7009-E-2RSD-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	M7009-E-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	PTB7009-E	d = 45	D = 75	B = 16	Spindle bearing
FAG	PTB7009-E-2RSD	d = 45	D = 75	B = 16	Spindle bearing
FAG	VCM7009-C-2RSD-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	VCM7009-C-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing
FAG	VCM7009-E-2RSD-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM7009-E-T-P4S-UL-XL	d = 45	D = 75	B = 16	High speed spindle bearing
KOYO	7009 FY	d = 45	D = 75	B = 16	Angular contact ball bearing
KOYO	7009B FY	d = 45	D = 75	B = 16	Angular contact ball bearing
KOYO	7009C FY	d = 45	D = 75	B = 16	Angular contact ball bearing
NTN	7009	d = 45	D = 75	B = 16	Angular contact ball bearing
SKF	7009 ACBGA/P4A	d = 45	D = 75	B = 16	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7009 ACD/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7009 ACDGA/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7009 ACDGA/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7009 ACDGB/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7009 ACDGC/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7009 ACE/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7009 ACEGA/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7009 ACEGA/HCP4AH1	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7009 ACEGA/HCP4AL	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7009 ACEGA/HCP4AL1	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7009 ACEGA/P4A	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7009 ACEGB/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7009 ACEGB/P4A	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7009 CD/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7009 CDGA/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7009 CDGA/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7009 CDGATP/P4B	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7009 CDGB/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7009 CDGC/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7009 CE/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7009 CEGA/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7009 CEGA/HCP4AH1	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7009 CEGA/HCP4AL1	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7009 CEGA/P4A	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7009 FEGA/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7009 FEGA/HCP4AH1	d = 45	D = 75	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	S7009 ACDGA/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7009 ACDGA/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7009 ACDGB/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7009 ACDGB/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7009 ACEGA/HCP4A	d = 45	D = 75	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7009 ACEGA/P4A	d = 45	D = 75	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7009 ACEGB/P4A	d = 45	D = 75	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7009 CDGA/HCP4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7009 CDGA/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7009 CDGB/P4A	d = 45	D = 75	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7009 CEGA/HCP4A	d = 45	D = 75	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7009 CEGA/P4A	d = 45	D = 75	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7009 FEGA/HCP4A	d = 45	D = 75	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7009BDB FY	d = 45	D = 75	B = 32	Angular contact ball bearing
KOYO	7009BDF FY	d = 45	D = 75	B = 32	Angular contact ball bearing
KOYO	7009BDT FY	d = 45	D = 75	B = 32	Angular contact ball bearing
KOYO	7009CDB FY	d = 45	D = 75	B = 32	Angular contact ball bearing
KOYO	7009CDF FY	d = 45	D = 75	B = 32	Angular contact ball bearing
KOYO	7009CDT FY	d = 45	D = 75	B = 32	Angular contact ball bearing
KOYO	7009DB FY	d = 45	D = 75	B = 32	Angular contact ball bearing
KOYO	7009DF FY	d = 45	D = 75	B = 32	Angular contact ball bearing
KOYO	7009DT FY	d = 45	D = 75	B = 32	Angular contact ball bearing
FAG	7209-B-XL-2RS-TVP	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-JP	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-JP-UA	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-JP-UO	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-MP	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-MP-P6-UA	d = 45	D = 85	B = 19	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7209-B-XL-MP-UA	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-MP-UB	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-MP-UO	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-TVP	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-TVP-P5	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-TVP-P5-UH	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-TVP-P5-UM	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-TVP-P5-UO	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-TVP-UA	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-TVP-UB	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	7209-B-XL-TVP-UO	d = 45	D = 85	B = 19	Angular contact ball bearing
FAG	B7209-C-2RSD-T-P4S-UL	d = 45	D = 85	B = 19	Spindle bearing
FAG	B7209-C-T-P4S-UL	d = 45	D = 85	B = 19	Spindle bearing
FAG	B7209-E-2RSD-T-P4S-UL	d = 45	D = 85	B = 19	Spindle bearing
FAG	B7209-E-T-P4S-UL	d = 45	D = 85	B = 19	Spindle bearing
FAG	HCB7209-C-2RSD-T-P4S-UL	d = 45	D = 85	B = 19	Spindle bearing
FAG	HCB7209-C-T-P4S-UL	d = 45	D = 85	B = 19	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB7209-E-T-P4S-UL	d = 45	D = 85	B = 19	Spindle bearing
KOYO	7209	d = 45	D = 85	B = 19	Angular contact ball bearing
KOYO	7209 FY	d = 45	D = 85	B = 19	Angular contact ball bearing
KOYO	7209B	d = 45	D = 85	B = 19	Angular contact ball bearing
KOYO	7209B FY	d = 45	D = 85	B = 19	Angular contact ball bearing
KOYO	7209C	d = 45	D = 85	B = 19	Angular contact ball bearing
KOYO	7209C FY	d = 45	D = 85	B = 19	Angular contact ball bearing
SKF	7209 ACCBM	d = 45	D = 85	B = 19	Single row angular contact ball bearing with 25° contact angle
SKF	7209 ACD/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7209 ACDGA/HCP4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7209 ACDGA/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7209 ACDGB/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7209 ACDGC/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7209 BE-2RZP	d = 45	D = 85	B = 19	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7209 BECBJ	d = 45	D = 85	B = 19	Single row angular contact ball bearing
SKF	7209 BECBM	d = 45	D = 85	B = 19	Single row angular contact ball bearing
SKF	7209 BECBP	d = 45	D = 85	B = 19	Single row angular contact ball bearing
SKF	7209 BECBY	d = 45	D = 85	B = 19	Single row angular contact ball bearing
SKF	7209 BEGAP	d = 45	D = 85	B = 19	Single row angular contact ball bearing
SKF	7209 BEGAPH	d = 45	D = 85	B = 19	Single row angular contact ball bearing
SKF	7209 BEP	d = 45	D = 85	B = 19	Single row angular contact ball bearing
SKF	7209 CD/HCP4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7209 CD/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7209 CDGA/HCP4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7209 CDGA/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7209 CDGB/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7209 ACD/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7209 ACDGA/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7209 ACDGB/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7209 ACDGC/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7209 CD/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7209 CDGA/HCP4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7209 CDGA/P4A	d = 45	D = 85	B = 19	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3209-BD-XL	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-2HRS	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-2HRS-C3	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-2HRS-L038-C3	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-2HRS-TVH	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-2HRS-TVH-C3	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-2Z	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-2Z-C3	d = 45	D = 85	B = 30.2	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3209-BD-XL-2Z-TVH	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-2Z-TVH-C3	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-C3	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-TVH	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-TVH-C2	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-TVH-C3	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-TVH-L285	d = 45	D = 85	B = 30.2	Angular contact ball bearing
FAG	3209-BD-XL-TVH-L285-C3	d = 45	D = 85	B = 30.2	Angular contact ball bearing
KOYO	3209	d = 45	D = 85	B = 30.2	Angular contact ball bearing
KOYO	5209	d = 45	D = 85	B = 30.2	Angular contact ball bearing
KOYO	5209 2RS	d = 45	D = 85	B = 30.2	Angular contact ball bearing
KOYO	5209 ZZ	d = 45	D = 85	B = 30.2	Angular contact ball bearing
SKF	3209 A	d = 45	D = 85	B = 30.2	Double row angular contact ball bearing
SKF	3209 A-2RS1	d = 45	D = 85	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3209 A-2RS1/C3	d = 45	D = 85	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3209 A-2RS1TN9/MT33	d = 45	D = 85	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3209 A-2Z	d = 45	D = 85	B = 30.2	Double row angular contact ball bearing with seals or shields

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3209 A-2ZTN9/MT33	d = 45	D = 85	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3209 ATN9	d = 45	D = 85	B = 30.2	Double row angular contact ball bearing
KOYO	7209BDB	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209BDB FY	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209BDF	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209BDF FY	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209BDT	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209BDT FY	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209CDB	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209CDB FY	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209CDF	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209CDF FY	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209CDT	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209CDT FY	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209DB	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209DB FY	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209DF	d = 45	D = 85	B = 38	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7209DF FY	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209DT	d = 45	D = 85	B = 38	Angular contact ball bearing
KOYO	7209DT FY	d = 45	D = 85	B = 38	Angular contact ball bearing
FAG	7309-B-XL-JP	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-JP-S1-UO	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-JP-UA	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-JP-UO	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-MP	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-MP-UA	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-MP-UB	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-MP-UO	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-TVP	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-TVP-P5-UL	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-TVP-UA	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-TVP-UB	d = 45	D = 100	B = 25	Angular contact ball bearing
FAG	7309-B-XL-TVP-UO	d = 45	D = 100	B = 25	Angular contact ball bearing
KOYO	7309	d = 45	D = 100	B = 25	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7309 FY	d = 45	D = 100	B = 25	Angular contact ball bearing
KOYO	7309B	d = 45	D = 100	B = 25	Angular contact ball bearing
KOYO	7309B FY	d = 45	D = 100	B = 25	Angular contact ball bearing
KOYO	7309C	d = 45	D = 100	B = 25	Angular contact ball bearing
KOYO	7309C FY	d = 45	D = 100	B = 25	Angular contact ball bearing
SKF	7309 ACCBM	d = 45	D = 100	B = 25	Single row angular contact ball bearing
SKF	7309 BE-2RZP	d = 45	D = 100	B = 25	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7309 BECAP	d = 45	D = 100	B = 25	Single row angular contact ball bearing
SKF	7309 BECBJ	d = 45	D = 100	B = 25	Single row angular contact ball bearing
SKF	7309 BECBM	d = 45	D = 100	B = 25	Single row angular contact ball bearing
SKF	7309 BECBP	d = 45	D = 100	B = 25	Single row angular contact ball bearing
SKF	7309 BECBY	d = 45	D = 100	B = 25	Single row angular contact ball bearing
SKF	7309 BEGAM	d = 45	D = 100	B = 25	Single row angular contact ball bearing
SKF	7309 BEGAP	d = 45	D = 100	B = 25	Single row angular contact ball bearing
SKF	7309 BEGAPH	d = 45	D = 100	B = 25	Single row angular contact ball bearing
SKF	7309 BEGBP	d = 45	D = 100	B = 25	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7309 BEGBY	d = 45	D = 100	B = 25	Single row angular contact ball bearing
SKF	7309 BEP	d = 45	D = 100	B = 25	Single row angular contact ball bearing
FAG	3309-BD-XL	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-2HRS	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-2HRS-C3	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-2HRS-TVH	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-2HRS-TVH-C3	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-2Z	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-2Z-C3	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-2Z-TVH	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-2Z-TVH-C3	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-C3	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-TVH	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-TVH-C3	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-TVH-L285	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-BD-XL-TVH-L285-C3	d = 45	D = 100	B = 39.7	Angular contact ball bearing
FAG	3309-DA	d = 45	D = 100	B = 39.7	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	3309	d = 45	D = 100	B = 39.7	Angular contact ball bearing
KOYO	5309	d = 45	D = 100	B = 39.7	Angular contact ball bearing
KOYO	5309 2RS	d = 45	D = 100	B = 39.7	Angular contact ball bearing
KOYO	5309 ZZ	d = 45	D = 100	B = 39.7	Angular contact ball bearing
SKF	3309 A	d = 45	D = 100	B = 39.7	Double row angular contact ball bearing
SKF	3309 A-2RS1	d = 45	D = 100	B = 39.7	Double row angular contact ball bearing with seals or shields
SKF	3309 A-2Z	d = 45	D = 100	B = 39.7	Double row angular contact ball bearing with seals or shields
SKF	3309 ATN9	d = 45	D = 100	B = 39.7	Double row angular contact ball bearing
KOYO	7309BDB	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309BDB FY	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309BDF	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309BDF FY	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309BDT	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309BDT FY	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309CDB	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309CDB FY	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309CDF	d = 45	D = 100	B = 50	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7309CDF FY	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309CDT	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309CDT FY	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309DB	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309DB FY	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309DF	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309DF FY	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309DT	d = 45	D = 100	B = 50	Angular contact ball bearing
KOYO	7309DT FY	d = 45	D = 100	B = 50	Angular contact ball bearing
FAG	7409-B-XL-MP	d = 45	D = 120	B = 29	Angular contact ball bearing
FAG	7409-B-XL-MP-UA	d = 45	D = 120	B = 29	Angular contact ball bearing
FAG	7409-B-XL-MP-UO	d = 45	D = 120	B = 29	Angular contact ball bearing
KOYO	7409	d = 45	D = 120	B = 29	Angular contact ball bearing
KOYO	7409 FY	d = 45	D = 120	B = 29	Angular contact ball bearing
KOYO	7409B	d = 45	D = 120	B = 29	Angular contact ball bearing
KOYO	7409B FY	d = 45	D = 120	B = 29	Angular contact ball bearing
SKF	7409 BCBM	d = 45	D = 120	B = 29	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7409 BGBM	d = 45	D = 120	B = 29	Single row angular contact ball bearing
SKF	7409 BGM	d = 45	D = 120	B = 29	Single row angular contact ball bearing
KOYO	7409BDB	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409BDB FY	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409BDF	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409BDF FY	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409BDT	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409BDT FY	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409DB	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409DB FY	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409DF	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409DF FY	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409DT	d = 45	D = 120	B = 58	Angular contact ball bearing
KOYO	7409DT FY	d = 45	D = 120	B = 58	Angular contact ball bearing
SKF	71810 ACD/HCP4	d = 50	D = 65	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71810 ACD/P4	d = 50	D = 65	B = 7	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71810 ACDGA/P4	d = 50	D = 65	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71810 ACDGB/P4	d = 50	D = 65	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71810 CD/P4	d = 50	D = 65	B = 7	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71810 CDGA/HCP4	d = 50	D = 65	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71810 CDGA/P4	d = 50	D = 65	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71810 CDGB/P4	d = 50	D = 65	B = 7	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71910-C-2RSD-T-P4S-UL	d = 50	D = 72	B = 12	Spindle bearing
FAG	B71910-C-T-P4S-UL	d = 50	D = 72	B = 12	Spindle bearing
FAG	B71910-E-2RSD-T-P4S-UL	d = 50	D = 72	B = 12	Spindle bearing
FAG	B71910-E-T-P4S-UL	d = 50	D = 72	B = 12	Spindle bearing
FAG	HC71910-E-T-P4S-UL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HC71910-EDLR-T-P4S-UL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HCB71910-C-2RSD-T-P4S-UL	d = 50	D = 72	B = 12	Spindle bearing
FAG	HCB71910-C-T-P4S-UL	d = 50	D = 72	B = 12	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB71910-CDLR-T-P4S-UL	d = 50	D = 72	B = 12	Spindle bearing
FAG	HCB71910-E-2RSD-T-P4S-UL	d = 50	D = 72	B = 12	Spindle bearing
FAG	HCB71910-E-T-P4S-UL	d = 50	D = 72	B = 12	Spindle bearing
FAG	HCB71910-EDLR-T-P4S-UL	d = 50	D = 72	B = 12	Spindle bearing
FAG	HCM71910-C-2RSD-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HCM71910-C-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HCM71910-CDLR-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HCM71910-E-2RSD-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HCM71910-E-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HCM71910-EDLR-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HCS71910-E-T-P4S-UL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HS71910-C-T-P4S-UL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HS71910-E-T-P4S-UL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HSS71910-C-T-P4S-UL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	HSS71910-E-T-P4S-UL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	M71910-C-2RSD-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	M71910-C-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	M71910-E-2RSD-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	M71910-E-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	PTB71910-E	d = 50	D = 72	B = 12	Spindle bearing
FAG	PTB71910-E-2RSD	d = 50	D = 72	B = 12	Spindle bearing
FAG	VCM71910-C-2RSD-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	VCM71910-C-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	VCM71910-CDLR-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	VCM71910-E-2RSD-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	VCM71910-E-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
FAG	VCM71910-EDLR-T-P4S-UL-XL	d = 50	D = 72	B = 12	High speed spindle bearing
KOYO	7910C FY	d = 50	D = 72	B = 12	Angular contact ball bearing
SKF	71910 ACBGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71910 ACBGB/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71910 ACD/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71910 ACDGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71910 ACDGA/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71910 ACDGB/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71910 ACEGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71910 ACEGA/HCP4AL	d = 50	D = 72	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71910 ACEGA/P4A	d = 50	D = 72	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71910 ACEGB/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71910 CBGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71910 CD/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71910 CD/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71910 CDGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71910 CDGA/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71910 CDGB/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71910 CDGC/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71910 CDGC/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71910 CEGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71910 CEGA/P4A	d = 50	D = 72	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71910 FEGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S71910 ACB/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-speed B design, single row angular contact ball bearing with seals
SKF	S71910 ACD/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71910 ACDGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71910 ACDGA/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71910 ACDGB/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71910 ACDGC/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71910 ACE/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71910 ACEGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71910 CD/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71910 CDGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71910 CDGA/P4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71910 CDGB/HCP4A	d = 50	D = 72	B = 12	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71910 CE/P4A	d = 50	D = 72	B = 12	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71910 CEGA/HCP4A	d = 50	D = 72	B = 12	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7910CDB FY	d = 50	D = 72	B = 24	Angular contact ball bearing
KOYO	7910CDF FY	d = 50	D = 72	B = 24	Angular contact ball bearing
KOYO	7910CDT FY	d = 50	D = 72	B = 24	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7010-C-2RSD-T-P4S-UL	d = 50	D = 80	B = 16	Spindle bearing
FAG	B7010-C-T-P4S-UL	d = 50	D = 80	B = 16	Spindle bearing
FAG	B7010-E-2RSD-T-P4S-UL	d = 50	D = 80	B = 16	Spindle bearing
FAG	B7010-E-T-P4S-UL	d = 50	D = 80	B = 16	Spindle bearing
FAG	HC7010-E-T-P4S-UL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	HCB7010-C-2RSD-T-P4S-UL	d = 50	D = 80	B = 16	Spindle bearing
FAG	HCB7010-C-T-P4S-UL	d = 50	D = 80	B = 16	Spindle bearing
FAG	HCB7010-CDLR-T-P4S-UL	d = 50	D = 80	B = 16	Spindle bearing
FAG	HCB7010-E-2RSD-T-P4S-UL	d = 50	D = 80	B = 16	Spindle bearing
FAG	HCB7010-E-T-P4S-UL	d = 50	D = 80	B = 16	Spindle bearing
FAG	HCM7010-C-2RSD-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	HCM7010-C-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	HCM7010-CDLR-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	HCM7010-E-2RSD-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	HCM7010-E-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	HCM7010-EDLR-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	HCS7010-E-T-P4S-UL	d = 50	D = 80	B = 16	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HS7010-C-T-P4S-UL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	HS7010-E-T-P4S-UL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	HSS7010-C-T-P4S-UL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	HSS7010-E-T-P4S-UL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	M7010-C-2RSD-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	M7010-C-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	M7010-E-2RSD-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	M7010-E-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	PTB7010-E	d = 50	D = 80	B = 16	Spindle bearing
FAG	PTB7010-E-2RSD	d = 50	D = 80	B = 16	Spindle bearing
FAG	VCM7010-C-2RSD-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	VCM7010-C-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	VCM7010-CDLR-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	VCM7010-E-2RSD-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	VCM7010-E-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
FAG	VCM7010-EDLR-T-P4S-UL-XL	d = 50	D = 80	B = 16	High speed spindle bearing
KOYO	7010 FY	d = 50	D = 80	B = 16	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7010B FY	d = 50	D = 80	B = 16	Angular contact ball bearing
KOYO	7010C FY	d = 50	D = 80	B = 16	Angular contact ball bearing
NTN	7010	d = 50	D = 80	B = 16	Angular contact ball bearing
SKF	7010 ACBGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7010 ACBGA/P4A	d = 50	D = 80	B = 16	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7010 ACD/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7010 ACDGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7010 ACDGA/HCP4AL	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7010 ACDGA/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7010 ACDGB/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7010 ACDGB/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7010 ACDGC/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7010 ACEGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7010 ACEGA/HCP4AH1	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7010 ACEGA/HCP4AL	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7010 ACEGA/HCP4AL1	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7010 ACEGA/P4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7010 ACEGB/P4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7010 CD/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7010 CD/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7010 CDGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7010 CDGA/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7010 CDGB/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7010 CDGB/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7010 CDGC/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7010 CE/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7010 CEGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7010 CEGA/P4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7010 CEGB/P4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7010 CEGC/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7010 FEGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7010 FEGA/HCP4AH1	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7010 FEGA/P4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7010 ACDGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7010 ACDGA/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7010 ACDGB/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7010 ACDGC/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7010 ACE/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7010 ACEGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7010 ACEGA/P4A	d = 50	D = 80	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7010 ACEGB/P4A	d = 50	D = 80	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7010 CD/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7010 CDGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7010 CDGA/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7010 CDGB/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7010 CDGC/P4A	d = 50	D = 80	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7010 CE/P4A	d = 50	D = 80	B = 16	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7010 CEGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7010 CEGA/P4A	d = 50	D = 80	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7010 FEGA/HCP4A	d = 50	D = 80	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7010BDB FY	d = 50	D = 80	B = 32	Angular contact ball bearing
KOYO	7010BDF FY	d = 50	D = 80	B = 32	Angular contact ball bearing
KOYO	7010BDT FY	d = 50	D = 80	B = 32	Angular contact ball bearing
KOYO	7010CDB FY	d = 50	D = 80	B = 32	Angular contact ball bearing
KOYO	7010CDF FY	d = 50	D = 80	B = 32	Angular contact ball bearing
KOYO	7010CDT FY	d = 50	D = 80	B = 32	Angular contact ball bearing
KOYO	7010DB FY	d = 50	D = 80	B = 32	Angular contact ball bearing
KOYO	7010DF FY	d = 50	D = 80	B = 32	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7010DT FY	d = 50	D = 80	B = 32	Angular contact ball bearing
FAG	7210-B-XL-JP	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-JP-P5-UL	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-JP-UA	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-JP-UO	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-MP	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-MP-P5-UO	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-MP-UA	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-MP-UB	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-MP-UO	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-TVP	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-TVP-P5	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-TVP-P5-UL	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-TVP-P5-UO	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-TVP-UA	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-TVP-UB	d = 50	D = 90	B = 20	Angular contact ball bearing
FAG	7210-B-XL-TVP-UO	d = 50	D = 90	B = 20	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7210-C-2RSD-T-P4S-UL	d = 50	D = 90	B = 20	Spindle bearing
FAG	B7210-C-T-P4S-UL	d = 50	D = 90	B = 20	Spindle bearing
FAG	B7210-E-2RSD-T-P4S-UL	d = 50	D = 90	B = 20	Spindle bearing
FAG	B7210-E-T-P4S-UL	d = 50	D = 90	B = 20	Spindle bearing
FAG	HCB7210-C-2RSD-T-P4S-UL	d = 50	D = 90	B = 20	Spindle bearing
FAG	HCB7210-C-T-P4S-UL	d = 50	D = 90	B = 20	Spindle bearing
FAG	HCB7210-E-2RSD-T-P4S-UL	d = 50	D = 90	B = 20	Spindle bearing
FAG	HCB7210-E-T-P4S-UL	d = 50	D = 90	B = 20	Spindle bearing
KOYO	7210	d = 50	D = 90	B = 20	Angular contact ball bearing
KOYO	7210 FY	d = 50	D = 90	B = 20	Angular contact ball bearing
KOYO	7210B	d = 50	D = 90	B = 20	Angular contact ball bearing
KOYO	7210B FY	d = 50	D = 90	B = 20	Angular contact ball bearing
KOYO	7210C	d = 50	D = 90	B = 20	Angular contact ball bearing
KOYO	7210C FY	d = 50	D = 90	B = 20	Angular contact ball bearing
NTN	7210	d = 50	D = 90	B = 20	Angular contact ball bearing
SKF	7210 ACCBM	d = 50	D = 90	B = 20	Single row angular contact ball bearing with 25° contact angle

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7210 ACD/P4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7210 ACDGA/HCP4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7210 ACDGA/P4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7210 ACDGB/P4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7210 ACDGC/P4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7210 BE-2RZP	d = 50	D = 90	B = 20	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7210 BECBJ	d = 50	D = 90	B = 20	Single row angular contact ball bearing
SKF	7210 BECBM	d = 50	D = 90	B = 20	Single row angular contact ball bearing
SKF	7210 BECBP	d = 50	D = 90	B = 20	Single row angular contact ball bearing
SKF	7210 BECBY	d = 50	D = 90	B = 20	Single row angular contact ball bearing
SKF	7210 BEGAP	d = 50	D = 90	B = 20	Single row angular contact ball bearing
SKF	7210 BEGBP	d = 50	D = 90	B = 20	Single row angular contact ball bearing
SKF	7210 BEP	d = 50	D = 90	B = 20	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7210 CD/HCP4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7210 CD/P4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7210 CDGA/HCP4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7210 CDGA/P4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7210 CDGB/P4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7210 ACDGA/HCP4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7210 ACDGA/P4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7210 CD/HCP4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7210 CDGA/P4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7210 CDGB/P4A	d = 50	D = 90	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3210-BD-XL	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-2HRS	d = 50	D = 90	B = 30.2	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3210-BD-XL-2HRS-C3	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-2HRS-TVH	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-2HRS-TVH-C3	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-2HRS-TVH-L404	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-2Z	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-2Z-C3	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-2Z-TVH	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-2Z-TVH-C3	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-C3	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-TVH	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-TVH-C2	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-TVH-C3	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-TVH-L285	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-TVH-L285-C2	d = 50	D = 90	B = 30.2	Angular contact ball bearing
FAG	3210-BD-XL-TVH-L285-C3	d = 50	D = 90	B = 30.2	Angular contact ball bearing
KOYO	3210	d = 50	D = 90	B = 30.2	Angular contact ball bearing
KOYO	5210	d = 50	D = 90	B = 30.2	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	5210 2RS	d = 50	D = 90	B = 30.2	Angular contact ball bearing
KOYO	5210 ZZ	d = 50	D = 90	B = 30.2	Angular contact ball bearing
SKF	3210 A	d = 50	D = 90	B = 30.2	Double row angular contact ball bearing
SKF	3210 A-2RS1	d = 50	D = 90	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3210 A-2RS1/C3	d = 50	D = 90	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3210 A-2RS1TN9/MT33	d = 50	D = 90	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3210 A-2Z	d = 50	D = 90	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3210 A-2Z/C3	d = 50	D = 90	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3210 A-2ZTN9/MT33	d = 50	D = 90	B = 30.2	Double row angular contact ball bearing with seals or shields
SKF	3210 ATN9	d = 50	D = 90	B = 30.2	Double row angular contact ball bearing
KOYO	7210BDB	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210BDB FY	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210BDF	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210BDF FY	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210BDT	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210BDT FY	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210CDB	d = 50	D = 90	B = 40	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7210CDB FY	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210CDF	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210CDF FY	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210CDT	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210CDT FY	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210DB	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210DB FY	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210DF	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210DF FY	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210DT	d = 50	D = 90	B = 40	Angular contact ball bearing
KOYO	7210DT FY	d = 50	D = 90	B = 40	Angular contact ball bearing
FAG	7310-B-XL-JP	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-JP-UA	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-JP-UO	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-MP	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-MP-P5-UO	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-MP-UA	d = 50	D = 110	B = 27	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7310-B-XL-MP-UB	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-MP-UO	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-TVP	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-TVP-L055-UM	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-TVP-P5-UL	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-TVP-P5-UO	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-TVP-UA	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-TVP-UB	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-TVP-UL	d = 50	D = 110	B = 27	Angular contact ball bearing
FAG	7310-B-XL-TVP-UO	d = 50	D = 110	B = 27	Angular contact ball bearing
KOYO	7310	d = 50	D = 110	B = 27	Angular contact ball bearing
KOYO	7310 FY	d = 50	D = 110	B = 27	Angular contact ball bearing
KOYO	7310B	d = 50	D = 110	B = 27	Angular contact ball bearing
KOYO	7310B FY	d = 50	D = 110	B = 27	Angular contact ball bearing
KOYO	7310C	d = 50	D = 110	B = 27	Angular contact ball bearing
KOYO	7310C FY	d = 50	D = 110	B = 27	Angular contact ball bearing
SKF	7310 ACCBM	d = 50	D = 110	B = 27	Single row angular contact ball bearing with 25° contact angle

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7310 BE-2RZP	d = 50	D = 110	B = 27	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides
SKF	7310 BECAM	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BECBJ	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BECBM	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BECBP	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BECBY	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BEGAF	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BEGAM	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BEGAP	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BEGAPH	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BEGAY	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BEGBP	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BEGBY	d = 50	D = 110	B = 27	Single row angular contact ball bearing
SKF	7310 BEP	d = 50	D = 110	B = 27	Single row angular contact ball bearing
FAG	3310-BD-XL	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-2HRS	d = 50	D = 110	B = 44.4	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3310-BD-XL-2HRS-C3	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-2HRS-TVH	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-2HRS-TVH-C3	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-2Z	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-2Z-C3	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-2Z-TVH	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-2Z-TVH-C3	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-C3	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-TVH	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-TVH-C3	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-TVH-L285	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-TVH-L285-C3	d = 50	D = 110	B = 44.4	Angular contact ball bearing
FAG	3310-BD-XL-TVH-L285-C4	d = 50	D = 110	B = 44.4	Angular contact ball bearing
KOYO	3310	d = 50	D = 110	B = 44.4	Angular contact ball bearing
KOYO	5310	d = 50	D = 110	B = 44.4	Angular contact ball bearing
KOYO	5310 2RS	d = 50	D = 110	B = 44.4	Angular contact ball bearing
KOYO	5310 ZZ	d = 50	D = 110	B = 44.4	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3310 A	d = 50	D = 110	B = 44.4	Double row angular contact ball bearing
SKF	3310 A-2RS1	d = 50	D = 110	B = 44.4	Double row angular contact ball bearing with seals or shields
SKF	3310 A-2Z	d = 50	D = 110	B = 44.4	Double row angular contact ball bearing with seals or shields
SKF	3310 ATN9	d = 50	D = 110	B = 44.4	Double row angular contact ball bearing
KOYO	7310BDB	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310BDB FY	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310BDF	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310BDF FY	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310BDT	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310BDT FY	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310CDB	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310CDB FY	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310CDF	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310CDF FY	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310CDT	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310CDT FY	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310DB	d = 50	D = 110	B = 54	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7310DB FY	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310DF	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310DF FY	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310DT	d = 50	D = 110	B = 54	Angular contact ball bearing
KOYO	7310DT FY	d = 50	D = 110	B = 54	Angular contact ball bearing
FAG	7410-B-XL-MP	d = 50	D = 130	B = 31	Angular contact ball bearing
FAG	7410-B-XL-MP-UA	d = 50	D = 130	B = 31	Angular contact ball bearing
FAG	7410-B-XL-MP-UO	d = 50	D = 130	B = 31	Angular contact ball bearing
KOYO	7410 FY	d = 50	D = 130	B = 31	Angular contact ball bearing
KOYO	7410B FY	d = 50	D = 130	B = 31	Angular contact ball bearing
SKF	7410 BCBM	d = 50	D = 130	B = 31	Single row angular contact ball bearing
SKF	7410 BGAM	d = 50	D = 130	B = 31	Single row angular contact ball bearing
SKF	7410 BM	d = 50	D = 130	B = 31	Single row angular contact ball bearing
KOYO	7410BDB FY	d = 50	D = 130	B = 62	Angular contact ball bearing
KOYO	7410BDF FY	d = 50	D = 130	B = 62	Angular contact ball bearing
KOYO	7410BDT FY	d = 50	D = 130	B = 62	Angular contact ball bearing
KOYO	7410DB FY	d = 50	D = 130	B = 62	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7410DF FY	d = 50	D = 130	B = 62	Angular contact ball bearing
KOYO	7410DT FY	d = 50	D = 130	B = 62	Angular contact ball bearing
SKF	71811 ACD/HCP4	d = 55	D = 72	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71811 ACD/P4	d = 55	D = 72	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71811 ACDGA/P4	d = 55	D = 72	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71811 ACDGB/P4	d = 55	D = 72	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71811 CD/HCP4	d = 55	D = 72	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71811 CD/P4	d = 55	D = 72	B = 9	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71811 CDGA/HCP4	d = 55	D = 72	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71811 CDGA/P4	d = 55	D = 72	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71811 CDGB/P4	d = 55	D = 72	B = 9	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71911-C-2RSD-T-P4S-UL	d = 55	D = 80	B = 13	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B71911-C-T-P4S-UL	d = 55	D = 80	B = 13	Spindle bearing
FAG	B71911-E-2RSD-T-P4S-UL	d = 55	D = 80	B = 13	Spindle bearing
FAG	B71911-E-T-P4S-UL	d = 55	D = 80	B = 13	Spindle bearing
FAG	HC71911-E-T-P4S-UL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HC71911-EDLR-T-P4S-UL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HCB71911-C-2RSD-T-P4S-UL	d = 55	D = 80	B = 13	Spindle bearing
FAG	HCB71911-C-T-P4S-UL	d = 55	D = 80	B = 13	Spindle bearing
FAG	HCB71911-CDLR-T-P4S-UL	d = 55	D = 80	B = 13	Spindle bearing
FAG	HCB71911-E-2RSD-T-P4S-UL	d = 55	D = 80	B = 13	Spindle bearing
FAG	HCB71911-E-T-P4S-UL	d = 55	D = 80	B = 13	Spindle bearing
FAG	HCB71911-EDLR-T-P4S-UL	d = 55	D = 80	B = 13	Spindle bearing
FAG	HCM71911-C-2RSD-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HCM71911-C-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HCM71911-CDLR-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HCM71911-E-2RSD-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HCM71911-E-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HCM71911-EDLR-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCS71911-E-T-P4S-UL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HS71911-C-T-P4S-UL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HS71911-E-T-P4S-UL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HSS71911-C-T-P4S-UL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	HSS71911-E-T-P4S-UL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	M71911-C-2RSD-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	M71911-C-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	M71911-E-2RSD-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	M71911-E-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	VCM71911-C-2RSD-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	VCM71911-C-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	VCM71911-CDLR-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	VCM71911-E-2RSD-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	VCM71911-E-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
FAG	VCM71911-EDLR-T-P4S-UL-XL	d = 55	D = 80	B = 13	High speed spindle bearing
KOYO	7911C FY	d = 55	D = 80	B = 13	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71911 ACBGA/P4A	d = 55	D = 80	B = 13	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71911 ACD/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71911 ACDGA/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71911 ACDGA/HCP4AL	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71911 ACDGA/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71911 ACDGB/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71911 ACDGC/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71911 ACE/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71911 ACE/HCP4AL	d = 55	D = 80	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71911 ACEGA/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71911 ACEGA/HCP4AL	d = 55	D = 80	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71911 ACEGA/P4A	d = 55	D = 80	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71911 ACEGA/P4AH1	d = 55	D = 80	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71911 CD/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71911 CD/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71911 CDGA/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71911 CDGA/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71911 CDGB/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71911 CE/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71911 CE/P4A	d = 55	D = 80	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71911 CEGA/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71911 CEGA/HCP4AL	d = 55	D = 80	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71911 CEGA/P4A	d = 55	D = 80	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71911 FEGA/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71911 FEGA/HCP4AL	d = 55	D = 80	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	S71911 ACB/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-speed B design, single row angular contact ball bearing with seals
SKF	S71911 ACD/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71911 ACDGA/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71911 ACDGA/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71911 ACDGB/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71911 ACE/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71911 ACEGA/HCP4A	d = 55	D = 80	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71911 ACEGA/P4A	d = 55	D = 80	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71911 CDGA/HCP4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71911 CDGA/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71911 CDGC/P4A	d = 55	D = 80	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71911 CEGA/HCP4A	d = 55	D = 80	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71911 CEGA/P4A	d = 55	D = 80	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7911CDB FY	d = 55	D = 80	B = 26	Angular contact ball bearing
KOYO	7911CDF FY	d = 55	D = 80	B = 26	Angular contact ball bearing
KOYO	7911CDT FY	d = 55	D = 80	B = 26	Angular contact ball bearing
FAG	B7011-C-2RSD-T-P4S-UL	d = 55	D = 90	B = 18	Spindle bearing
FAG	B7011-C-T-P4S-UL	d = 55	D = 90	B = 18	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7011-E-2RSD-T-P4S-UL	d = 55	D = 90	B = 18	Spindle bearing
FAG	B7011-E-T-P4S-UL	d = 55	D = 90	B = 18	Spindle bearing
FAG	HC7011-E-T-P4S-UL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HC7011-EDLR-T-P4S-UL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HCB7011-C-2RSD-T-P4S-UL	d = 55	D = 90	B = 18	Spindle bearing
FAG	HCB7011-C-T-P4S-UL	d = 55	D = 90	B = 18	Spindle bearing
FAG	HCB7011-CDLR-T-P4S-UL	d = 55	D = 90	B = 18	Spindle bearing
FAG	HCB7011-E-2RSD-T-P4S-UL	d = 55	D = 90	B = 18	Spindle bearing
FAG	HCB7011-E-T-P4S-UL	d = 55	D = 90	B = 18	Spindle bearing
FAG	HCB7011-EDLR-T-P4S-UL	d = 55	D = 90	B = 18	Spindle bearing
FAG	HCM7011-C-2RSD-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HCM7011-C-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HCM7011-CDLR-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HCM7011-E-2RSD-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HCM7011-E-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HCM7011-EDLR-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HCS7011-E-T-P4S-UL	d = 55	D = 90	B = 18	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HS7011-C-T-P4S-UL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HS7011-E-T-P4S-UL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HSS7011-C-T-P4S-UL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	HSS7011-E-T-P4S-UL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	M7011-C-2RSD-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	M7011-C-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	M7011-E-2RSD-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	M7011-E-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	VCM7011-C-2RSD-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	VCM7011-C-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	VCM7011-CDLR-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	VCM7011-E-2RSD-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	VCM7011-E-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
FAG	VCM7011-EDLR-T-P4S-UL-XL	d = 55	D = 90	B = 18	High speed spindle bearing
KOYO	7011 FY	d = 55	D = 90	B = 18	Angular contact ball bearing
KOYO	7011B FY	d = 55	D = 90	B = 18	Angular contact ball bearing
KOYO	7011C FY	d = 55	D = 90	B = 18	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7011 ACBGA/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7011 ACD/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7011 ACDGA/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7011 ACDGA/HCP4AL	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7011 ACDGA/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7011 ACDGB/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7011 ACDGC/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7011 ACEGA/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7011 ACEGA/HCP4AH1	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7011 ACEGA/HCP4AL	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7011 ACEGA/HCP4AL1	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7011 ACEGA/P4A	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7011 ACEGB/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7011 CD/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7011 CD/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7011 CDGA/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7011 CDGA/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7011 CDGB/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7011 CDGC/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7011 CE/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7011 CEGA/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7011 CEGA/HCP4AL1	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7011 CEGA/P4A	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7011 CEGB/P4A	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7011 FEGA/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7011 FEGA/P4A	d = 55	D = 90	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S7011 ACB/P4A	d = 55	D = 90	B = 18	Super-precision, high-speed B design, single row angular contact ball bearing with seals
SKF	S7011 ACD/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7011 ACD/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7011 ACDGA/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7011 ACDGA/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7011 ACDGB/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7011 ACEGA/HCP4A	d = 55	D = 90	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7011 ACEGA/P4A	d = 55	D = 90	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7011 ACEGB/P4A	d = 55	D = 90	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7011 CD/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7011 CDGA/HCP4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7011 CDGA/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7011 CDGB/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7011 CDGC/P4A	d = 55	D = 90	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7011 CE/P4A	d = 55	D = 90	B = 18	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7011 CEGA/HCP4A	d = 55	D = 90	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7011 CEGA/P4A	d = 55	D = 90	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7011BDB FY	d = 55	D = 90	B = 36	Angular contact ball bearing
KOYO	7011BDF FY	d = 55	D = 90	B = 36	Angular contact ball bearing
KOYO	7011BDT FY	d = 55	D = 90	B = 36	Angular contact ball bearing
KOYO	7011CDB FY	d = 55	D = 90	B = 36	Angular contact ball bearing
KOYO	7011CDF FY	d = 55	D = 90	B = 36	Angular contact ball bearing
KOYO	7011CDT FY	d = 55	D = 90	B = 36	Angular contact ball bearing
KOYO	7011DB FY	d = 55	D = 90	B = 36	Angular contact ball bearing
KOYO	7011DF FY	d = 55	D = 90	B = 36	Angular contact ball bearing
KOYO	7011DT FY	d = 55	D = 90	B = 36	Angular contact ball bearing
FAG	7211-B-XL-JP	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-JP-UA	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-JP-UO	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-MP	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-MP-P6	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-MP-S1-UA	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-MP-UA	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-MP-UB	d = 55	D = 100	B = 21	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7211-B-XL-MP-UO	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-TVP	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-TVP-P5-UA	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-TVP-P5-UL	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-TVP-P5-UO	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-TVP-UA	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-TVP-UB	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	7211-B-XL-TVP-UO	d = 55	D = 100	B = 21	Angular contact ball bearing
FAG	B7211-C-2RSD-T-P4S-UL	d = 55	D = 100	B = 21	Spindle bearing
FAG	B7211-C-T-P4S-UL	d = 55	D = 100	B = 21	Spindle bearing
FAG	B7211-E-2RSD-T-P4S-UL	d = 55	D = 100	B = 21	Spindle bearing
FAG	B7211-E-T-P4S-UL	d = 55	D = 100	B = 21	Spindle bearing
FAG	HCB7211-C-T-P4S-UL	d = 55	D = 100	B = 21	Spindle bearing
FAG	HCB7211-E-2RSD-T-P4S-UL	d = 55	D = 100	B = 21	Spindle bearing
FAG	HCB7211-E-T-P4S-UL	d = 55	D = 100	B = 21	Spindle bearing
KOYO	7211	d = 55	D = 100	B = 21	Angular contact ball bearing
KOYO	7211 FY	d = 55	D = 100	B = 21	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7211B	d = 55	D = 100	B = 21	Angular contact ball bearing
KOYO	7211B FY	d = 55	D = 100	B = 21	Angular contact ball bearing
KOYO	7211C	d = 55	D = 100	B = 21	Angular contact ball bearing
KOYO	7211C FY	d = 55	D = 100	B = 21	Angular contact ball bearing
SKF	7211 ACCBM	d = 55	D = 100	B = 21	Single row angular contact ball bearing with 25° contact angle
SKF	7211 ACD/HCP4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7211 ACD/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7211 ACDGA/HCP4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7211 ACDGA/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7211 ACDGB/HCP4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7211 ACDGB/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7211 ACDGC/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7211 BE-2RZP	d = 55	D = 100	B = 21	Single row angular contact ball bearing with 40° contact angle and non-contact seals on both sides

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7211 BECBJ	d = 55	D = 100	B = 21	Single row angular contact ball bearing
SKF	7211 BECBM	d = 55	D = 100	B = 21	Single row angular contact ball bearing
SKF	7211 BECBP	d = 55	D = 100	B = 21	Single row angular contact ball bearing
SKF	7211 BECBPH	d = 55	D = 100	B = 21	Single row angular contact ball bearing
SKF	7211 BECBY	d = 55	D = 100	B = 21	Single row angular contact ball bearing
SKF	7211 BEGAP	d = 55	D = 100	B = 21	Single row angular contact ball bearing
SKF	7211 BEGBY	d = 55	D = 100	B = 21	Single row angular contact ball bearing
SKF	7211 BEP	d = 55	D = 100	B = 21	Single row angular contact ball bearing
SKF	7211 CD/HCP4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7211 CD/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7211 CDGA/HCP4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7211 CDGA/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7211 CDGB/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7211 ACDGB/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7211 ACDGC/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7211 CD/HCP4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7211 CDGA/HCP4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7211 CDGA/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7211 CDGB/P4A	d = 55	D = 100	B = 21	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3211-BD-XL	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-2HRS	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-2HRS-C3	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-2HRS-TVH	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-2HRS-TVH-C3	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-2Z	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-2Z-C3	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-2Z-TVH	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-2Z-TVH-C3	d = 55	D = 100	B = 33.3	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3211-BD-XL-C3	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-TVH	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-TVH-C2	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-TVH-C3	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-TVH-L285	d = 55	D = 100	B = 33.3	Angular contact ball bearing
FAG	3211-BD-XL-TVH-L285-C3	d = 55	D = 100	B = 33.3	Angular contact ball bearing
KOYO	3211	d = 55	D = 100	B = 33.3	Angular contact ball bearing
KOYO	5211	d = 55	D = 100	B = 33.3	Angular contact ball bearing
KOYO	5211 2RS	d = 55	D = 100	B = 33.3	Angular contact ball bearing
KOYO	5211 ZZ	d = 55	D = 100	B = 33.3	Angular contact ball bearing
SKF	3211 A	d = 55	D = 100	B = 33.3	Double row angular contact ball bearing
SKF	3211 A-2RS1	d = 55	D = 100	B = 33.3	Double row angular contact ball bearing with seals or shields
SKF	3211 A-2RS1/C3	d = 55	D = 100	B = 33.3	Double row angular contact ball bearing with seals or shields
SKF	3211 A-2Z	d = 55	D = 100	B = 33.3	Double row angular contact ball bearing with seals or shields
SKF	3211 ATN9	d = 55	D = 100	B = 33.3	Double row angular contact ball bearing
KOYO	7211BDB	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211BDB FY	d = 55	D = 100	B = 42	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7211BDF	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211BDF FY	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211BDT	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211BDT FY	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211CDB	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211CDB FY	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211CDF	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211CDF FY	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211CDT	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211CDT FY	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211DB	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211DB FY	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211DF	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211DF FY	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211DT	d = 55	D = 100	B = 42	Angular contact ball bearing
KOYO	7211DT FY	d = 55	D = 100	B = 42	Angular contact ball bearing
FAG	7311-B-XL-JP	d = 55	D = 120	B = 29	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7311-B-XL-JP-UA	d = 55	D = 120	B = 29	Angular contact ball bearing
FAG	7311-B-XL-MP	d = 55	D = 120	B = 29	Angular contact ball bearing
FAG	7311-B-XL-MP-P6	d = 55	D = 120	B = 29	Angular contact ball bearing
FAG	7311-B-XL-MP-UA	d = 55	D = 120	B = 29	Angular contact ball bearing
FAG	7311-B-XL-MP-UB	d = 55	D = 120	B = 29	Angular contact ball bearing
FAG	7311-B-XL-MP-UO	d = 55	D = 120	B = 29	Angular contact ball bearing
FAG	7311-B-XL-TVP	d = 55	D = 120	B = 29	Angular contact ball bearing
FAG	7311-B-XL-TVP-P5-UM	d = 55	D = 120	B = 29	Angular contact ball bearing
FAG	7311-B-XL-TVP-UA	d = 55	D = 120	B = 29	Angular contact ball bearing
FAG	7311-B-XL-TVP-UB	d = 55	D = 120	B = 29	Angular contact ball bearing
FAG	7311-B-XL-TVP-UO	d = 55	D = 120	B = 29	Angular contact ball bearing
KOYO	7311	d = 55	D = 120	B = 29	Angular contact ball bearing
KOYO	7311 FY	d = 55	D = 120	B = 29	Angular contact ball bearing
KOYO	7311B	d = 55	D = 120	B = 29	Angular contact ball bearing
KOYO	7311B FY	d = 55	D = 120	B = 29	Angular contact ball bearing
KOYO	7311C	d = 55	D = 120	B = 29	Angular contact ball bearing
KOYO	7311C FY	d = 55	D = 120	B = 29	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7311 ACCBM	d = 55	D = 120	B = 29	Single row angular contact ball bearing with 25° contact angle
SKF	7311 BECBJ	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BECBM	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BECBP	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BECBPH	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BECBY	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BECCM	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BEGAM	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BEGAP	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BEGAY	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BEGBM	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BEGBP	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BEGBY	d = 55	D = 120	B = 29	Single row angular contact ball bearing
SKF	7311 BEP	d = 55	D = 120	B = 29	Single row angular contact ball bearing
FAG	3311-BD-XL	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-2HRS	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-2HRS-C3	d = 55	D = 120	B = 49.2	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3311-BD-XL-2HRS-TVH	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-2HRS-TVH-C3	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-2HRS-TVH-L140-C3	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-2HRS-TVH-L195-C4	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-2Z	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-2Z-C3	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-2Z-TVH	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-2Z-TVH-C3	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-2Z-TVH-L140-C3	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-C3	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-TVH	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-TVH-C3	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-TVH-L285	d = 55	D = 120	B = 49.2	Angular contact ball bearing
FAG	3311-BD-XL-TVH-L285-C3	d = 55	D = 120	B = 49.2	Angular contact ball bearing
KOYO	3311	d = 55	D = 120	B = 49.2	Angular contact ball bearing
KOYO	5311	d = 55	D = 120	B = 49.2	Angular contact ball bearing
KOYO	5311 2RS	d = 55	D = 120	B = 49.2	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	5311 ZZ	d = 55	D = 120	B = 49.2	Angular contact ball bearing
SKF	3311 A	d = 55	D = 120	B = 49.2	Double row angular contact ball bearing
SKF	3311 A-2Z	d = 55	D = 120	B = 49.2	Double row angular contact ball bearing with seals or shields
KOYO	7311BDB	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311BDB FY	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311BDF	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311BDF FY	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311BDT	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311BDT FY	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311CDB	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311CDB FY	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311CDF	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311CDF FY	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311CDT	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311CDT FY	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311DB	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311DB FY	d = 55	D = 120	B = 58	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7311DF	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311DF FY	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311DT	d = 55	D = 120	B = 58	Angular contact ball bearing
KOYO	7311DT FY	d = 55	D = 120	B = 58	Angular contact ball bearing
FAG	7411-B-XL-MP	d = 55	D = 140	B = 33	Angular contact ball bearing
FAG	7411-B-XL-MP-UA	d = 55	D = 140	B = 33	Angular contact ball bearing
FAG	7411-B-XL-MP-UO	d = 55	D = 140	B = 33	Angular contact ball bearing
KOYO	7411 FY	d = 55	D = 140	B = 33	Angular contact ball bearing
KOYO	7411B FY	d = 55	D = 140	B = 33	Angular contact ball bearing
SKF	7411 BCBM	d = 55	D = 140	B = 33	Single row angular contact ball bearing
SKF	7411 BGAM	d = 55	D = 140	B = 33	Single row angular contact ball bearing
SKF	7411 BGBM	d = 55	D = 140	B = 33	Single row angular contact ball bearing
SKF	7411 BGM	d = 55	D = 140	B = 33	Single row angular contact ball bearing
SKF	7411 BM	d = 55	D = 140	B = 33	Single row angular contact ball bearing
KOYO	7411BDB FY	d = 55	D = 140	B = 66	Angular contact ball bearing
KOYO	7411BDF FY	d = 55	D = 140	B = 66	Angular contact ball bearing
KOYO	7411BDT FY	d = 55	D = 140	B = 66	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7411DB FY	d = 55	D = 140	B = 66	Angular contact ball bearing
KOYO	7411DF FY	d = 55	D = 140	B = 66	Angular contact ball bearing
KOYO	7411DT FY	d = 55	D = 140	B = 66	Angular contact ball bearing
SKF	71812 ACD/P4	d = 60	D = 78	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71812 ACDGA/HCP4	d = 60	D = 78	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71812 ACDGA/P4	d = 60	D = 78	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71812 ACDGB/P4	d = 60	D = 78	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71812 ACDGC/P4	d = 60	D = 78	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71812 CD/P4	d = 60	D = 78	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71812 CDGA/HCP4	d = 60	D = 78	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71812 CDGA/P4	d = 60	D = 78	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71812 CDGB/P4	d = 60	D = 78	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B71912-C-2RSD-T-P4S-UL	d = 60	D = 85	B = 13	Spindle bearing
FAG	B71912-C-T-P4S-UL	d = 60	D = 85	B = 13	Spindle bearing
FAG	B71912-E-2RSD-T-P4S-UL	d = 60	D = 85	B = 13	Spindle bearing
FAG	B71912-E-T-P4S-UL	d = 60	D = 85	B = 13	Spindle bearing
FAG	HC71912-E-T-P4S-UL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HC71912-EDLR-T-P4S-UL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HCB71912-C-2RSD-T-P4S-UL	d = 60	D = 85	B = 13	Spindle bearing
FAG	HCB71912-C-T-P4S-UL	d = 60	D = 85	B = 13	Spindle bearing
FAG	HCB71912-CDLR-T-P4S-UL	d = 60	D = 85	B = 13	Spindle bearing
FAG	HCB71912-E-2RSD-T-P4S-UL	d = 60	D = 85	B = 13	Spindle bearing
FAG	HCB71912-E-T-P4S-UL	d = 60	D = 85	B = 13	Spindle bearing
FAG	HCB71912-EDLR-T-P4S-UL	d = 60	D = 85	B = 13	Spindle bearing
FAG	HCM71912-C-2RSD-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HCM71912-C-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HCM71912-CDLR-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HCM71912-E-2RSD-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HCM71912-E-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM71912-EDLR-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HCS71912-E-T-P4S-UL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HS71912-C-T-P4S-UL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HS71912-E-T-P4S-UL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HSS71912-C-T-P4S-UL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	HSS71912-E-T-P4S-UL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	M71912-C-2RSD-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	M71912-C-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	M71912-E-2RSD-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	M71912-E-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	VCM71912-C-2RSD-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	VCM71912-C-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	VCM71912-CDLR-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	VCM71912-E-2RSD-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	VCM71912-E-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
FAG	VCM71912-EDLR-T-P4S-UL-XL	d = 60	D = 85	B = 13	High speed spindle bearing
KOYO	7912C FY	d = 60	D = 85	B = 13	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71912 ACBGA/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71912 ACD/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71912 ACDGA/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71912 ACDGA/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71912 ACDGB/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71912 ACDGB/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71912 ACDGC/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71912 ACEGA/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71912 ACEGA/HCP4AH1	d = 60	D = 85	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71912 ACEGA/HCP4AL	d = 60	D = 85	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71912 ACEGA/P4A	d = 60	D = 85	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71912 ACEGB/P4A	d = 60	D = 85	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71912 CD/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71912 CDGA/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71912 CDGA/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71912 CDGB/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71912 CDGC/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71912 CEGA/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71912 CEGA/HCP4AL	d = 60	D = 85	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71912 CEGA/P4A	d = 60	D = 85	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71912 FEGA/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71912 ACD/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71912 ACDGA/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71912 ACDGA/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71912 ACDGB/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71912 ACE/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71912 ACEGA/HCP4A	d = 60	D = 85	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71912 ACEGA/P4A	d = 60	D = 85	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71912 CD/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71912 CDGA/HCP4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71912 CDGA/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71912 CDGB/P4A	d = 60	D = 85	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71912 CEGA/HCP4A	d = 60	D = 85	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7912CDB FY	d = 60	D = 85	B = 26	Angular contact ball bearing
KOYO	7912CDF FY	d = 60	D = 85	B = 26	Angular contact ball bearing
KOYO	7912CDT FY	d = 60	D = 85	B = 26	Angular contact ball bearing
FAG	B7012-C-2RSD-T-P4S-UL	d = 60	D = 95	B = 18	Spindle bearing
FAG	B7012-C-T-P4S-UL	d = 60	D = 95	B = 18	Spindle bearing
FAG	B7012-E-2RSD-T-P4S-UL	d = 60	D = 95	B = 18	Spindle bearing
FAG	B7012-E-T-P4S-UL	d = 60	D = 95	B = 18	Spindle bearing
FAG	HC7012-E-T-P4S-UL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HC7012-EDLR-T-P4S-UL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HCB7012-C-2RSD-T-P4S-UL	d = 60	D = 95	B = 18	Spindle bearing
FAG	HCB7012-C-T-P4S-UL	d = 60	D = 95	B = 18	Spindle bearing
FAG	HCB7012-CDLR-T-P4S-UL	d = 60	D = 95	B = 18	Spindle bearing
FAG	HCB7012-E-2RSD-T-P4S-UL	d = 60	D = 95	B = 18	Spindle bearing
FAG	HCB7012-E-T-P4S-UL	d = 60	D = 95	B = 18	Spindle bearing
FAG	HCB7012-EDLR-T-P4S-UL	d = 60	D = 95	B = 18	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM7012-C-2RSD-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HCM7012-C-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HCM7012-CDLR-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HCM7012-E-2RSD-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HCM7012-E-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HCM7012-EDLR-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HCS7012-E-T-P4S-UL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HS7012-C-T-P4S-UL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HS7012-E-T-P4S-UL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HSS7012-C-T-P4S-UL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	HSS7012-E-T-P4S-UL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	M7012-C-2RSD-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	M7012-C-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	M7012-E-2RSD-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	M7012-E-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	VCM7012-C-2RSD-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	VCM7012-C-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM7012-CDLR-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	VCM7012-E-2RSD-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	VCM7012-E-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
FAG	VCM7012-EDLR-T-P4S-UL-XL	d = 60	D = 95	B = 18	High speed spindle bearing
KOYO	7012 FY	d = 60	D = 95	B = 18	Angular contact ball bearing
KOYO	7012B FY	d = 60	D = 95	B = 18	Angular contact ball bearing
KOYO	7012C FY	d = 60	D = 95	B = 18	Angular contact ball bearing
NTN	7012	d = 60	D = 95	B = 18	Angular contact ball bearing
SKF	7012 ACBGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7012 ACBGA/HCP4AL	d = 60	D = 95	B = 18	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7012 ACD/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7012 ACD/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7012 ACDGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7012 ACDGA/HCP4AL	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7012 ACDGA/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7012 ACDGATP/P4B	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7012 ACDGB/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7012 ACDGB/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7012 ACDGC/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7012 ACE/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7012 ACEGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7012 ACEGA/HCP4AH1	d = 60	D = 95	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7012 ACEGA/HCP4AL	d = 60	D = 95	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7012 ACEGA/P4A	d = 60	D = 95	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7012 CBGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7012 CD/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7012 CD/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7012 CDGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7012 CDGA/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7012 CDGATP/P4B	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7012 CDGB/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7012 CDGC/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7012 CE/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7012 CEGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7012 CEGA/HCP4AH1	d = 60	D = 95	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7012 CEGA/P4A	d = 60	D = 95	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7012 FE/HCP4AH1	d = 60	D = 95	B = 18	Super-precision, high-speed E design, single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7012 FEGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7012 FEGA/HCP4AH1	d = 60	D = 95	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7012 FEGA/P4A	d = 60	D = 95	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S7012 ACD/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7012 ACDGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7012 ACDGA/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7012 ACDGB/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7012 ACDGC/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7012 ACEGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7012 ACEGA/P4A	d = 60	D = 95	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7012 ACEGB/HCP4A	d = 60	D = 95	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7012 CD/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7012 CDGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7012 CDGA/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7012 CDGB/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7012 CDGC/P4A	d = 60	D = 95	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7012 CEGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7012 CEGA/P4A	d = 60	D = 95	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7012 FEGA/HCP4A	d = 60	D = 95	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7012BDB FY	d = 60	D = 95	B = 36	Angular contact ball bearing
KOYO	7012BDF FY	d = 60	D = 95	B = 36	Angular contact ball bearing
KOYO	7012BDT FY	d = 60	D = 95	B = 36	Angular contact ball bearing
KOYO	7012CDB FY	d = 60	D = 95	B = 36	Angular contact ball bearing
KOYO	7012CDF FY	d = 60	D = 95	B = 36	Angular contact ball bearing
KOYO	7012CDT FY	d = 60	D = 95	B = 36	Angular contact ball bearing
KOYO	7012DB FY	d = 60	D = 95	B = 36	Angular contact ball bearing
KOYO	7012DF FY	d = 60	D = 95	B = 36	Angular contact ball bearing
KOYO	7012DT FY	d = 60	D = 95	B = 36	Angular contact ball bearing
FAG	7212-B-XL-2RS-TVP	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-2RS-TVP-P5-UO	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-2RS-TVP-UH	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-2RS-TVP-UL	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-2RS-TVP-UO	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-JP	d = 60	D = 110	B = 22	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7212-B-XL-JP-UA	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-JP-UO	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-MP	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-MP-P5-UM	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-MP-S1-UA	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-MP-UA	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-MP-UB	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-MP-UO	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-TVP	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-TVP-P5-UL	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-TVP-P5-UO	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-TVP-UA	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-TVP-UB	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	7212-B-XL-TVP-UO	d = 60	D = 110	B = 22	Angular contact ball bearing
FAG	B7212-C-2RSD-T-P4S-UL	d = 60	D = 110	B = 22	Spindle bearing
FAG	B7212-C-T-P4S-UL	d = 60	D = 110	B = 22	Spindle bearing
FAG	B7212-E-2RSD-T-P4S-UL	d = 60	D = 110	B = 22	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7212-E-T-P4S-UL	d = 60	D = 110	B = 22	Spindle bearing
FAG	HCB7212-C-2RSD-T-P4S-UL	d = 60	D = 110	B = 22	Spindle bearing
FAG	HCB7212-C-T-P4S-UL	d = 60	D = 110	B = 22	Spindle bearing
FAG	HCB7212-E-2RSD-T-P4S-UL	d = 60	D = 110	B = 22	Spindle bearing
FAG	HCB7212-E-T-P4S-UL	d = 60	D = 110	B = 22	Spindle bearing
KOYO	7212	d = 60	D = 110	B = 22	Angular contact ball bearing
KOYO	7212 FY	d = 60	D = 110	B = 22	Angular contact ball bearing
KOYO	7212B	d = 60	D = 110	B = 22	Angular contact ball bearing
KOYO	7212B FY	d = 60	D = 110	B = 22	Angular contact ball bearing
KOYO	7212C	d = 60	D = 110	B = 22	Angular contact ball bearing
KOYO	7212C FY	d = 60	D = 110	B = 22	Angular contact ball bearing
SKF	7212 ACCBM	d = 60	D = 110	B = 22	Single row angular contact ball bearing with 25° contact angle
SKF	7212 ACD/HCP4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7212 ACD/P4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7212 ACDGA/HCP4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7212 ACDGA/P4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7212 ACDGB/HCP4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7212 ACDGB/P4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7212 ACDGC/HCP4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7212 ACDGC/P4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7212 BECBJ	d = 60	D = 110	B = 22	Single row angular contact ball bearing
SKF	7212 BECBM	d = 60	D = 110	B = 22	Single row angular contact ball bearing
SKF	7212 BECBP	d = 60	D = 110	B = 22	Single row angular contact ball bearing
SKF	7212 BECBY	d = 60	D = 110	B = 22	Single row angular contact ball bearing
SKF	7212 BEGAM	d = 60	D = 110	B = 22	Single row angular contact ball bearing
SKF	7212 BEGAP	d = 60	D = 110	B = 22	Single row angular contact ball bearing
SKF	7212 BEGBP	d = 60	D = 110	B = 22	Single row angular contact ball bearing
SKF	7212 BEP	d = 60	D = 110	B = 22	Single row angular contact ball bearing
SKF	7212 CD/HCP4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7212 CD/P4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7212 CDGA/HCP4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7212 CDGA/P4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7212 CDGB/P4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7212 ACD/HCP4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7212 ACDGA/P4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7212 CDGA/P4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7212 CDGB/P4A	d = 60	D = 110	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3212-BD-XL	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-2HRS	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-2HRS-C3	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-2HRS-TVH	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-2HRS-TVH-C2	d = 60	D = 110	B = 36.5	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3212-BD-XL-2HRS-TVH-C3	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-2Z	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-2Z-C3	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-2Z-TVH	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-2Z-TVH-C3	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-C3	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-TVH	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-TVH-C2	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-TVH-C3	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-TVH-L285	d = 60	D = 110	B = 36.5	Angular contact ball bearing
FAG	3212-BD-XL-TVH-L285-C3	d = 60	D = 110	B = 36.5	Angular contact ball bearing
KOYO	3212	d = 60	D = 110	B = 36.5	Angular contact ball bearing
KOYO	5212	d = 60	D = 110	B = 36.5	Angular contact ball bearing
KOYO	5212 2RS	d = 60	D = 110	B = 36.5	Angular contact ball bearing
KOYO	5212 ZZ	d = 60	D = 110	B = 36.5	Angular contact ball bearing
SKF	3212 A	d = 60	D = 110	B = 36.5	Double row angular contact ball bearing
SKF	3212 A-2RS1	d = 60	D = 110	B = 36.5	Double row angular contact ball bearing with seals or shields

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3212 A-2RS1/C3	d = 60	D = 110	B = 36.5	Double row angular contact ball bearing with seals or shields
SKF	3212 A-2RS1TN9/MT33	d = 60	D = 110	B = 36.5	Double row angular contact ball bearing with seals or shields
SKF	3212 A-2Z	d = 60	D = 110	B = 36.5	Double row angular contact ball bearing with seals or shields
SKF	3212 A-2Z/C3	d = 60	D = 110	B = 36.5	Double row angular contact ball bearing with seals or shields
SKF	3212 ATN9	d = 60	D = 110	B = 36.5	Double row angular contact ball bearing
KOYO	7212BDB	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212BDB FY	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212BDF	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212BDF FY	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212BDT	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212BDT FY	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212CDB	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212CDB FY	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212CDF	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212CDF FY	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212CDT	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212CDT FY	d = 60	D = 110	B = 44	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7212DB	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212DB FY	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212DF	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212DF FY	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212DT	d = 60	D = 110	B = 44	Angular contact ball bearing
KOYO	7212DT FY	d = 60	D = 110	B = 44	Angular contact ball bearing
FAG	7312-B-XL-2RS-JP-L431	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-JP	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-JP-S1-UO	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-JP-UA	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-JP-UO	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-MP	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-MP-P5-UO	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-MP-P6-UA	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-MP-UA	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-MP-UB	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-MP-UO	d = 60	D = 130	B = 31	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7312-B-XL-TVP	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-TVP-UA	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-TVP-UB	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-TVP-UL	d = 60	D = 130	B = 31	Angular contact ball bearing
FAG	7312-B-XL-TVP-UO	d = 60	D = 130	B = 31	Angular contact ball bearing
KOYO	7312	d = 60	D = 130	B = 31	Angular contact ball bearing
KOYO	7312 FY	d = 60	D = 130	B = 31	Angular contact ball bearing
KOYO	7312B	d = 60	D = 130	B = 31	Angular contact ball bearing
KOYO	7312B FY	d = 60	D = 130	B = 31	Angular contact ball bearing
KOYO	7312C	d = 60	D = 130	B = 31	Angular contact ball bearing
KOYO	7312C FY	d = 60	D = 130	B = 31	Angular contact ball bearing
SKF	7312 ACCBM	d = 60	D = 130	B = 31	Single row angular contact ball bearing with 25° contact angle
SKF	7312 BECBJ	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BECBM	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BECBP	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BECBPH	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BECBY	d = 60	D = 130	B = 31	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7312 BECCM	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BEGAM	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BEGAP	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BEGAY	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BEGBM	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BEGBP	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BEGBY	d = 60	D = 130	B = 31	Single row angular contact ball bearing
SKF	7312 BEP	d = 60	D = 130	B = 31	Single row angular contact ball bearing
KOYO	3312	d = 60	D = 130	B = 54	Angular contact ball bearing
KOYO	5312	d = 60	D = 130	B = 54	Angular contact ball bearing
KOYO	5312 2RS	d = 60	D = 130	B = 54	Angular contact ball bearing
KOYO	5312 ZZ	d = 60	D = 130	B = 54	Angular contact ball bearing
SKF	3312 A	d = 60	D = 130	B = 54	Double row angular contact ball bearing
KOYO	7312BDB	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312BDB FY	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312BDF	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312BDF FY	d = 60	D = 130	B = 62	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7312BDT	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312BDT FY	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312CDB	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312CDB FY	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312CDF	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312CDF FY	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312CDT	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312CDT FY	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312DB	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312DB FY	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312DF	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312DF FY	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312DT	d = 60	D = 130	B = 62	Angular contact ball bearing
KOYO	7312DT FY	d = 60	D = 130	B = 62	Angular contact ball bearing
FAG	7412-B-XL-MP	d = 60	D = 150	B = 35	Angular contact ball bearing
FAG	7412-B-XL-MP-UA	d = 60	D = 150	B = 35	Angular contact ball bearing
FAG	7412-B-XL-MP-UO	d = 60	D = 150	B = 35	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7412 FY	d = 60	D = 150	B = 35	Angular contact ball bearing
KOYO	7412B FY	d = 60	D = 150	B = 35	Angular contact ball bearing
SKF	7412 BCBM	d = 60	D = 150	B = 35	Single row angular contact ball bearing
SKF	7412 BGAM	d = 60	D = 150	B = 35	Single row angular contact ball bearing
SKF	7412 BGBM	d = 60	D = 150	B = 35	Single row angular contact ball bearing
SKF	7412 BM	d = 60	D = 150	B = 35	Single row angular contact ball bearing
KOYO	7412BDB FY	d = 60	D = 150	B = 70	Angular contact ball bearing
KOYO	7412BDF FY	d = 60	D = 150	B = 70	Angular contact ball bearing
KOYO	7412BDT FY	d = 60	D = 150	B = 70	Angular contact ball bearing
KOYO	7412DB FY	d = 60	D = 150	B = 70	Angular contact ball bearing
KOYO	7412DF FY	d = 60	D = 150	B = 70	Angular contact ball bearing
KOYO	7412DT FY	d = 60	D = 150	B = 70	Angular contact ball bearing
SKF	71813 ACD/HCP4	d = 65	D = 85	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71813 ACDGA/HCP4	d = 65	D = 85	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71813 ACDGA/P4	d = 65	D = 85	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71813 ACDGB/P4	d = 65	D = 85	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71813 CD/HCP4	d = 65	D = 85	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71813 CD/P4	d = 65	D = 85	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71813 CDGA/P4	d = 65	D = 85	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71813 CDGB/HCP4	d = 65	D = 85	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71813 CDGB/P4	d = 65	D = 85	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71813 CDGC/P4	d = 65	D = 85	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71913-C-2RSD-T-P4S-UL	d = 65	D = 90	B = 13	Spindle bearing
FAG	B71913-C-T-P4S-UL	d = 65	D = 90	B = 13	Spindle bearing
FAG	B71913-E-2RSD-T-P4S-UL	d = 65	D = 90	B = 13	Spindle bearing
FAG	B71913-E-T-P4S-UL	d = 65	D = 90	B = 13	Spindle bearing
FAG	HC71913-E-T-P4S-UL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HC71913-EDLR-T-P4S-UL	d = 65	D = 90	B = 13	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB71913-C-2RSD-T-P4S-UL	d = 65	D = 90	B = 13	Spindle bearing
FAG	HCB71913-C-T-P4S-UL	d = 65	D = 90	B = 13	Spindle bearing
FAG	HCB71913-CDLR-T-P4S-UL	d = 65	D = 90	B = 13	Spindle bearing
FAG	HCB71913-E-2RSD-T-P4S-UL	d = 65	D = 90	B = 13	Spindle bearing
FAG	HCB71913-E-T-P4S-UL	d = 65	D = 90	B = 13	Spindle bearing
FAG	HCB71913-EDLR-T-P4S-UL	d = 65	D = 90	B = 13	Spindle bearing
FAG	HCM71913-C-2RSD-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HCM71913-C-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HCM71913-CDLR-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HCM71913-E-2RSD-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HCM71913-E-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HCM71913-EDLR-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HCS71913-E-T-P4S-UL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HS71913-C-T-P4S-UL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HS71913-E-T-P4S-UL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HSS71913-C-T-P4S-UL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	HSS71913-E-T-P4S-UL	d = 65	D = 90	B = 13	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	M71913-C-2RSD-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	M71913-C-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	M71913-E-2RSD-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	M71913-E-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	VCM71913-C-2RSD-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	VCM71913-C-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	VCM71913-CDLR-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	VCM71913-E-2RSD-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	VCM71913-E-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
FAG	VCM71913-EDLR-T-P4S-UL-XL	d = 65	D = 90	B = 13	High speed spindle bearing
KOYO	7913C FY	d = 65	D = 90	B = 13	Angular contact ball bearing
SKF	71913 ACBGA/HCP4A	d = 65	D = 90	B = 13	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71913 ACD/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71913 ACDGA/HCP4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71913 ACDGA/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71913 ACDGB/HCP4AL	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71913 ACDGB/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71913 ACDGC/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71913 ACE/P4A	d = 65	D = 90	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71913 ACEGA/HCP4A	d = 65	D = 90	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71913 ACEGA/HCP4AL	d = 65	D = 90	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71913 ACEGA/P4A	d = 65	D = 90	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71913 CD/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71913 CDGA/HCP4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71913 CDGA/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71913 CDGB/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71913 CDGC/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71913 CE/HCP4A	d = 65	D = 90	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71913 CE/P4A	d = 65	D = 90	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71913 CEGA/HCP4A	d = 65	D = 90	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71913 CEGA/P4A	d = 65	D = 90	B = 13	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S71913 ACD/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71913 ACDGA/HCP4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71913 ACDGA/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71913 ACDGB/HCP4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71913 ACDGB/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71913 ACDGC/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71913 ACEGA/HCP4A	d = 65	D = 90	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71913 ACEGA/P4A	d = 65	D = 90	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71913 ACEGB/P4A	d = 65	D = 90	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71913 CDGA/HCP4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71913 CDGA/P4A	d = 65	D = 90	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71913 CE/HCP4A	d = 65	D = 90	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71913 CE/P4A	d = 65	D = 90	B = 13	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71913 CEGA/HCP4A	d = 65	D = 90	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71913 CEGA/P4A	d = 65	D = 90	B = 13	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7913CDB FY	d = 65	D = 90	B = 26	Angular contact ball bearing
KOYO	7913CDF FY	d = 65	D = 90	B = 26	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7913CDT FY	d = 65	D = 90	B = 26	Angular contact ball bearing
FAG	B7013-C-2RSD-T-P4S-UL	d = 65	D = 100	B = 18	Spindle bearing
FAG	B7013-C-T-P4S-UL	d = 65	D = 100	B = 18	Spindle bearing
FAG	B7013-E-2RSD-T-P4S-UL	d = 65	D = 100	B = 18	Spindle bearing
FAG	B7013-E-T-P4S-UL	d = 65	D = 100	B = 18	Spindle bearing
FAG	HC7013-E-T-P4S-UL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HC7013-EDLR-T-P4S-UL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HCB7013-C-2RSD-T-P4S-UL	d = 65	D = 100	B = 18	Spindle bearing
FAG	HCB7013-C-T-P4S-UL	d = 65	D = 100	B = 18	Spindle bearing
FAG	HCB7013-CDLR-T-P4S-UL	d = 65	D = 100	B = 18	Spindle bearing
FAG	HCB7013-E-2RSD-T-P4S-UL	d = 65	D = 100	B = 18	Spindle bearing
FAG	HCB7013-E-T-P4S-UL	d = 65	D = 100	B = 18	Spindle bearing
FAG	HCM7013-C-2RSD-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HCM7013-C-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HCM7013-CDLR-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HCM7013-E-2RSD-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HCM7013-E-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM7013-EDLR-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HCS7013-E-T-P4S-UL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HS7013-C-T-P4S-UL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HS7013-E-T-P4S-UL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HSS7013-C-T-P4S-UL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	HSS7013-E-T-P4S-UL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	M7013-C-2RSD-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	M7013-C-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	M7013-E-2RSD-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	M7013-E-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	VCM7013-C-2RSD-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	VCM7013-C-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	VCM7013-CDLR-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	VCM7013-E-2RSD-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	VCM7013-E-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
FAG	VCM7013-EDLR-T-P4S-UL-XL	d = 65	D = 100	B = 18	High speed spindle bearing
KOYO	7013 FY	d = 65	D = 100	B = 18	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7013B FY	d = 65	D = 100	B = 18	Angular contact ball bearing
KOYO	7013C FY	d = 65	D = 100	B = 18	Angular contact ball bearing
SKF	7013 ACBGA/P4A	d = 65	D = 100	B = 18	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7013 ACD/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7013 ACD/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7013 ACDGA/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 ACDGA/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 ACDGATP/P4B	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 ACDGB/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 ACDGB/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 ACDGC/HCP4AL	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7013 ACDGC/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 ACEGA/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7013 ACEGA/HCP4AH1	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7013 ACEGA/HCP4AL	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7013 ACEGA/HCP4AL1	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7013 ACEGA/P4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7013 ACEGB/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7013 ACEGB/P4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7013 CD/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7013 CD/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7013 CDGA/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 CDGA/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 CDGATP/P4B	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 CDGB/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 CDGB/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 CDGC/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7013 CE/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7013 CE/P4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7013 CEGA/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7013 CEGA/P4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7013 CEGB/P4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7013 FEGA/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7013 FEGA/P4A	d = 65	D = 100	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S7013 ACDGA/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7013 ACDGA/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7013 ACDGB/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7013 ACDGB/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7013 ACDGC/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7013 ACEGA/HCP4A	d = 65	D = 100	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7013 ACEGA/P4A	d = 65	D = 100	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7013 ACEGB/HCP4A	d = 65	D = 100	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7013 ACEGB/P4A	d = 65	D = 100	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7013 CDGA/HCP4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7013 CDGA/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7013 CDGB/P4A	d = 65	D = 100	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7013 CEGA/HCP4A	d = 65	D = 100	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7013 CEGA/P4A	d = 65	D = 100	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7013 FEGA/HCP4A	d = 65	D = 100	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7013BDB FY	d = 65	D = 100	B = 36	Angular contact ball bearing
KOYO	7013BDF FY	d = 65	D = 100	B = 36	Angular contact ball bearing
KOYO	7013BDT FY	d = 65	D = 100	B = 36	Angular contact ball bearing
KOYO	7013CDB FY	d = 65	D = 100	B = 36	Angular contact ball bearing
KOYO	7013CDF FY	d = 65	D = 100	B = 36	Angular contact ball bearing
KOYO	7013CDT FY	d = 65	D = 100	B = 36	Angular contact ball bearing
KOYO	7013DB FY	d = 65	D = 100	B = 36	Angular contact ball bearing
KOYO	7013DF FY	d = 65	D = 100	B = 36	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7013DT FY	d = 65	D = 100	B = 36	Angular contact ball bearing
FAG	7213-B-XL-JP	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-JP-UA	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-JP-UO	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-MP	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-MP-S1-UA	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-MP-UA	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-MP-UB	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-MP-UO	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-TVP	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-TVP-P5-UO	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-TVP-UA	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-TVP-UB	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	7213-B-XL-TVP-UO	d = 65	D = 120	B = 23	Angular contact ball bearing
FAG	B7213-C-2RSD-T-P4S-UL	d = 65	D = 120	B = 23	Spindle bearing
FAG	B7213-C-T-P4S-UL	d = 65	D = 120	B = 23	Spindle bearing
FAG	B7213-E-2RSD-T-P4S-UL	d = 65	D = 120	B = 23	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7213-E-T-P4S-UL	d = 65	D = 120	B = 23	Spindle bearing
FAG	HCB7213-C-2RSD-T-P4S-UL	d = 65	D = 120	B = 23	Spindle bearing
FAG	HCB7213-C-T-P4S-UL	d = 65	D = 120	B = 23	Spindle bearing
FAG	HCB7213-E-2RSD-T-P4S-UL	d = 65	D = 120	B = 23	Spindle bearing
FAG	HCB7213-E-T-P4S-UL	d = 65	D = 120	B = 23	Spindle bearing
KOYO	7213	d = 65	D = 120	B = 23	Angular contact ball bearing
KOYO	7213 FY	d = 65	D = 120	B = 23	Angular contact ball bearing
KOYO	7213B	d = 65	D = 120	B = 23	Angular contact ball bearing
KOYO	7213B FY	d = 65	D = 120	B = 23	Angular contact ball bearing
KOYO	7213C	d = 65	D = 120	B = 23	Angular contact ball bearing
KOYO	7213C FY	d = 65	D = 120	B = 23	Angular contact ball bearing
SKF	7213 ACCBM	d = 65	D = 120	B = 23	Single row angular contact ball bearing with 25° contact angle
SKF	7213 ACD/P4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7213 ACDGA/HCP4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7213 ACDGA/P4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7213 ACDGB/P4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7213 ACDGC/P4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7213 BECBJ	d = 65	D = 120	B = 23	Single row angular contact ball bearing
SKF	7213 BECBM	d = 65	D = 120	B = 23	Single row angular contact ball bearing
SKF	7213 BECBP	d = 65	D = 120	B = 23	Single row angular contact ball bearing
SKF	7213 BECBY	d = 65	D = 120	B = 23	Single row angular contact ball bearing
SKF	7213 BEGAF	d = 65	D = 120	B = 23	Single row angular contact ball bearing
SKF	7213 BEGAP	d = 65	D = 120	B = 23	Single row angular contact ball bearing
SKF	7213 BEP	d = 65	D = 120	B = 23	Single row angular contact ball bearing
SKF	7213 CD/HCP4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7213 CD/P4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7213 CDGA/HCP4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7213 CDGA/P4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7213 CDGB/P4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7213 CDGC/P4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7213 ACDGA/HCP4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7213 ACDGA/P4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7213 ACDGB/P4A	d = 65	D = 120	B = 23	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3213-BD-XL	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-2HRS	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-2HRS-C3	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-2HRS-TVH	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-2HRS-TVH-C3	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-2Z	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-2Z-C3	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-2Z-TVH	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-2Z-TVH-C3	d = 65	D = 120	B = 38.1	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	3213-BD-XL-C3	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-TVH	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-TVH-C3	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-TVH-L285	d = 65	D = 120	B = 38.1	Angular contact ball bearing
FAG	3213-BD-XL-TVH-L285-C3	d = 65	D = 120	B = 38.1	Angular contact ball bearing
KOYO	3213	d = 65	D = 120	B = 38.1	Angular contact ball bearing
KOYO	5213	d = 65	D = 120	B = 38.1	Angular contact ball bearing
KOYO	5213 2RS	d = 65	D = 120	B = 38.1	Angular contact ball bearing
KOYO	5213 ZZ	d = 65	D = 120	B = 38.1	Angular contact ball bearing
SKF	3213 A	d = 65	D = 120	B = 38.1	Double row angular contact ball bearing
SKF	3213 A-2Z	d = 65	D = 120	B = 38.1	Double row angular contact ball bearing with seals or shields
KOYO	7213BDB	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213BDB FY	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213BDF	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213BDF FY	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213BDT	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213BDT FY	d = 65	D = 120	B = 46	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7213CDB	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213CDB FY	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213CDF	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213CDF FY	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213CDT	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213CDT FY	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213DB	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213DB FY	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213DF	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213DF FY	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213DT	d = 65	D = 120	B = 46	Angular contact ball bearing
KOYO	7213DT FY	d = 65	D = 120	B = 46	Angular contact ball bearing
FAG	7313-B-XL-FP-UO	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-JP	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-JP-UA	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-JP-UO	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-MP	d = 65	D = 140	B = 33	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7313-B-XL-MP-P5-UO	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-MP-UA	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-MP-UB	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-MP-UO	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-TVP	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-TVP-UA	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-TVP-UB	d = 65	D = 140	B = 33	Angular contact ball bearing
FAG	7313-B-XL-TVP-UO	d = 65	D = 140	B = 33	Angular contact ball bearing
KOYO	7313	d = 65	D = 140	B = 33	Angular contact ball bearing
KOYO	7313 FY	d = 65	D = 140	B = 33	Angular contact ball bearing
KOYO	7313B	d = 65	D = 140	B = 33	Angular contact ball bearing
KOYO	7313B FY	d = 65	D = 140	B = 33	Angular contact ball bearing
KOYO	7313C	d = 65	D = 140	B = 33	Angular contact ball bearing
KOYO	7313C FY	d = 65	D = 140	B = 33	Angular contact ball bearing
SKF	7313 ACCBM	d = 65	D = 140	B = 33	Single row angular contact ball bearing with 25° contact angle
SKF	7313 BECBF	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BECBJ	d = 65	D = 140	B = 33	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7313 BECBM	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BECBP	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BECBY	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BECCM	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BEGAF	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BEGAM	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BEGAP	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BEGBM	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BEGBP	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BEGBY	d = 65	D = 140	B = 33	Single row angular contact ball bearing
SKF	7313 BEP	d = 65	D = 140	B = 33	Single row angular contact ball bearing
FAG	3313-BD-XL	d = 65	D = 140	B = 58.7	Angular contact ball bearing
FAG	3313-BD-XL-2Z-TVH	d = 65	D = 140	B = 58.7	Angular contact ball bearing
FAG	3313-BD-XL-2Z-TVH-L140-C3	d = 65	D = 140	B = 58.7	Angular contact ball bearing
FAG	3313-BD-XL-C3	d = 65	D = 140	B = 58.7	Angular contact ball bearing
FAG	3313-BD-XL-TVH	d = 65	D = 140	B = 58.7	Angular contact ball bearing
FAG	3313-DA	d = 65	D = 140	B = 58.7	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	3313	d = 65	D = 140	B = 58.7	Angular contact ball bearing
KOYO	5313	d = 65	D = 140	B = 58.7	Angular contact ball bearing
KOYO	5313 2RS	d = 65	D = 140	B = 58.7	Angular contact ball bearing
KOYO	5313 ZZ	d = 65	D = 140	B = 58.7	Angular contact ball bearing
SKF	3313 A	d = 65	D = 140	B = 58.7	Double row angular contact ball bearing
KOYO	7313BDB	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313BDB FY	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313BDF	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313BDF FY	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313BDT	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313BDT FY	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313CDB	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313CDB FY	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313CDF	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313CDF FY	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313CDT	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313CDT FY	d = 65	D = 140	B = 66	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7313DB	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313DB FY	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313DF	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313DF FY	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313DT	d = 65	D = 140	B = 66	Angular contact ball bearing
KOYO	7313DT FY	d = 65	D = 140	B = 66	Angular contact ball bearing
FAG	7413-B-XL-MP	d = 65	D = 160	B = 37	Angular contact ball bearing
FAG	7413-B-XL-MP-UA	d = 65	D = 160	B = 37	Angular contact ball bearing
FAG	7413-B-XL-MP-UO	d = 65	D = 160	B = 37	Angular contact ball bearing
KOYO	7413 FY	d = 65	D = 160	B = 37	Angular contact ball bearing
KOYO	7413B FY	d = 65	D = 160	B = 37	Angular contact ball bearing
SKF	7413 BCBM	d = 65	D = 160	B = 37	Single row angular contact ball bearing
SKF	7413 BGBM	d = 65	D = 160	B = 37	Single row angular contact ball bearing
KOYO	7413BDB FY	d = 65	D = 160	B = 74	Angular contact ball bearing
KOYO	7413BDF FY	d = 65	D = 160	B = 74	Angular contact ball bearing
KOYO	7413BDT FY	d = 65	D = 160	B = 74	Angular contact ball bearing
KOYO	7413DB FY	d = 65	D = 160	B = 74	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7413DF FY	d = 65	D = 160	B = 74	Angular contact ball bearing
KOYO	7413DT FY	d = 65	D = 160	B = 74	Angular contact ball bearing
SKF	KDN.S07003AS0	d = 70	D = 76	B = 2.5	Ultra-Slim thin section angular contact ball bearing
SKF	71814 ACD/HCP4	d = 70	D = 90	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71814 ACD/P4	d = 70	D = 90	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71814 ACDGA/HCP4	d = 70	D = 90	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71814 ACDGA/P4	d = 70	D = 90	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71814 ACDGB/P4	d = 70	D = 90	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71814 ACDGC/HCP4	d = 70	D = 90	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71814 CD/HCP4	d = 70	D = 90	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71814 CD/P4	d = 70	D = 90	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71814 CDGA/P4	d = 70	D = 90	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71814 CDGB/P4	d = 70	D = 90	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71814 CDGC/HCP4	d = 70	D = 90	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71914-C-2RSD-T-P4S-UL	d = 70	D = 100	B = 16	Spindle bearing
FAG	B71914-C-T-P4S-UL	d = 70	D = 100	B = 16	Spindle bearing
FAG	B71914-E-2RSD-T-P4S-UL	d = 70	D = 100	B = 16	Spindle bearing
FAG	B71914-E-T-P4S-UL	d = 70	D = 100	B = 16	Spindle bearing
FAG	HC71914-E-T-P4S-UL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HC71914-EDLR-T-P4S-UL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HCB71914-C-2RSD-T-P4S-UL	d = 70	D = 100	B = 16	Spindle bearing
FAG	HCB71914-C-T-P4S-UL	d = 70	D = 100	B = 16	Spindle bearing
FAG	HCB71914-CDLR-T-P4S-UL	d = 70	D = 100	B = 16	Spindle bearing
FAG	HCB71914-E-2RSD-T-P4S-UL	d = 70	D = 100	B = 16	Spindle bearing
FAG	HCB71914-E-T-P4S-UL	d = 70	D = 100	B = 16	Spindle bearing
FAG	HCB71914-EDLR-T-P4S-UL	d = 70	D = 100	B = 16	Spindle bearing
FAG	HCM71914-C-2RSD-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HCM71914-C-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM71914-CDLR-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HCM71914-E-2RSD-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HCM71914-E-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HCM71914-EDLR-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HCS71914-E-T-P4S-UL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HS71914-C-T-P4S-UL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HS71914-E-T-P4S-UL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HSS71914-C-T-P4S-UL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	HSS71914-E-T-P4S-UL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	M71914-C-2RSD-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	M71914-C-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	M71914-E-2RSD-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	M71914-E-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	VCM71914-C-2RSD-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	VCM71914-C-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	VCM71914-CDLR-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	VCM71914-E-2RSD-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM71914-E-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
FAG	VCM71914-EDLR-T-P4S-UL-XL	d = 70	D = 100	B = 16	High speed spindle bearing
KOYO	7914C FY	d = 70	D = 100	B = 16	Angular contact ball bearing
SKF	71914 ACBGA/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71914 ACBGA/HCP4AL	d = 70	D = 100	B = 16	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71914 ACBGA/P4A	d = 70	D = 100	B = 16	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71914 ACD/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71914 ACDGA/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71914 ACDGA/HCP4AL	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71914 ACDGA/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71914 ACDGB/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71914 ACDGC/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71914 ACDGC/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71914 ACEGA/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71914 ACEGA/HCP4AH1	d = 70	D = 100	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71914 ACEGA/HCP4AL	d = 70	D = 100	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71914 ACEGA/P4A	d = 70	D = 100	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71914 CD/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71914 CDGA/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71914 CDGA/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71914 CDGB/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71914 CDGC/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71914 CE/P4A	d = 70	D = 100	B = 16	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71914 CEGA/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71914 CEGA/HCP4AL	d = 70	D = 100	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71914 CEGA/P4A	d = 70	D = 100	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71914 FEGA/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S71914 ACD/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71914 ACDGA/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71914 ACDGA/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71914 ACDGB/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71914 ACDGB/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71914 ACDGC/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71914 ACEGA/HCP4A	d = 70	D = 100	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71914 ACEGA/P4A	d = 70	D = 100	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71914 CB/P4A	d = 70	D = 100	B = 16	Super-precision, high-speed B design, single row angular contact ball bearing with seals
SKF	S71914 CD/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71914 CDGA/HCP4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71914 CDGA/P4A	d = 70	D = 100	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71914 CEGA/HCP4A	d = 70	D = 100	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71914 CEGA/P4A	d = 70	D = 100	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7914CDB FY	d = 70	D = 100	B = 32	Angular contact ball bearing
KOYO	7914CDF FY	d = 70	D = 100	B = 32	Angular contact ball bearing
KOYO	7914CDT FY	d = 70	D = 100	B = 32	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7014-C-2RSD-T-P4S-UL	d = 70	D = 110	B = 20	Spindle bearing
FAG	B7014-C-T-P4S-UL	d = 70	D = 110	B = 20	Spindle bearing
FAG	B7014-E-2RSD-T-P4S-UL	d = 70	D = 110	B = 20	Spindle bearing
FAG	B7014-E-T-P4S-UL	d = 70	D = 110	B = 20	Spindle bearing
FAG	HC7014-E-T-P4S-UL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HC7014-EDLR-T-P4S-UL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HCB7014-C-2RSD-T-P4S-UL	d = 70	D = 110	B = 20	Spindle bearing
FAG	HCB7014-C-T-P4S-UL	d = 70	D = 110	B = 20	Spindle bearing
FAG	HCB7014-CDLR-T-P4S-UL	d = 70	D = 110	B = 20	Spindle bearing
FAG	HCB7014-E-2RSD-T-P4S-UL	d = 70	D = 110	B = 20	Spindle bearing
FAG	HCB7014-E-T-P4S-UL	d = 70	D = 110	B = 20	Spindle bearing
FAG	HCB7014-EDLR-T-P4S-UL	d = 70	D = 110	B = 20	Spindle bearing
FAG	HCM7014-C-2RSD-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HCM7014-C-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HCM7014-CDLR-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HCM7014-E-2RSD-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HCM7014-E-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM7014-EDLR-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HCS7014-E-T-P4S-UL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HS7014-C-T-P4S-UL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HS7014-E-T-P4S-UL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HSS7014-C-T-P4S-UL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	HSS7014-E-T-P4S-UL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	M7014-C-2RSD-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	M7014-C-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	M7014-E-2RSD-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	M7014-E-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	VCM7014-C-2RSD-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	VCM7014-C-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	VCM7014-CDLR-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	VCM7014-E-2RSD-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	VCM7014-E-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
FAG	VCM7014-EDLR-T-P4S-UL-XL	d = 70	D = 110	B = 20	High speed spindle bearing
KOYO	7014 FY	d = 70	D = 110	B = 20	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7014B FY	d = 70	D = 110	B = 20	Angular contact ball bearing
KOYO	7014C FY	d = 70	D = 110	B = 20	Angular contact ball bearing
SKF	7014 ACBGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7014 ACD/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7014 ACDGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 ACDGA/HCP4AL	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7014 ACDGA/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 ACDGA/P4AL	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7014 ACDGATP/P4B	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 ACDGB/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 ACDGB/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7014 ACDGC/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 ACE/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7014 ACE/P4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7014 ACEGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7014 ACEGA/HCP4AH1	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7014 ACEGA/HCP4AL	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7014 ACEGA/HCP4AL1	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7014 ACEGA/P4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7014 ACEGB/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7014 ACEGB/P4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7014 CBGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7014 CD/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7014 CD/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7014 CDGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 CDGA/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 CDGATP/P4B	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 CDGB/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 CDGB/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 CDGC/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 CDGC/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7014 CE/P4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7014 CEGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7014 CEGA/HCP4AH1	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7014 CEGA/HCP4AL1	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7014 CEGA/P4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7014 CEGB/P4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7014 FEGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7014 FEGA/HCP4AH1	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7014 FEGA/HCP4AL	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7014 FEGA/P4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S7014 ACBGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-speed, B design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7014 ACD/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7014 ACDGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7014 ACDGA/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7014 ACDGB/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7014 ACDGC/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7014 ACE/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7014 ACEGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7014 ACEGA/P4A	d = 70	D = 110	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7014 CD/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7014 CDGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7014 CDGA/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7014 CDGB/P4A	d = 70	D = 110	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7014 CEGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7014 CEGA/P4A	d = 70	D = 110	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7014 FEGA/HCP4A	d = 70	D = 110	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7014 FEGB/P4A	d = 70	D = 110	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7014BDB FY	d = 70	D = 110	B = 40	Angular contact ball bearing
KOYO	7014BDF FY	d = 70	D = 110	B = 40	Angular contact ball bearing
KOYO	7014BDT FY	d = 70	D = 110	B = 40	Angular contact ball bearing
KOYO	7014CDB FY	d = 70	D = 110	B = 40	Angular contact ball bearing
KOYO	7014CDF FY	d = 70	D = 110	B = 40	Angular contact ball bearing
KOYO	7014CDT FY	d = 70	D = 110	B = 40	Angular contact ball bearing
KOYO	7014DB FY	d = 70	D = 110	B = 40	Angular contact ball bearing
KOYO	7014DF FY	d = 70	D = 110	B = 40	Angular contact ball bearing
KOYO	7014DT FY	d = 70	D = 110	B = 40	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7214-B-XL-2RS-TVP	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-2RS-TVP-L055	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-2RS-TVP-UL	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-JP	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-JP-UA	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-JP-UO	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-MP	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-MP-UA	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-MP-UB	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-MP-UO	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-TVP	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-TVP-P5-UA	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-TVP-P5-UL	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-TVP-P5-UO	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-TVP-UA	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-TVP-UB	d = 70	D = 125	B = 24	Angular contact ball bearing
FAG	7214-B-XL-TVP-UO	d = 70	D = 125	B = 24	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7214-C-2RSD-T-P4S-UL	d = 70	D = 125	B = 24	Spindle bearing
FAG	B7214-C-T-P4S-UL	d = 70	D = 125	B = 24	Spindle bearing
FAG	B7214-E-2RSD-T-P4S-UL	d = 70	D = 125	B = 24	Spindle bearing
FAG	B7214-E-T-P4S-UL	d = 70	D = 125	B = 24	Spindle bearing
FAG	HCB7214-C-2RSD-T-P4S-UL	d = 70	D = 125	B = 24	Spindle bearing
FAG	HCB7214-C-T-P4S-UL	d = 70	D = 125	B = 24	Spindle bearing
FAG	HCB7214-E-T-P4S-UL	d = 70	D = 125	B = 24	Spindle bearing
KOYO	7214	d = 70	D = 125	B = 24	Angular contact ball bearing
KOYO	7214 FY	d = 70	D = 125	B = 24	Angular contact ball bearing
KOYO	7214B	d = 70	D = 125	B = 24	Angular contact ball bearing
KOYO	7214B FY	d = 70	D = 125	B = 24	Angular contact ball bearing
KOYO	7214C	d = 70	D = 125	B = 24	Angular contact ball bearing
KOYO	7214C FY	d = 70	D = 125	B = 24	Angular contact ball bearing
SKF	7214 ACCBM	d = 70	D = 125	B = 24	Single row angular contact ball bearing with 25° contact angle
SKF	7214 ACD/HCP4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7214 ACD/P4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7214 ACDGA/HCP4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7214 ACDGA/P4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7214 ACDGB/HCP4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7214 ACDGB/P4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7214 ACDGC/P4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7214 BECBJ	d = 70	D = 125	B = 24	Single row angular contact ball bearing
SKF	7214 BECBM	d = 70	D = 125	B = 24	Single row angular contact ball bearing
SKF	7214 BECBP	d = 70	D = 125	B = 24	Single row angular contact ball bearing
SKF	7214 BECBPH	d = 70	D = 125	B = 24	Single row angular contact ball bearing
SKF	7214 BECBY	d = 70	D = 125	B = 24	Single row angular contact ball bearing
SKF	7214 BEGAF	d = 70	D = 125	B = 24	Single row angular contact ball bearing
SKF	7214 BEGAM	d = 70	D = 125	B = 24	Single row angular contact ball bearing
SKF	7214 BEGAP	d = 70	D = 125	B = 24	Single row angular contact ball bearing
SKF	7214 BEP	d = 70	D = 125	B = 24	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7214 CD/HCP4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7214 CD/P4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7214 CDGA/HCP4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7214 CDGA/P4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7214 CDGB/P4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7214 CDGC/P4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7214 CDGA/HCP4A	d = 70	D = 125	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3214-B-2RSR-TVH	d = 70	D = 125	B = 39.7	Angular contact ball bearing
FAG	3214-B-2Z-TVH	d = 70	D = 125	B = 39.7	Angular contact ball bearing
FAG	3214-B-TVH	d = 70	D = 125	B = 39.7	Angular contact ball bearing
KOYO	3214	d = 70	D = 125	B = 39.7	Angular contact ball bearing
KOYO	5214	d = 70	D = 125	B = 39.7	Angular contact ball bearing
KOYO	5214 2RS	d = 70	D = 125	B = 39.7	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	5214 ZZ	d = 70	D = 125	B = 39.7	Angular contact ball bearing
SKF	3214 A	d = 70	D = 125	B = 39.7	Double row angular contact ball bearing
SKF	3214 A-2Z	d = 70	D = 125	B = 39.7	Double row angular contact ball bearing with seals or shields
KOYO	7214BDB	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214BDB FY	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214BDF	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214BDF FY	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214BDT	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214BDT FY	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214CDB	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214CDB FY	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214CDF	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214CDF FY	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214CDT	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214CDT FY	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214DB	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214DB FY	d = 70	D = 125	B = 48	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7214DF	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214DF FY	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214DT	d = 70	D = 125	B = 48	Angular contact ball bearing
KOYO	7214DT FY	d = 70	D = 125	B = 48	Angular contact ball bearing
FAG	7314-B-XL-JP	d = 70	D = 150	B = 35	Angular contact ball bearing
FAG	7314-B-XL-JP-UA	d = 70	D = 150	B = 35	Angular contact ball bearing
FAG	7314-B-XL-JP-UO	d = 70	D = 150	B = 35	Angular contact ball bearing
FAG	7314-B-XL-MP	d = 70	D = 150	B = 35	Angular contact ball bearing
FAG	7314-B-XL-MP-UA	d = 70	D = 150	B = 35	Angular contact ball bearing
FAG	7314-B-XL-MP-UB	d = 70	D = 150	B = 35	Angular contact ball bearing
FAG	7314-B-XL-MP-UO	d = 70	D = 150	B = 35	Angular contact ball bearing
FAG	7314-B-XL-TVP	d = 70	D = 150	B = 35	Angular contact ball bearing
FAG	7314-B-XL-TVP-UA	d = 70	D = 150	B = 35	Angular contact ball bearing
FAG	7314-B-XL-TVP-UB	d = 70	D = 150	B = 35	Angular contact ball bearing
FAG	7314-B-XL-TVP-UO	d = 70	D = 150	B = 35	Angular contact ball bearing
KOYO	7314	d = 70	D = 150	B = 35	Angular contact ball bearing
KOYO	7314 FY	d = 70	D = 150	B = 35	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7314B	d = 70	D = 150	B = 35	Angular contact ball bearing
KOYO	7314B FY	d = 70	D = 150	B = 35	Angular contact ball bearing
KOYO	7314C	d = 70	D = 150	B = 35	Angular contact ball bearing
KOYO	7314C FY	d = 70	D = 150	B = 35	Angular contact ball bearing
SKF	7314 ACCBM	d = 70	D = 150	B = 35	Single row angular contact ball bearing with 25° contact angle
SKF	7314 BECBJ	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BECBM	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BECBP	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BECBPH	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BECBY	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BEGAF	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BEGAJ	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BEGAM	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BEGAP	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BEGAPH	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BEGAY	d = 70	D = 150	B = 35	Single row angular contact ball bearing
SKF	7314 BEGBY	d = 70	D = 150	B = 35	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7314 BEP	d = 70	D = 150	B = 35	Single row angular contact ball bearing
FAG	3314-BD-XL	d = 70	D = 150	B = 63.5	Angular contact ball bearing
FAG	3314-BD-XL-2HRS-TVH	d = 70	D = 150	B = 63.5	Angular contact ball bearing
FAG	3314-BD-XL-2Z-TVH	d = 70	D = 150	B = 63.5	Angular contact ball bearing
FAG	3314-BD-XL-2Z-TVH-L140-C3	d = 70	D = 150	B = 63.5	Angular contact ball bearing
FAG	3314-BD-XL-C3	d = 70	D = 150	B = 63.5	Angular contact ball bearing
FAG	3314-BD-XL-TVH	d = 70	D = 150	B = 63.5	Angular contact ball bearing
FAG	3314-BD-XL-TVH-C3	d = 70	D = 150	B = 63.5	Angular contact ball bearing
FAG	3314-DA	d = 70	D = 150	B = 63.5	Angular contact ball bearing
KOYO	3314	d = 70	D = 150	B = 63.5	Angular contact ball bearing
KOYO	5314	d = 70	D = 150	B = 63.5	Angular contact ball bearing
KOYO	5314 2RS	d = 70	D = 150	B = 63.5	Angular contact ball bearing
KOYO	5314 ZZ	d = 70	D = 150	B = 63.5	Angular contact ball bearing
SKF	3314 A	d = 70	D = 150	B = 63.5	Double row angular contact ball bearing
KOYO	7314BDB	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314BDB FY	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314BDF	d = 70	D = 150	B = 70	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7314BDF FY	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314BDT	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314BDT FY	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314CDB	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314CDB FY	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314CDF	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314CDF FY	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314CDT	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314CDT FY	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314DB	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314DB FY	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314DF	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314DF FY	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314DT	d = 70	D = 150	B = 70	Angular contact ball bearing
KOYO	7314DT FY	d = 70	D = 150	B = 70	Angular contact ball bearing
FAG	7414-B-XL-MP	d = 70	D = 180	B = 42	Angular contact ball bearing
FAG	7414-B-XL-MP-UA	d = 70	D = 180	B = 42	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7414-B-XL-MP-UO	d = 70	D = 180	B = 42	Angular contact ball bearing
KOYO	7414 FY	d = 70	D = 180	B = 42	Angular contact ball bearing
KOYO	7414B FY	d = 70	D = 180	B = 42	Angular contact ball bearing
SKF	7414 BCBM	d = 70	D = 180	B = 42	Single row angular contact ball bearing
SKF	7414 BGAM	d = 70	D = 180	B = 42	Single row angular contact ball bearing
KOYO	7414BDB FY	d = 70	D = 180	B = 84	Angular contact ball bearing
KOYO	7414BDF FY	d = 70	D = 180	B = 84	Angular contact ball bearing
KOYO	7414BDT FY	d = 70	D = 180	B = 84	Angular contact ball bearing
KOYO	7414DB FY	d = 70	D = 180	B = 84	Angular contact ball bearing
KOYO	7414DF FY	d = 70	D = 180	B = 84	Angular contact ball bearing
KOYO	7414DT FY	d = 70	D = 180	B = 84	Angular contact ball bearing
SKF	KDN.S07403AS0	d = 74	D = 80	B = 2.5	Ultra-Slim thin section angular contact ball bearing
SKF	71815 ACD/HCP4	d = 75	D = 95	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71815 ACD/P4	d = 75	D = 95	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71815 ACDGA/P4	d = 75	D = 95	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71815 ACDGB/P4	d = 75	D = 95	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71815 ACDGC/P4	d = 75	D = 95	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71815 CD/P4	d = 75	D = 95	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71815 CDGA/P4	d = 75	D = 95	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71815 CDGB/P4	d = 75	D = 95	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71815 CDGC/P4	d = 75	D = 95	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71915-C-2RSD-T-P4S-UL	d = 75	D = 105	B = 16	Spindle bearing
FAG	B71915-C-T-P4S-UL	d = 75	D = 105	B = 16	Spindle bearing
FAG	B71915-E-2RSD-T-P4S-UL	d = 75	D = 105	B = 16	Spindle bearing
FAG	B71915-E-T-P4S-UL	d = 75	D = 105	B = 16	Spindle bearing
FAG	HC71915-E-T-P4S-UL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	HCB71915-C-2RSD-T-P4S-UL	d = 75	D = 105	B = 16	Spindle bearing
FAG	HCB71915-C-T-P4S-UL	d = 75	D = 105	B = 16	Spindle bearing
FAG	HCB71915-E-2RSD-T-P4S-UL	d = 75	D = 105	B = 16	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB71915-E-T-P4S-UL	d = 75	D = 105	B = 16	Spindle bearing
FAG	HCM71915-C-2RSD-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	HCM71915-C-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	HCM71915-E-2RSD-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	HCM71915-E-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	HCS71915-E-T-P4S-UL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	HS71915-C-T-P4S-UL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	HS71915-E-T-P4S-UL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	HSS71915-C-T-P4S-UL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	HSS71915-E-T-P4S-UL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	M71915-C-2RSD-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	M71915-C-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	M71915-E-2RSD-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	M71915-E-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	VCM71915-C-2RSD-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	VCM71915-C-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
FAG	VCM71915-E-2RSD-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM71915-E-T-P4S-UL-XL	d = 75	D = 105	B = 16	High speed spindle bearing
KOYO	7915C FY	d = 75	D = 105	B = 16	Angular contact ball bearing
SKF	71915 ACD/P4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71915 ACDGA/HCP4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71915 ACDGA/P4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71915 ACDGB/P4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71915 ACEGA/HCP4A	d = 75	D = 105	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71915 ACEGA/P4A	d = 75	D = 105	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71915 CD/P4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71915 CDGA/HCP4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71915 CDGA/P4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71915 CDGB/P4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71915 CEGA/HCP4A	d = 75	D = 105	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71915 CEGA/P4A	d = 75	D = 105	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71915 FEGA/HCP4AL	d = 75	D = 105	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	S71915 ACDGA/HCP4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71915 ACDGA/P4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71915 ACEGA/HCP4A	d = 75	D = 105	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71915 ACEGA/P4A	d = 75	D = 105	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71915 CDGA/HCP4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71915 CDGA/P4A	d = 75	D = 105	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71915 CEGA/HCP4A	d = 75	D = 105	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7915CDB FY	d = 75	D = 105	B = 32	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7915CDF FY	d = 75	D = 105	B = 32	Angular contact ball bearing
KOYO	7915CDT FY	d = 75	D = 105	B = 32	Angular contact ball bearing
FAG	B7015-C-2RSD-T-P4S-UL	d = 75	D = 115	B = 20	Spindle bearing
FAG	B7015-C-T-P4S-UL	d = 75	D = 115	B = 20	Spindle bearing
FAG	B7015-E-2RSD-T-P4S-UL	d = 75	D = 115	B = 20	Spindle bearing
FAG	B7015-E-T-P4S-UL	d = 75	D = 115	B = 20	Spindle bearing
FAG	HC7015-E-T-P4S-UL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	HCB7015-C-2RSD-T-P4S-UL	d = 75	D = 115	B = 20	Spindle bearing
FAG	HCB7015-C-T-P4S-UL	d = 75	D = 115	B = 20	Spindle bearing
FAG	HCB7015-E-2RSD-T-P4S-UL	d = 75	D = 115	B = 20	Spindle bearing
FAG	HCB7015-E-T-P4S-UL	d = 75	D = 115	B = 20	Spindle bearing
FAG	HCM7015-C-2RSD-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	HCM7015-C-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	HCM7015-E-2RSD-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	HCM7015-E-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	HCS7015-E-T-P4S-UL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	HS7015-C-T-P4S-UL	d = 75	D = 115	B = 20	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HS7015-E-T-P4S-UL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	HSS7015-C-T-P4S-UL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	HSS7015-E-T-P4S-UL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	M7015-C-2RSD-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	M7015-C-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	M7015-E-2RSD-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	M7015-E-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	VCM7015-C-2RSD-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	VCM7015-C-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	VCM7015-CDLR-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	VCM7015-E-2RSD-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	VCM7015-E-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
FAG	VCM7015-EDLR-T-P4S-UL-XL	d = 75	D = 115	B = 20	High speed spindle bearing
KOYO	7015 FY	d = 75	D = 115	B = 20	Angular contact ball bearing
KOYO	7015B FY	d = 75	D = 115	B = 20	Angular contact ball bearing
KOYO	7015C FY	d = 75	D = 115	B = 20	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7015 ACD/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7015 ACDGA/HCP4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7015 ACDGA/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7015 ACDGB/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7015 ACDGC/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7015 ACEGA/HCP4A	d = 75	D = 115	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7015 ACEGA/P4A	d = 75	D = 115	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7015 ACEGB/P4A	d = 75	D = 115	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7015 CD/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7015 CDGA/HCP4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7015 CDGA/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7015 CDGB/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7015 CDGC/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7015 CEGA/HCP4A	d = 75	D = 115	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7015 CEGA/P4A	d = 75	D = 115	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7015 FEGA/P4A	d = 75	D = 115	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S7015 ACD/HCP4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7015 ACD/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7015 ACDGA/HCP4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7015 ACDGA/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7015 ACDGB/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7015 ACEGA/HCP4A	d = 75	D = 115	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7015 ACEGA/P4A	d = 75	D = 115	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7015 ACEGB/P4A	d = 75	D = 115	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7015 CD/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7015 CDGA/HCP4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7015 CDGA/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7015 CDGB/P4A	d = 75	D = 115	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7015 CEGA/HCP4A	d = 75	D = 115	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7015 CEGA/P4A	d = 75	D = 115	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7015BDB FY	d = 75	D = 115	B = 40	Angular contact ball bearing
KOYO	7015BDF FY	d = 75	D = 115	B = 40	Angular contact ball bearing
KOYO	7015BDT FY	d = 75	D = 115	B = 40	Angular contact ball bearing
KOYO	7015CDB FY	d = 75	D = 115	B = 40	Angular contact ball bearing
KOYO	7015CDF FY	d = 75	D = 115	B = 40	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7015CDT FY	d = 75	D = 115	B = 40	Angular contact ball bearing
KOYO	7015DB FY	d = 75	D = 115	B = 40	Angular contact ball bearing
KOYO	7015DF FY	d = 75	D = 115	B = 40	Angular contact ball bearing
KOYO	7015DT FY	d = 75	D = 115	B = 40	Angular contact ball bearing
FAG	7215-B-XL-JP	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-JP-UA	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-JP-UO	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-MP	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-MP-P5-UO	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-MP-P6-UA	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-MP-UA	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-MP-UB	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-MP-UO	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-TVP	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-TVP-P5	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-TVP-P5-UL	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-TVP-P5-UO	d = 75	D = 130	B = 25	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7215-B-XL-TVP-UA	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-TVP-UB	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	7215-B-XL-TVP-UO	d = 75	D = 130	B = 25	Angular contact ball bearing
FAG	B7215-C-2RSD-T-P4S-UL	d = 75	D = 130	B = 25	Spindle bearing
FAG	B7215-C-T-P4S-UL	d = 75	D = 130	B = 25	Spindle bearing
FAG	B7215-E-2RSD-T-P4S-UL	d = 75	D = 130	B = 25	Spindle bearing
FAG	B7215-E-T-P4S-UL	d = 75	D = 130	B = 25	Spindle bearing
FAG	HCB7215-C-2RSD-T-P4S-UL	d = 75	D = 130	B = 25	Spindle bearing
FAG	HCB7215-C-T-P4S-UL	d = 75	D = 130	B = 25	Spindle bearing
FAG	HCB7215-E-2RSD-T-P4S-UL	d = 75	D = 130	B = 25	Spindle bearing
FAG	HCB7215-E-T-P4S-UL	d = 75	D = 130	B = 25	Spindle bearing
KOYO	7215	d = 75	D = 130	B = 25	Angular contact ball bearing
KOYO	7215 FY	d = 75	D = 130	B = 25	Angular contact ball bearing
KOYO	7215B	d = 75	D = 130	B = 25	Angular contact ball bearing
KOYO	7215B FY	d = 75	D = 130	B = 25	Angular contact ball bearing
KOYO	7215C	d = 75	D = 130	B = 25	Angular contact ball bearing
KOYO	7215C FY	d = 75	D = 130	B = 25	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7215 ACD/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7215 ACDGA/HCP4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7215 ACDGA/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7215 ACDGB/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7215 ACDGC/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7215 BECBJ	d = 75	D = 130	B = 25	Single row angular contact ball bearing
SKF	7215 BECBM	d = 75	D = 130	B = 25	Single row angular contact ball bearing
SKF	7215 BECBP	d = 75	D = 130	B = 25	Single row angular contact ball bearing
SKF	7215 BECBY	d = 75	D = 130	B = 25	Single row angular contact ball bearing
SKF	7215 BEGAM	d = 75	D = 130	B = 25	Single row angular contact ball bearing
SKF	7215 BEGAP	d = 75	D = 130	B = 25	Single row angular contact ball bearing
SKF	7215 BEGAY	d = 75	D = 130	B = 25	Single row angular contact ball bearing
SKF	7215 BEP	d = 75	D = 130	B = 25	Single row angular contact ball bearing
SKF	7215 CD/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7215 CDGA/HCP4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7215 CDGA/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7215 CDGB/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7215 CDGC/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7215 ACD/HCP4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7215 ACDGA/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7215 ACDGC/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7215 CDGA/HCP4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7215 CDGA/P4A	d = 75	D = 130	B = 25	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3215-B-2RSR-TVH	d = 75	D = 130	B = 41.3	Angular contact ball bearing
FAG	3215-B-2Z-TVH	d = 75	D = 130	B = 41.3	Angular contact ball bearing
FAG	3215-B-TVH	d = 75	D = 130	B = 41.3	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	3215	d = 75	D = 130	B = 41.3	Angular contact ball bearing
SKF	3215 A	d = 75	D = 130	B = 41.3	Double row angular contact ball bearing
KOYO	7215BDB	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215BDB FY	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215BDF	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215BDF FY	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215BDT	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215BDT FY	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215CDB	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215CDB FY	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215CDF	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215CDF FY	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215CDT	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215CDT FY	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215DB	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215DB FY	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215DF	d = 75	D = 130	B = 50	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7215DF FY	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215DT	d = 75	D = 130	B = 50	Angular contact ball bearing
KOYO	7215DT FY	d = 75	D = 130	B = 50	Angular contact ball bearing
FAG	7315-B-XL-JP	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-JP-UA	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-JP-UO	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-MP	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-MP-P5-UO	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-MP-UA	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-MP-UB	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-MP-UO	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-TVP	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-TVP-UA	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-TVP-UB	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-TVP-UL	d = 75	D = 160	B = 37	Angular contact ball bearing
FAG	7315-B-XL-TVP-UO	d = 75	D = 160	B = 37	Angular contact ball bearing
KOYO	7315	d = 75	D = 160	B = 37	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7315 FY	d = 75	D = 160	B = 37	Angular contact ball bearing
KOYO	7315B	d = 75	D = 160	B = 37	Angular contact ball bearing
KOYO	7315B FY	d = 75	D = 160	B = 37	Angular contact ball bearing
KOYO	7315C	d = 75	D = 160	B = 37	Angular contact ball bearing
KOYO	7315C FY	d = 75	D = 160	B = 37	Angular contact ball bearing
SKF	7315 BECBJ	d = 75	D = 160	B = 37	Single row angular contact ball bearing
SKF	7315 BECBM	d = 75	D = 160	B = 37	Single row angular contact ball bearing
SKF	7315 BECBP	d = 75	D = 160	B = 37	Single row angular contact ball bearing
SKF	7315 BECBY	d = 75	D = 160	B = 37	Single row angular contact ball bearing
SKF	7315 BEGAM	d = 75	D = 160	B = 37	Single row angular contact ball bearing
SKF	7315 BEGAP	d = 75	D = 160	B = 37	Single row angular contact ball bearing
SKF	7315 BEGAPH	d = 75	D = 160	B = 37	Single row angular contact ball bearing
SKF	7315 BEP	d = 75	D = 160	B = 37	Single row angular contact ball bearing
KOYO	3315	d = 75	D = 160	B = 68.3	Angular contact ball bearing
KOYO	5315	d = 75	D = 160	B = 68.3	Angular contact ball bearing
KOYO	5315 2RS	d = 75	D = 160	B = 68.3	Angular contact ball bearing
KOYO	5315 ZZ	d = 75	D = 160	B = 68.3	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	3315 A	d = 75	D = 160	B = 68.3	Double row angular contact ball bearing
KOYO	7315BDB	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315BDB FY	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315BDF	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315BDF FY	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315BDT	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315BDT FY	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315CDB	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315CDB FY	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315CDF	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315CDF FY	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315CDT	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315CDT FY	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315DB	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315DB FY	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315DF	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315DF FY	d = 75	D = 160	B = 74	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7315DT	d = 75	D = 160	B = 74	Angular contact ball bearing
KOYO	7315DT FY	d = 75	D = 160	B = 74	Angular contact ball bearing
FAG	7415-B-XL-MP	d = 75	D = 190	B = 45	Angular contact ball bearing
FAG	7415-B-XL-MP-UA	d = 75	D = 190	B = 45	Angular contact ball bearing
FAG	7415-B-XL-MP-UM	d = 75	D = 190	B = 45	Angular contact ball bearing
KOYO	7415 FY	d = 75	D = 190	B = 45	Angular contact ball bearing
KOYO	7415B FY	d = 75	D = 190	B = 45	Angular contact ball bearing
SKF	7415 BCBM	d = 75	D = 190	B = 45	Single row angular contact ball bearing
SKF	7415 BGAM	d = 75	D = 190	B = 45	Single row angular contact ball bearing
SKF	7415 BGBM	d = 75	D = 190	B = 45	Single row angular contact ball bearing
KOYO	7415BDB FY	d = 75	D = 190	B = 90	Angular contact ball bearing
KOYO	7415BDF FY	d = 75	D = 190	B = 90	Angular contact ball bearing
KOYO	7415BDT FY	d = 75	D = 190	B = 90	Angular contact ball bearing
KOYO	7415DB FY	d = 75	D = 190	B = 90	Angular contact ball bearing
KOYO	7415DF FY	d = 75	D = 190	B = 90	Angular contact ball bearing
KOYO	7415DT FY	d = 75	D = 190	B = 90	Angular contact ball bearing
SKF	KDN.S08003AS0	d = 80	D = 86	B = 2.5	Ultra-Slim thin section angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71816 ACD/HCP4	d = 80	D = 100	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71816 ACD/P4	d = 80	D = 100	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71816 ACDGA/P4	d = 80	D = 100	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71816 ACDGB/P4	d = 80	D = 100	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71816 ACDGC/P4	d = 80	D = 100	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71816 CD/HCP4	d = 80	D = 100	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71816 CD/P4	d = 80	D = 100	B = 10	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71816 CDGA/HCP4	d = 80	D = 100	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71816 CDGA/P4	d = 80	D = 100	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71816 CDGB/P4	d = 80	D = 100	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71816 CDGC/P4	d = 80	D = 100	B = 10	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B71916-C-2RSD-T-P4S-UL	d = 80	D = 110	B = 16	Spindle bearing
FAG	B71916-C-T-P4S-UL	d = 80	D = 110	B = 16	Spindle bearing
FAG	B71916-E-2RSD-T-P4S-UL	d = 80	D = 110	B = 16	Spindle bearing
FAG	B71916-E-T-P4S-UL	d = 80	D = 110	B = 16	Spindle bearing
FAG	HC71916-E-T-P4S-UL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	HCB71916-C-2RSD-T-P4S-UL	d = 80	D = 110	B = 16	Spindle bearing
FAG	HCB71916-C-T-P4S-UL	d = 80	D = 110	B = 16	Spindle bearing
FAG	HCB71916-CDLR-T-P4S-UL	d = 80	D = 110	B = 16	Spindle bearing
FAG	HCB71916-E-2RSD-T-P4S-UL	d = 80	D = 110	B = 16	Spindle bearing
FAG	HCB71916-E-T-P4S-UL	d = 80	D = 110	B = 16	Spindle bearing
FAG	HCB71916-EDLR-T-P4S-UL	d = 80	D = 110	B = 16	Spindle bearing
FAG	HCM71916-C-2RSD-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	HCM71916-C-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	HCM71916-CDLR-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	HCM71916-E-2RSD-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	HCM71916-E-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	HCM71916-EDLR-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCS71916-E-T-P4S-UL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	HS71916-C-T-P4S-UL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	HS71916-E-T-P4S-UL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	HSS71916-C-T-P4S-UL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	HSS71916-E-T-P4S-UL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	M71916-C-2RSD-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	M71916-C-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	M71916-E-2RSD-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	M71916-E-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	VCM71916-C-2RSD-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	VCM71916-C-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	VCM71916-CDLR-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	VCM71916-E-2RSD-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	VCM71916-E-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
FAG	VCM71916-EDLR-T-P4S-UL-XL	d = 80	D = 110	B = 16	High speed spindle bearing
KOYO	7916C FY	d = 80	D = 110	B = 16	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71916 ACD/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71916 ACDGA/HCP4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 ACDGA/HCP4AL	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71916 ACDGA/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 ACDGA/P4AL	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71916 ACDGB/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 ACDGC/HCP4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 ACDGC/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 ACE/P4A	d = 80	D = 110	B = 16	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71916 ACEGA/HCP4A	d = 80	D = 110	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71916 ACEGA/HCP4AL	d = 80	D = 110	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71916 ACEGA/P4A	d = 80	D = 110	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71916 CD/HCP4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71916 CD/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71916 CDGA/HCP4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 CDGA/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 CDGB/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 CDGC/HCP4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 CDGC/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 CDGD/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71916 CEGA/HCP4A	d = 80	D = 110	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71916 CEGA/P4A	d = 80	D = 110	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71916 FEGA/HCP4AL	d = 80	D = 110	B = 16	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	S71916 ACDGA/HCP4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71916 ACDGA/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71916 ACDGB/HCP4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71916 ACDGB/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71916 ACEGA/HCP4A	d = 80	D = 110	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71916 ACEGA/P4A	d = 80	D = 110	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71916 CD/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71916 CDGA/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71916 CDGB/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71916 CDGC/P4A	d = 80	D = 110	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71916 CEGA/HCP4A	d = 80	D = 110	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71916 CEGA/P4A	d = 80	D = 110	B = 16	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7916CDB FY	d = 80	D = 110	B = 32	Angular contact ball bearing
KOYO	7916CDF FY	d = 80	D = 110	B = 32	Angular contact ball bearing
KOYO	7916CDT FY	d = 80	D = 110	B = 32	Angular contact ball bearing
FAG	B7016-C-2RSD-T-P4S-UL	d = 80	D = 125	B = 22	Spindle bearing
FAG	B7016-C-T-P4S-UL	d = 80	D = 125	B = 22	Spindle bearing
FAG	B7016-E-2RSD-T-P4S-UL	d = 80	D = 125	B = 22	Spindle bearing
FAG	B7016-E-T-P4S-UL	d = 80	D = 125	B = 22	Spindle bearing
FAG	HC7016-E-T-P4S-UL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HC7016-EDLR-T-P4S-UL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HCB7016-C-2RSD-T-P4S-UL	d = 80	D = 125	B = 22	Spindle bearing
FAG	HCB7016-C-T-P4S-UL	d = 80	D = 125	B = 22	Spindle bearing
FAG	HCB7016-CDLR-T-P4S-UL	d = 80	D = 125	B = 22	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB7016-E-2RSD-T-P4S-UL	d = 80	D = 125	B = 22	Spindle bearing
FAG	HCB7016-E-T-P4S-UL	d = 80	D = 125	B = 22	Spindle bearing
FAG	HCB7016-EDLR-T-P4S-UL	d = 80	D = 125	B = 22	Spindle bearing
FAG	HCM7016-C-2RSD-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HCM7016-C-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HCM7016-CDLR-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HCM7016-E-2RSD-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HCM7016-E-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HCM7016-EDLR-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HCS7016-E-T-P4S-UL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HS7016-C-T-P4S-UL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HS7016-E-T-P4S-UL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HSS7016-C-T-P4S-UL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	HSS7016-E-T-P4S-UL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	M7016-C-2RSD-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	M7016-C-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	M7016-E-2RSD-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	M7016-E-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	VCM7016-C-2RSD-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	VCM7016-C-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	VCM7016-CDLR-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	VCM7016-E-2RSD-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	VCM7016-E-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
FAG	VCM7016-EDLR-T-P4S-UL-XL	d = 80	D = 125	B = 22	High speed spindle bearing
KOYO	7016 FY	d = 80	D = 125	B = 22	Angular contact ball bearing
KOYO	7016B FY	d = 80	D = 125	B = 22	Angular contact ball bearing
KOYO	7016C FY	d = 80	D = 125	B = 22	Angular contact ball bearing
NTN	7016	d = 80	D = 125	B = 22	Angular contact ball bearing
SKF	7016 ACBGA/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7016 ACBGA/P4A	d = 80	D = 125	B = 22	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	7016 ACD/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7016 ACDGA/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7016 ACDGA/HCP4AL	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7016 ACDGA/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 ACDGA/P4AL	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7016 ACDGATP/P4B	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 ACDGB/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 ACDGB/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 ACDGC/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 ACE/P4A	d = 80	D = 125	B = 22	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7016 ACEGA/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7016 ACEGA/HCP4AL	d = 80	D = 125	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7016 ACEGA/P4A	d = 80	D = 125	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7016 CD/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7016 CD/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7016 CDGA/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 CDGA/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 CDGATP/P4B	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 CDGB/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 CDGC/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 CDGD/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7016 CE/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7016 CE/P4A	d = 80	D = 125	B = 22	Super-precision, high-speed E design, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7016 CEGA/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7016 CEGA/P4A	d = 80	D = 125	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7016 FEGA/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7016 FEGA/HCP4AH1	d = 80	D = 125	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	S7016 ACDGA/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7016 ACDGA/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7016 ACDGB/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7016 ACDGC/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7016 ACEGA/HCP4A	d = 80	D = 125	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7016 ACEGA/P4A	d = 80	D = 125	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7016 ACEGB/P4A	d = 80	D = 125	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7016 CD/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7016 CD/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7016 CDGA/HCP4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7016 CDGA/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7016 CDGB/P4A	d = 80	D = 125	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7016 CEGA/HCP4A	d = 80	D = 125	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7016 CEGA/P4A	d = 80	D = 125	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7016 CEGC/P4A	d = 80	D = 125	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7016BDB FY	d = 80	D = 125	B = 44	Angular contact ball bearing
KOYO	7016BDF FY	d = 80	D = 125	B = 44	Angular contact ball bearing
KOYO	7016BDT FY	d = 80	D = 125	B = 44	Angular contact ball bearing
KOYO	7016CDB FY	d = 80	D = 125	B = 44	Angular contact ball bearing
KOYO	7016CDF FY	d = 80	D = 125	B = 44	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7016CDT FY	d = 80	D = 125	B = 44	Angular contact ball bearing
KOYO	7016DB FY	d = 80	D = 125	B = 44	Angular contact ball bearing
KOYO	7016DF FY	d = 80	D = 125	B = 44	Angular contact ball bearing
KOYO	7016DT FY	d = 80	D = 125	B = 44	Angular contact ball bearing
FAG	7216-B-XL-FP-UO	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-JP	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-JP-UA	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-JP-UO	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-MP	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-MP-S1-UA	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-MP-UA	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-MP-UB	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-MP-UO	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-TVP	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-TVP-P5-UL	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-TVP-P5-UO	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-TVP-UA	d = 80	D = 140	B = 26	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7216-B-XL-TVP-UB	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	7216-B-XL-TVP-UO	d = 80	D = 140	B = 26	Angular contact ball bearing
FAG	B7216-C-T-P4S-UL	d = 80	D = 140	B = 26	Spindle bearing
FAG	B7216-E-T-P4S-UL	d = 80	D = 140	B = 26	Spindle bearing
FAG	HCB7216-C-T-P4S-UL	d = 80	D = 140	B = 26	Spindle bearing
FAG	HCB7216-E-T-P4S-UL	d = 80	D = 140	B = 26	Spindle bearing
KOYO	7216	d = 80	D = 140	B = 26	Angular contact ball bearing
KOYO	7216 FY	d = 80	D = 140	B = 26	Angular contact ball bearing
KOYO	7216B	d = 80	D = 140	B = 26	Angular contact ball bearing
KOYO	7216B FY	d = 80	D = 140	B = 26	Angular contact ball bearing
KOYO	7216C	d = 80	D = 140	B = 26	Angular contact ball bearing
KOYO	7216C FY	d = 80	D = 140	B = 26	Angular contact ball bearing
SKF	7216 ACD/HCP4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7216 ACD/P4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7216 ACDGA/P4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7216 ACDGB/HCP4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7216 ACDGB/P4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7216 ACDGC/P4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7216 BECBJ	d = 80	D = 140	B = 26	Single row angular contact ball bearing
SKF	7216 BECBM	d = 80	D = 140	B = 26	Single row angular contact ball bearing
SKF	7216 BECBP	d = 80	D = 140	B = 26	Single row angular contact ball bearing
SKF	7216 BECBY	d = 80	D = 140	B = 26	Single row angular contact ball bearing
SKF	7216 BEGAF	d = 80	D = 140	B = 26	Single row angular contact ball bearing
SKF	7216 BEGAM	d = 80	D = 140	B = 26	Single row angular contact ball bearing
SKF	7216 BEGAP	d = 80	D = 140	B = 26	Single row angular contact ball bearing
SKF	7216 BEGAPH	d = 80	D = 140	B = 26	Single row angular contact ball bearing
SKF	7216 BEP	d = 80	D = 140	B = 26	Single row angular contact ball bearing
SKF	7216 CD/P4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7216 CDGA/HCP4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7216 CDGA/P4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7216 CDGB/P4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7216 CDGD/P4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7216 ACDGA/P4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7216 CDGA/P4A	d = 80	D = 140	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
FAG	3216-B-2RSR-TVH	d = 80	D = 140	B = 44.4	Angular contact ball bearing
FAG	3216-B-2Z-TVH	d = 80	D = 140	B = 44.4	Angular contact ball bearing
FAG	3216-B-TVH	d = 80	D = 140	B = 44.4	Angular contact ball bearing
KOYO	3216	d = 80	D = 140	B = 44.4	Angular contact ball bearing
SKF	3216 A	d = 80	D = 140	B = 44.4	Double row angular contact ball bearing
SKF	3216 A-2Z	d = 80	D = 140	B = 44.4	Double row angular contact ball bearing with seals or shields
KOYO	7216BDB	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216BDB FY	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216BDF	d = 80	D = 140	B = 52	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7216BDF FY	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216BDT	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216BDT FY	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216CDB	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216CDB FY	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216CDF	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216CDF FY	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216CDT	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216CDT FY	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216DB	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216DB FY	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216DF	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216DF FY	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216DT	d = 80	D = 140	B = 52	Angular contact ball bearing
KOYO	7216DT FY	d = 80	D = 140	B = 52	Angular contact ball bearing
FAG	7316-B-XL-JP	d = 80	D = 170	B = 39	Angular contact ball bearing
FAG	7316-B-XL-JP-UA	d = 80	D = 170	B = 39	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7316-B-XL-JP-UO	d = 80	D = 170	B = 39	Angular contact ball bearing
FAG	7316-B-XL-MP	d = 80	D = 170	B = 39	Angular contact ball bearing
FAG	7316-B-XL-MP-P6-S1-UA	d = 80	D = 170	B = 39	Angular contact ball bearing
FAG	7316-B-XL-MP-UA	d = 80	D = 170	B = 39	Angular contact ball bearing
FAG	7316-B-XL-MP-UB	d = 80	D = 170	B = 39	Angular contact ball bearing
FAG	7316-B-XL-MP-UO	d = 80	D = 170	B = 39	Angular contact ball bearing
FAG	7316-B-XL-TVP	d = 80	D = 170	B = 39	Angular contact ball bearing
FAG	7316-B-XL-TVP-UA	d = 80	D = 170	B = 39	Angular contact ball bearing
FAG	7316-B-XL-TVP-UB	d = 80	D = 170	B = 39	Angular contact ball bearing
FAG	7316-B-XL-TVP-UO	d = 80	D = 170	B = 39	Angular contact ball bearing
KOYO	7316	d = 80	D = 170	B = 39	Angular contact ball bearing
KOYO	7316 FY	d = 80	D = 170	B = 39	Angular contact ball bearing
KOYO	7316B	d = 80	D = 170	B = 39	Angular contact ball bearing
KOYO	7316B FY	d = 80	D = 170	B = 39	Angular contact ball bearing
KOYO	7316C	d = 80	D = 170	B = 39	Angular contact ball bearing
KOYO	7316C FY	d = 80	D = 170	B = 39	Angular contact ball bearing
SKF	7316 BECBJ	d = 80	D = 170	B = 39	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7316 BECBM	d = 80	D = 170	B = 39	Single row angular contact ball bearing
SKF	7316 BECBP	d = 80	D = 170	B = 39	Single row angular contact ball bearing
SKF	7316 BECBY	d = 80	D = 170	B = 39	Single row angular contact ball bearing
SKF	7316 BECCM	d = 80	D = 170	B = 39	Single row angular contact ball bearing
SKF	7316 BEGAM	d = 80	D = 170	B = 39	Single row angular contact ball bearing
SKF	7316 BEGAP	d = 80	D = 170	B = 39	Single row angular contact ball bearing
SKF	7316 BEGAY	d = 80	D = 170	B = 39	Single row angular contact ball bearing
SKF	7316 BEGBY	d = 80	D = 170	B = 39	Single row angular contact ball bearing
SKF	7316 BEP	d = 80	D = 170	B = 39	Single row angular contact ball bearing
FAG	3316-BD-XL-2HRS-TVH	d = 80	D = 170	B = 68.3	Angular contact ball bearing
FAG	3316-BD-XL-TVH	d = 80	D = 170	B = 68.3	Angular contact ball bearing
FAG	3316-BD-XL-TVH-C3	d = 80	D = 170	B = 68.3	Angular contact ball bearing
KOYO	3316	d = 80	D = 170	B = 68.3	Angular contact ball bearing
SKF	3316 A	d = 80	D = 170	B = 68.3	Double row angular contact ball bearing
KOYO	7316BDB	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316BDB FY	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316BDF	d = 80	D = 170	B = 78	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7316BDF FY	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316BDT	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316BDT FY	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316CDB	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316CDB FY	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316CDF	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316CDF FY	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316CDT	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316CDT FY	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316DB	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316DB FY	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316DF	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316DF FY	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316DT	d = 80	D = 170	B = 78	Angular contact ball bearing
KOYO	7316DT FY	d = 80	D = 170	B = 78	Angular contact ball bearing
FAG	7416-B-XL-MP	d = 80	D = 200	B = 48	Angular contact ball bearing
FAG	7416-B-XL-MP-UA	d = 80	D = 200	B = 48	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7416-B-XL-MP-UO	d = 80	D = 200	B = 48	Angular contact ball bearing
KOYO	7416 FY	d = 80	D = 200	B = 48	Angular contact ball bearing
KOYO	7416B FY	d = 80	D = 200	B = 48	Angular contact ball bearing
SKF	7416 CBM	d = 80	D = 200	B = 48	Single row angular contact ball bearing
SKF	7416 GAM	d = 80	D = 200	B = 48	Single row angular contact ball bearing
SKF	7416 M	d = 80	D = 200	B = 48	Single row angular contact ball bearing
KOYO	7416BDB FY	d = 80	D = 200	B = 96	Angular contact ball bearing
KOYO	7416BDF FY	d = 80	D = 200	B = 96	Angular contact ball bearing
KOYO	7416BDT FY	d = 80	D = 200	B = 96	Angular contact ball bearing
KOYO	7416DB FY	d = 80	D = 200	B = 96	Angular contact ball bearing
KOYO	7416DF FY	d = 80	D = 200	B = 96	Angular contact ball bearing
KOYO	7416DT FY	d = 80	D = 200	B = 96	Angular contact ball bearing
SKF	71817 ACD/P4	d = 85	D = 110	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71817 ACDGA/P4	d = 85	D = 110	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71817 ACDGB/P4	d = 85	D = 110	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71817 ACDGC/P4	d = 85	D = 110	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71817 CD/P4	d = 85	D = 110	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71817 CDGA/HCP4	d = 85	D = 110	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71817 CDGA/P4	d = 85	D = 110	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71817 CDGB/P4	d = 85	D = 110	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71817 CDGC/P4	d = 85	D = 110	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71917-C-2RSD-T-P4S-UL	d = 85	D = 120	B = 18	Spindle bearing
FAG	B71917-C-T-P4S-UL	d = 85	D = 120	B = 18	Spindle bearing
FAG	B71917-E-2RSD-T-P4S-UL	d = 85	D = 120	B = 18	Spindle bearing
FAG	B71917-E-T-P4S-UL	d = 85	D = 120	B = 18	Spindle bearing
FAG	HC71917-E-T-P4S-UL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	HCB71917-C-2RSD-T-P4S-UL	d = 85	D = 120	B = 18	Spindle bearing
FAG	HCB71917-E-T-P4S-UL	d = 85	D = 120	B = 18	Spindle bearing
FAG	HCM71917-C-2RSD-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM71917-C-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	HCM71917-E-2RSD-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	HCM71917-E-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	HCS71917-E-T-P4S-UL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	HS71917-C-T-P4S-UL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	HS71917-E-T-P4S-UL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	HSS71917-C-T-P4S-UL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	HSS71917-E-T-P4S-UL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	M71917-C-2RSD-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	M71917-C-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	M71917-E-2RSD-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	M71917-E-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	VCM71917-C-2RSD-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	VCM71917-C-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	VCM71917-E-2RSD-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
FAG	VCM71917-E-T-P4S-UL-XL	d = 85	D = 120	B = 18	High speed spindle bearing
KOYO	7917C FY	d = 85	D = 120	B = 18	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71917 ACD/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71917 ACDGA/HCP4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71917 ACDGA/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71917 ACDGB/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71917 ACDGC/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71917 ACEGA/HCP4A	d = 85	D = 120	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71917 ACEGA/HCP4AL	d = 85	D = 120	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71917 ACEGA/P4A	d = 85	D = 120	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71917 CD/HCP4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71917 CD/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71917 CDGA/HCP4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71917 CDGA/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71917 CDGB/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71917 CDGC/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71917 CEGA/HCP4A	d = 85	D = 120	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71917 CEGA/P4A	d = 85	D = 120	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S71917 ACD/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71917 ACDGA/HCP4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71917 ACDGA/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71917 ACDGB/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71917 ACEGA/HCP4A	d = 85	D = 120	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71917 ACEGA/P4A	d = 85	D = 120	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71917 CDGA/P4A	d = 85	D = 120	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71917 CEGA/HCP4A	d = 85	D = 120	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71917 CEGA/P4A	d = 85	D = 120	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7917CDB FY	d = 85	D = 120	B = 36	Angular contact ball bearing
KOYO	7917CDF FY	d = 85	D = 120	B = 36	Angular contact ball bearing
KOYO	7917CDT FY	d = 85	D = 120	B = 36	Angular contact ball bearing
FAG	B7017-C-2RSD-T-P4S-UL	d = 85	D = 130	B = 22	Spindle bearing
FAG	B7017-C-T-P4S-UL	d = 85	D = 130	B = 22	Spindle bearing
FAG	B7017-E-2RSD-T-P4S-UL	d = 85	D = 130	B = 22	Spindle bearing
FAG	B7017-E-T-P4S-UL	d = 85	D = 130	B = 22	Spindle bearing
FAG	HC7017-E-T-P4S-UL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	HCB7017-C-T-P4S-UL	d = 85	D = 130	B = 22	Spindle bearing
FAG	HCB7017-E-2RSD-T-P4S-UL	d = 85	D = 130	B = 22	Spindle bearing
FAG	HCB7017-E-T-P4S-UL	d = 85	D = 130	B = 22	Spindle bearing
FAG	HCM7017-C-2RSD-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM7017-C-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	HCM7017-E-2RSD-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	HCM7017-E-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	HCS7017-E-T-P4S-UL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	HS7017-C-T-P4S-UL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	HS7017-E-T-P4S-UL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	HSS7017-C-T-P4S-UL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	HSS7017-E-T-P4S-UL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	M7017-C-2RSD-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	M7017-C-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	M7017-E-2RSD-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	M7017-E-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	VCM7017-C-2RSD-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	VCM7017-C-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	VCM7017-CDLR-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	VCM7017-E-2RSD-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
FAG	VCM7017-E-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM7017-EDLR-T-P4S-UL-XL	d = 85	D = 130	B = 22	High speed spindle bearing
KOYO	7017 FY	d = 85	D = 130	B = 22	Angular contact ball bearing
KOYO	7017B FY	d = 85	D = 130	B = 22	Angular contact ball bearing
KOYO	7017C FY	d = 85	D = 130	B = 22	Angular contact ball bearing
SKF	7017 ACD/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7017 ACDGA/HCP4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7017 ACDGA/HCP4AL	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7017 ACDGA/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7017 ACDGB/HCP4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7017 ACDGB/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7017 ACDGC/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7017 ACEGA/HCP4A	d = 85	D = 130	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7017 ACEGA/HCP4AH1	d = 85	D = 130	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7017 ACEGA/HCP4AL	d = 85	D = 130	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7017 ACEGA/P4A	d = 85	D = 130	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7017 ACEGB/P4A	d = 85	D = 130	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7017 CD/HCP4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7017 CD/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7017 CDGA/HCP4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7017 CDGA/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7017 CDGB/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7017 CDGC/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7017 CEGA/HCP4A	d = 85	D = 130	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7017 CEGA/P4A	d = 85	D = 130	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7017 FEGA/HCP4A	d = 85	D = 130	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S7017 ACDGA/HCP4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7017 ACDGA/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7017 ACDGB/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7017 ACEGA/HCP4A	d = 85	D = 130	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7017 ACEGA/P4A	d = 85	D = 130	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7017 ACEGC/HCP4A	d = 85	D = 130	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7017 CDGA/HCP4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7017 CDGA/P4A	d = 85	D = 130	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7017 CEGA/HCP4A	d = 85	D = 130	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7017 CEGA/P4A	d = 85	D = 130	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7017 FEGA/P4A	d = 85	D = 130	B = 22	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7017BDB FY	d = 85	D = 130	B = 44	Angular contact ball bearing
KOYO	7017BDF FY	d = 85	D = 130	B = 44	Angular contact ball bearing
KOYO	7017BDT FY	d = 85	D = 130	B = 44	Angular contact ball bearing
KOYO	7017CDB FY	d = 85	D = 130	B = 44	Angular contact ball bearing
KOYO	7017CDF FY	d = 85	D = 130	B = 44	Angular contact ball bearing
KOYO	7017CDT FY	d = 85	D = 130	B = 44	Angular contact ball bearing
KOYO	7017DB FY	d = 85	D = 130	B = 44	Angular contact ball bearing
KOYO	7017DF FY	d = 85	D = 130	B = 44	Angular contact ball bearing
KOYO	7017DT FY	d = 85	D = 130	B = 44	Angular contact ball bearing
FAG	7217-B-XL-JP	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-JP-UA	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-JP-UO	d = 85	D = 150	B = 28	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7217-B-XL-MP	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-MP-S1-UA	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-MP-UA	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-MP-UB	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-MP-UO	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-TVP	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-TVP-P5	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-TVP-P5-UO	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-TVP-UA	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-TVP-UB	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	7217-B-XL-TVP-UO	d = 85	D = 150	B = 28	Angular contact ball bearing
FAG	B7217-C-T-P4S-UL	d = 85	D = 150	B = 28	Spindle bearing
FAG	B7217-E-T-P4S-UL	d = 85	D = 150	B = 28	Spindle bearing
FAG	HCB7217-C-T-P4S-UL	d = 85	D = 150	B = 28	Spindle bearing
FAG	HCB7217-E-T-P4S-UL	d = 85	D = 150	B = 28	Spindle bearing
KOYO	7217	d = 85	D = 150	B = 28	Angular contact ball bearing
KOYO	7217 FY	d = 85	D = 150	B = 28	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7217B	d = 85	D = 150	B = 28	Angular contact ball bearing
KOYO	7217B FY	d = 85	D = 150	B = 28	Angular contact ball bearing
KOYO	7217C	d = 85	D = 150	B = 28	Angular contact ball bearing
KOYO	7217C FY	d = 85	D = 150	B = 28	Angular contact ball bearing
SKF	7217 ACD/P4A	d = 85	D = 150	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7217 ACDGA/P4A	d = 85	D = 150	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7217 ACDGB/P4A	d = 85	D = 150	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7217 ACDGC/P4A	d = 85	D = 150	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7217 BECBJ	d = 85	D = 150	B = 28	Single row angular contact ball bearing
SKF	7217 BECBM	d = 85	D = 150	B = 28	Single row angular contact ball bearing
SKF	7217 BECBP	d = 85	D = 150	B = 28	Single row angular contact ball bearing
SKF	7217 BECBY	d = 85	D = 150	B = 28	Single row angular contact ball bearing
SKF	7217 BEGAF	d = 85	D = 150	B = 28	Single row angular contact ball bearing
SKF	7217 BEGAP	d = 85	D = 150	B = 28	Single row angular contact ball bearing
SKF	7217 BEP	d = 85	D = 150	B = 28	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7217 CD/P4A	d = 85	D = 150	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7217 CDGA/HCP4A	d = 85	D = 150	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7217 CDGA/P4A	d = 85	D = 150	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7217 CDGB/P4A	d = 85	D = 150	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7217 CDGC/P4A	d = 85	D = 150	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	3217-B-2RSR-TVH	d = 85	D = 150	B = 49.2	Angular contact ball bearing
FAG	3217-B-2Z-TVH	d = 85	D = 150	B = 49.2	Angular contact ball bearing
KOYO	3217	d = 85	D = 150	B = 49.2	Angular contact ball bearing
SKF	3217 A	d = 85	D = 150	B = 49.2	Double row angular contact ball bearing
SKF	3217 A/C3	d = 85	D = 150	B = 49.2	Double row angular contact ball bearing
KOYO	7217BDB	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217BDB FY	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217BDF	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217BDF FY	d = 85	D = 150	B = 56	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7217BDT	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217BDT FY	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217CDB	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217CDB FY	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217CDF	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217CDF FY	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217CDT	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217CDT FY	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217DB	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217DB FY	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217DF	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217DF FY	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217DT	d = 85	D = 150	B = 56	Angular contact ball bearing
KOYO	7217DT FY	d = 85	D = 150	B = 56	Angular contact ball bearing
FAG	7317-B-XL-FP-UO	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-JP	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-JP-UA	d = 85	D = 180	B = 41	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7317-B-XL-JP-UO	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-MP	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-MP-P5-UO	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-MP-UA	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-MP-UB	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-MP-UO	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-TVP	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-TVP-UA	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-TVP-UB	d = 85	D = 180	B = 41	Angular contact ball bearing
FAG	7317-B-XL-TVP-UO	d = 85	D = 180	B = 41	Angular contact ball bearing
KOYO	7317	d = 85	D = 180	B = 41	Angular contact ball bearing
KOYO	7317 FY	d = 85	D = 180	B = 41	Angular contact ball bearing
KOYO	7317B	d = 85	D = 180	B = 41	Angular contact ball bearing
KOYO	7317B FY	d = 85	D = 180	B = 41	Angular contact ball bearing
KOYO	7317C	d = 85	D = 180	B = 41	Angular contact ball bearing
KOYO	7317C FY	d = 85	D = 180	B = 41	Angular contact ball bearing
SKF	7317 BECBF	d = 85	D = 180	B = 41	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7317 BECBJ	d = 85	D = 180	B = 41	Single row angular contact ball bearing
SKF	7317 BECBM	d = 85	D = 180	B = 41	Single row angular contact ball bearing
SKF	7317 BECBP	d = 85	D = 180	B = 41	Single row angular contact ball bearing
SKF	7317 BECBY	d = 85	D = 180	B = 41	Single row angular contact ball bearing
SKF	7317 BECCM	d = 85	D = 180	B = 41	Single row angular contact ball bearing
SKF	7317 BEGAF	d = 85	D = 180	B = 41	Single row angular contact ball bearing
SKF	7317 BEGAM	d = 85	D = 180	B = 41	Single row angular contact ball bearing
SKF	7317 BEGAP	d = 85	D = 180	B = 41	Single row angular contact ball bearing
SKF	7317 BEGAPH	d = 85	D = 180	B = 41	Single row angular contact ball bearing
SKF	7317 BEP	d = 85	D = 180	B = 41	Single row angular contact ball bearing
FAG	3317-DA-MA	d = 85	D = 180	B = 73	Angular contact ball bearing
KOYO	3317	d = 85	D = 180	B = 73	Angular contact ball bearing
SKF	3317 A	d = 85	D = 180	B = 73	Double row angular contact ball bearing
KOYO	7317BDB	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317BDB FY	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317BDF	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317BDF FY	d = 85	D = 180	B = 82	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7317BDT	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317BDT FY	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317CDB	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317CDB FY	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317CDF	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317CDF FY	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317CDT	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317CDT FY	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317DB	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317DB FY	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317DF	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317DF FY	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317DT	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7317DT FY	d = 85	D = 180	B = 82	Angular contact ball bearing
KOYO	7417 FY	d = 85	D = 210	B = 52	Angular contact ball bearing
KOYO	7417B FY	d = 85	D = 210	B = 52	Angular contact ball bearing
SKF	7417 BACBMC	d = 85	D = 210	B = 52	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7417 BAGAMC	d = 85	D = 210	B = 52	Single row angular contact ball bearing
KOYO	7417BDB FY	d = 85	D = 210	B = 104	Angular contact ball bearing
KOYO	7417BDF FY	d = 85	D = 210	B = 104	Angular contact ball bearing
KOYO	7417BDT FY	d = 85	D = 210	B = 104	Angular contact ball bearing
KOYO	7417DB FY	d = 85	D = 210	B = 104	Angular contact ball bearing
KOYO	7417DF FY	d = 85	D = 210	B = 104	Angular contact ball bearing
KOYO	7417DT FY	d = 85	D = 210	B = 104	Angular contact ball bearing
SKF	KDN.S09003AS0	d = 90	D = 96	B = 2.5	Ultra-Slim thin section angular contact ball bearing
SKF	71818 ACD/HCP4	d = 90	D = 115	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71818 ACD/P4	d = 90	D = 115	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71818 ACDGA/P4	d = 90	D = 115	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71818 ACDGB/P4	d = 90	D = 115	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71818 ACDGC/P4	d = 90	D = 115	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71818 CD/P4	d = 90	D = 115	B = 13	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71818 CDGA/P4	d = 90	D = 115	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71818 CDGB/P4	d = 90	D = 115	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71818 CDGC/P4	d = 90	D = 115	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71918-C-2RSD-T-P4S-UL	d = 90	D = 125	B = 18	Spindle bearing
FAG	B71918-C-T-P4S-UL	d = 90	D = 125	B = 18	Spindle bearing
FAG	B71918-E-2RSD-T-P4S-UL	d = 90	D = 125	B = 18	Spindle bearing
FAG	B71918-E-T-P4S-UL	d = 90	D = 125	B = 18	Spindle bearing
FAG	HC71918-E-T-P4S-UL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	HCB71918-C-2RSD-T-P4S-UL	d = 90	D = 125	B = 18	Spindle bearing
FAG	HCB71918-C-T-P4S-UL	d = 90	D = 125	B = 18	Spindle bearing
FAG	HCB71918-E-2RSD-T-P4S-UL	d = 90	D = 125	B = 18	Spindle bearing
FAG	HCB71918-E-T-P4S-UL	d = 90	D = 125	B = 18	Spindle bearing
FAG	HCM71918-C-2RSD-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	HCM71918-C-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	HCM71918-E-2RSD-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM71918-E-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	HCS71918-E-T-P4S-UL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	HS71918-C-T-P4S-UL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	HS71918-E-T-P4S-UL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	HSS71918-C-T-P4S-UL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	HSS71918-E-T-P4S-UL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	M71918-C-2RSD-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	M71918-C-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	M71918-E-2RSD-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	M71918-E-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	VCM71918-C-2RSD-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	VCM71918-C-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	VCM71918-E-2RSD-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
FAG	VCM71918-E-T-P4S-UL-XL	d = 90	D = 125	B = 18	High speed spindle bearing
KOYO	7918C FY	d = 90	D = 125	B = 18	Angular contact ball bearing
SKF	71918 ACD/P4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71918 ACDGA/HCP4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71918 ACDGA/HCP4AL	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71918 ACDGA/P4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71918 ACDGB/P4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71918 ACDGC/P4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71918 ACE/P4A	d = 90	D = 125	B = 18	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71918 ACEGA/HCP4A	d = 90	D = 125	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71918 ACEGA/HCP4AL	d = 90	D = 125	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71918 ACEGA/P4A	d = 90	D = 125	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71918 CD/P4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71918 CDGA/HCP4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71918 CDGA/P4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71918 CDGB/P4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71918 CDGC/P4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71918 CE/HCP4A	d = 90	D = 125	B = 18	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71918 CEGA/HCP4A	d = 90	D = 125	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71918 CEGA/P4A	d = 90	D = 125	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71918 FEGA/P4A	d = 90	D = 125	B = 18	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S71918 ACDGA/HCP4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71918 ACDGA/P4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71918 ACEGA/HCP4A	d = 90	D = 125	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71918 ACEGA/P4A	d = 90	D = 125	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71918 CDGA/HCP4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71918 CDGA/P4A	d = 90	D = 125	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71918 CEGA/HCP4A	d = 90	D = 125	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71918 CEGA/P4A	d = 90	D = 125	B = 18	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7918CDB FY	d = 90	D = 125	B = 36	Angular contact ball bearing
KOYO	7918CDF FY	d = 90	D = 125	B = 36	Angular contact ball bearing
KOYO	7918CDT FY	d = 90	D = 125	B = 36	Angular contact ball bearing
FAG	B7018-C-2RSD-T-P4S-UL	d = 90	D = 140	B = 24	Spindle bearing
FAG	B7018-C-T-P4S-UL	d = 90	D = 140	B = 24	Spindle bearing
FAG	B7018-E-2RSD-T-P4S-UL	d = 90	D = 140	B = 24	Spindle bearing
FAG	B7018-E-T-P4S-UL	d = 90	D = 140	B = 24	Spindle bearing
FAG	HC7018-E-T-P4S-UL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	HCB7018-C-2RSD-T-P4S-UL	d = 90	D = 140	B = 24	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB7018-C-T-P4S-UL	d = 90	D = 140	B = 24	Spindle bearing
FAG	HCB7018-E-2RSD-T-P4S-UL	d = 90	D = 140	B = 24	Spindle bearing
FAG	HCB7018-E-T-P4S-UL	d = 90	D = 140	B = 24	Spindle bearing
FAG	HCM7018-C-2RSD-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	HCM7018-C-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	HCM7018-E-2RSD-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	HCM7018-E-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	HCS7018-E-T-P4S-UL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	HS7018-C-T-P4S-UL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	HS7018-E-T-P4S-UL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	HSS7018-C-T-P4S-UL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	HSS7018-E-T-P4S-UL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	M7018-C-2RSD-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	M7018-C-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	M7018-E-2RSD-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	M7018-E-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	VCM7018-C-2RSD-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM7018-C-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	VCM7018-CDLR-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	VCM7018-E-2RSD-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	VCM7018-E-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
FAG	VCM7018-EDLR-T-P4S-UL-XL	d = 90	D = 140	B = 24	High speed spindle bearing
KOYO	7018 FY	d = 90	D = 140	B = 24	Angular contact ball bearing
KOYO	7018B FY	d = 90	D = 140	B = 24	Angular contact ball bearing
KOYO	7018C FY	d = 90	D = 140	B = 24	Angular contact ball bearing
SKF	7018 ACD/HCP4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7018 ACD/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7018 ACDGA/HCP4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7018 ACDGA/HCP4AL	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7018 ACDGA/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7018 ACDGATP/P4B	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7018 ACDGB/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7018 ACDGC/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7018 ACEGA/HCP4A	d = 90	D = 140	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7018 ACEGA/HCP4AL	d = 90	D = 140	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7018 ACEGA/P4A	d = 90	D = 140	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7018 ACEGB/P4A	d = 90	D = 140	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7018 CD/HCP4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7018 CD/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7018 CDGA/HCP4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7018 CDGA/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7018 CDGATP/P4B	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7018 CDGB/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7018 CDGC/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7018 CE/P4A	d = 90	D = 140	B = 24	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7018 CEGA/HCP4A	d = 90	D = 140	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7018 CEGA/P4A	d = 90	D = 140	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7018 FEGA/HCP4A	d = 90	D = 140	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7018 FEGA/P4A	d = 90	D = 140	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S7018 ACDGA/HCP4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7018 ACDGA/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7018 ACDGB/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7018 ACDGC/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7018 ACEGA/HCP4A	d = 90	D = 140	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7018 ACEGA/P4A	d = 90	D = 140	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7018 CD/HCP4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7018 CDGA/HCP4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7018 CDGA/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7018 CDGC/P4A	d = 90	D = 140	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7018 CEGA/HCP4A	d = 90	D = 140	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7018 CEGA/P4A	d = 90	D = 140	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7018BDB FY	d = 90	D = 140	B = 48	Angular contact ball bearing
KOYO	7018BDF FY	d = 90	D = 140	B = 48	Angular contact ball bearing
KOYO	7018BDT FY	d = 90	D = 140	B = 48	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7018CDB FY	d = 90	D = 140	B = 48	Angular contact ball bearing
KOYO	7018CDF FY	d = 90	D = 140	B = 48	Angular contact ball bearing
KOYO	7018CDT FY	d = 90	D = 140	B = 48	Angular contact ball bearing
KOYO	7018DB FY	d = 90	D = 140	B = 48	Angular contact ball bearing
KOYO	7018DF FY	d = 90	D = 140	B = 48	Angular contact ball bearing
KOYO	7018DT FY	d = 90	D = 140	B = 48	Angular contact ball bearing
FAG	7218-B-XL-FP-UO	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-JP	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-JP-UA	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-JP-UO	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-MP	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-MP-S1-UA	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-MP-UA	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-MP-UB	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-MP-UO	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-TVP	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-TVP-P5-UL	d = 90	D = 160	B = 30	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7218-B-XL-TVP-UA	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-TVP-UB	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	7218-B-XL-TVP-UO	d = 90	D = 160	B = 30	Angular contact ball bearing
FAG	B7218-C-T-P4S-UL	d = 90	D = 160	B = 30	Spindle bearing
FAG	B7218-E-T-P4S-UL	d = 90	D = 160	B = 30	Spindle bearing
FAG	HCB7218-C-T-P4S-UL	d = 90	D = 160	B = 30	Spindle bearing
FAG	HCB7218-E-T-P4S-UL	d = 90	D = 160	B = 30	Spindle bearing
KOYO	7218	d = 90	D = 160	B = 30	Angular contact ball bearing
KOYO	7218 FY	d = 90	D = 160	B = 30	Angular contact ball bearing
KOYO	7218B	d = 90	D = 160	B = 30	Angular contact ball bearing
KOYO	7218B FY	d = 90	D = 160	B = 30	Angular contact ball bearing
KOYO	7218C	d = 90	D = 160	B = 30	Angular contact ball bearing
KOYO	7218C FY	d = 90	D = 160	B = 30	Angular contact ball bearing
SKF	7218 ACD/HCP4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7218 ACD/P4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7218 ACDGA/P4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7218 ACDGB/HCP4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7218 ACDGB/P4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7218 ACDGC/P4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7218 BECBJ	d = 90	D = 160	B = 30	Single row angular contact ball bearing
SKF	7218 BECBM	d = 90	D = 160	B = 30	Single row angular contact ball bearing
SKF	7218 BECBP	d = 90	D = 160	B = 30	Single row angular contact ball bearing
SKF	7218 BECBY	d = 90	D = 160	B = 30	Single row angular contact ball bearing
SKF	7218 BECCM	d = 90	D = 160	B = 30	Single row angular contact ball bearing
SKF	7218 BEGAF	d = 90	D = 160	B = 30	Single row angular contact ball bearing
SKF	7218 BEGAM	d = 90	D = 160	B = 30	Single row angular contact ball bearing
SKF	7218 BEGAP	d = 90	D = 160	B = 30	Single row angular contact ball bearing
SKF	7218 BEGAY	d = 90	D = 160	B = 30	Single row angular contact ball bearing
SKF	7218 BEP	d = 90	D = 160	B = 30	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7218 CD/HCP4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7218 CD/P4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7218 CDGA/HCP4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7218 CDGA/P4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7218 CDGB/P4A	d = 90	D = 160	B = 30	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	3218-BB-2RS-TVH	d = 90	D = 160	B = 52.4	Angular contact ball bearing
KOYO	3218	d = 90	D = 160	B = 52.4	Angular contact ball bearing
SKF	3218 A	d = 90	D = 160	B = 52.4	Double row angular contact ball bearing
KOYO	7218BDB	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218BDB FY	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218BDF	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218BDF FY	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218BDT	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218BDT FY	d = 90	D = 160	B = 60	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7218CDB	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218CDB FY	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218CDF	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218CDF FY	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218CDT	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218CDT FY	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218DB	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218DB FY	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218DF	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218DF FY	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218DT	d = 90	D = 160	B = 60	Angular contact ball bearing
KOYO	7218DT FY	d = 90	D = 160	B = 60	Angular contact ball bearing
FAG	7318-B-XL-JP	d = 90	D = 190	B = 43	Angular contact ball bearing
FAG	7318-B-XL-JP-UA	d = 90	D = 190	B = 43	Angular contact ball bearing
FAG	7318-B-XL-MP	d = 90	D = 190	B = 43	Angular contact ball bearing
FAG	7318-B-XL-MP-UA	d = 90	D = 190	B = 43	Angular contact ball bearing
FAG	7318-B-XL-MP-UB	d = 90	D = 190	B = 43	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7318-B-XL-MP-UO	d = 90	D = 190	B = 43	Angular contact ball bearing
FAG	7318-B-XL-TVP	d = 90	D = 190	B = 43	Angular contact ball bearing
FAG	7318-B-XL-TVP-UA	d = 90	D = 190	B = 43	Angular contact ball bearing
FAG	7318-B-XL-TVP-UB	d = 90	D = 190	B = 43	Angular contact ball bearing
FAG	7318-B-XL-TVP-UL	d = 90	D = 190	B = 43	Angular contact ball bearing
FAG	7318-B-XL-TVP-UO	d = 90	D = 190	B = 43	Angular contact ball bearing
KOYO	7318	d = 90	D = 190	B = 43	Angular contact ball bearing
KOYO	7318 FY	d = 90	D = 190	B = 43	Angular contact ball bearing
KOYO	7318B	d = 90	D = 190	B = 43	Angular contact ball bearing
KOYO	7318B FY	d = 90	D = 190	B = 43	Angular contact ball bearing
KOYO	7318C	d = 90	D = 190	B = 43	Angular contact ball bearing
KOYO	7318C FY	d = 90	D = 190	B = 43	Angular contact ball bearing
SKF	7318 BECBJ	d = 90	D = 190	B = 43	Single row angular contact ball bearing
SKF	7318 BECBM	d = 90	D = 190	B = 43	Single row angular contact ball bearing
SKF	7318 BECBP	d = 90	D = 190	B = 43	Single row angular contact ball bearing
SKF	7318 BECBY	d = 90	D = 190	B = 43	Single row angular contact ball bearing
SKF	7318 BEGAM	d = 90	D = 190	B = 43	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7318 BEGAP	d = 90	D = 190	B = 43	Single row angular contact ball bearing
SKF	7318 BEGAPH	d = 90	D = 190	B = 43	Single row angular contact ball bearing
SKF	7318 BEGAY	d = 90	D = 190	B = 43	Single row angular contact ball bearing
SKF	7318 BEP	d = 90	D = 190	B = 43	Single row angular contact ball bearing
KOYO	3318	d = 90	D = 190	B = 73	Angular contact ball bearing
SKF	3318 A	d = 90	D = 190	B = 73	Double row angular contact ball bearing
KOYO	7318BDB	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318BDB FY	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318BDF	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318BDF FY	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318BDT	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318BDT FY	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318CDB	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318CDB FY	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318CDF	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318CDF FY	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318CDT	d = 90	D = 190	B = 86	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7318CDT FY	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318DB	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318DB FY	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318DF	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318DF FY	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318DT	d = 90	D = 190	B = 86	Angular contact ball bearing
KOYO	7318DT FY	d = 90	D = 190	B = 86	Angular contact ball bearing
FAG	7418-B-XL-MP	d = 90	D = 225	B = 54	Angular contact ball bearing
FAG	7418-B-XL-MP-UA	d = 90	D = 225	B = 54	Angular contact ball bearing
KOYO	7418 FY	d = 90	D = 225	B = 54	Angular contact ball bearing
KOYO	7418B FY	d = 90	D = 225	B = 54	Angular contact ball bearing
SKF	7418 CBM	d = 90	D = 225	B = 54	Single row angular contact ball bearing
SKF	7418 GAM	d = 90	D = 225	B = 54	Single row angular contact ball bearing
KOYO	7418BDB FY	d = 90	D = 225	B = 108	Angular contact ball bearing
KOYO	7418BDF FY	d = 90	D = 225	B = 108	Angular contact ball bearing
KOYO	7418BDT FY	d = 90	D = 225	B = 108	Angular contact ball bearing
KOYO	7418DB FY	d = 90	D = 225	B = 108	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7418DF FY	d = 90	D = 225	B = 108	Angular contact ball bearing
KOYO	7418DT FY	d = 90	D = 225	B = 108	Angular contact ball bearing
SKF	71819 ACD/P4	d = 95	D = 120	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71819 ACDGA/P4	d = 95	D = 120	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71819 ACDGB/P4	d = 95	D = 120	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71819 ACDGC/P4	d = 95	D = 120	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71819 CDGA/P4	d = 95	D = 120	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71819 CDGB/P4	d = 95	D = 120	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71819 CDGC/P4	d = 95	D = 120	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71919-C-2RSD-T-P4S-UL	d = 95	D = 130	B = 18	Spindle bearing
FAG	B71919-C-T-P4S-UL	d = 95	D = 130	B = 18	Spindle bearing
FAG	B71919-E-2RSD-T-P4S-UL	d = 95	D = 130	B = 18	Spindle bearing
FAG	B71919-E-T-P4S-UL	d = 95	D = 130	B = 18	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HC71919-E-T-P4S-UL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	HCB71919-C-2RSD-T-P4S-UL	d = 95	D = 130	B = 18	Spindle bearing
FAG	HCB71919-C-T-P4S-UL	d = 95	D = 130	B = 18	Spindle bearing
FAG	HCB71919-E-T-P4S-UL	d = 95	D = 130	B = 18	Spindle bearing
FAG	HCM71919-C-2RSD-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	HCM71919-C-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	HCM71919-E-2RSD-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	HCM71919-E-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	HCS71919-E-T-P4S-UL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	HS71919-C-T-P4S-UL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	HS71919-E-T-P4S-UL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	HSS71919-C-T-P4S-UL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	HSS71919-E-T-P4S-UL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	M71919-C-2RSD-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	M71919-C-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	M71919-E-2RSD-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	M71919-E-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM71919-C-2RSD-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	VCM71919-C-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	VCM71919-E-2RSD-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
FAG	VCM71919-E-T-P4S-UL-XL	d = 95	D = 130	B = 18	High speed spindle bearing
KOYO	7919C FY	d = 95	D = 130	B = 18	Angular contact ball bearing
SKF	71919 ACD/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71919 ACDGA/HCP4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71919 ACDGA/HCP4AL	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71919 ACDGA/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71919 ACDGA/P4AL	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71919 ACDGB/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71919 ACDGC/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71919 CD/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71919 CDGA/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71919 CDGB/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71919 CDGC/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S71919 ACD/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71919 ACDGA/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71919 CDGA/HCP4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71919 CDGA/P4A	d = 95	D = 130	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
KOYO	7919CDB FY	d = 95	D = 130	B = 36	Angular contact ball bearing
KOYO	7919CDF FY	d = 95	D = 130	B = 36	Angular contact ball bearing
KOYO	7919CDT FY	d = 95	D = 130	B = 36	Angular contact ball bearing
FAG	B7019-C-2RSD-T-P4S-UL	d = 95	D = 145	B = 24	Spindle bearing
FAG	B7019-C-T-P4S-UL	d = 95	D = 145	B = 24	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7019-E-2RSD-T-P4S-UL	d = 95	D = 145	B = 24	Spindle bearing
FAG	B7019-E-T-P4S-UL	d = 95	D = 145	B = 24	Spindle bearing
FAG	HC7019-E-T-P4S-UL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	HCB7019-C-2RSD-T-P4S-UL	d = 95	D = 145	B = 24	Spindle bearing
FAG	HCB7019-C-T-P4S-UL	d = 95	D = 145	B = 24	Spindle bearing
FAG	HCB7019-E-2RSD-T-P4S-UL	d = 95	D = 145	B = 24	Spindle bearing
FAG	HCB7019-E-T-P4S-UL	d = 95	D = 145	B = 24	Spindle bearing
FAG	HCM7019-C-2RSD-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	HCM7019-C-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	HCM7019-E-2RSD-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	HCM7019-E-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	HCS7019-E-T-P4S-UL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	HS7019-C-T-P4S-UL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	HS7019-E-T-P4S-UL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	HSS7019-C-T-P4S-UL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	HSS7019-E-T-P4S-UL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	M7019-C-2RSD-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	M7019-C-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	M7019-E-2RSD-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	M7019-E-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	VCM7019-C-2RSD-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	VCM7019-C-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	VCM7019-CDLR-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	VCM7019-E-2RSD-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	VCM7019-E-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
FAG	VCM7019-EDLR-T-P4S-UL-XL	d = 95	D = 145	B = 24	High speed spindle bearing
KOYO	7019 FY	d = 95	D = 145	B = 24	Angular contact ball bearing
KOYO	7019B FY	d = 95	D = 145	B = 24	Angular contact ball bearing
KOYO	7019C FY	d = 95	D = 145	B = 24	Angular contact ball bearing
SKF	7019 ACD/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7019 ACDGA/HCP4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7019 ACDGA/HCP4AL	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7019 ACDGA/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7019 ACDGB/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7019 ACDGC/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7019 ACEGA/P4A	d = 95	D = 145	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7019 CD/HCP4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7019 CD/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7019 CDGA/HCP4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7019 CDGA/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7019 CDGB/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7019 CDGC/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7019 CEGA/P4A	d = 95	D = 145	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7019 ACDGA/HCP4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7019 ACDGA/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7019 ACEGA/P4A	d = 95	D = 145	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7019 CDGA/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7019 CDGC/P4A	d = 95	D = 145	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7019 CEGA/HCP4A	d = 95	D = 145	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7019 CEGA/P4A	d = 95	D = 145	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7019BDB FY	d = 95	D = 145	B = 48	Angular contact ball bearing
KOYO	7019BDF FY	d = 95	D = 145	B = 48	Angular contact ball bearing
KOYO	7019BDT FY	d = 95	D = 145	B = 48	Angular contact ball bearing
KOYO	7019CDB FY	d = 95	D = 145	B = 48	Angular contact ball bearing
KOYO	7019CDF FY	d = 95	D = 145	B = 48	Angular contact ball bearing
KOYO	7019CDT FY	d = 95	D = 145	B = 48	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7019DB FY	d = 95	D = 145	B = 48	Angular contact ball bearing
KOYO	7019DF FY	d = 95	D = 145	B = 48	Angular contact ball bearing
KOYO	7019DT FY	d = 95	D = 145	B = 48	Angular contact ball bearing
FAG	7219-B-XL-MP	d = 95	D = 170	B = 32	Angular contact ball bearing
FAG	7219-B-XL-MP-P5-UL	d = 95	D = 170	B = 32	Angular contact ball bearing
FAG	7219-B-XL-MP-P6-UA	d = 95	D = 170	B = 32	Angular contact ball bearing
FAG	7219-B-XL-MP-UA	d = 95	D = 170	B = 32	Angular contact ball bearing
FAG	7219-B-XL-MP-UB	d = 95	D = 170	B = 32	Angular contact ball bearing
FAG	7219-B-XL-MP-UO	d = 95	D = 170	B = 32	Angular contact ball bearing
FAG	7219-B-XL-TVP	d = 95	D = 170	B = 32	Angular contact ball bearing
FAG	7219-B-XL-TVP-UA	d = 95	D = 170	B = 32	Angular contact ball bearing
FAG	7219-B-XL-TVP-UB	d = 95	D = 170	B = 32	Angular contact ball bearing
FAG	7219-B-XL-TVP-UO	d = 95	D = 170	B = 32	Angular contact ball bearing
FAG	B7219-C-T-P4S-UL	d = 95	D = 170	B = 32	Spindle bearing
FAG	B7219-E-T-P4S-UL	d = 95	D = 170	B = 32	Spindle bearing
FAG	HCB7219-C-T-P4S-UL	d = 95	D = 170	B = 32	Spindle bearing
KOYO	7219	d = 95	D = 170	B = 32	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7219 FY	d = 95	D = 170	B = 32	Angular contact ball bearing
KOYO	7219B	d = 95	D = 170	B = 32	Angular contact ball bearing
KOYO	7219B FY	d = 95	D = 170	B = 32	Angular contact ball bearing
KOYO	7219C	d = 95	D = 170	B = 32	Angular contact ball bearing
KOYO	7219C FY	d = 95	D = 170	B = 32	Angular contact ball bearing
SKF	7219 ACD/P4A	d = 95	D = 170	B = 32	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7219 ACDGA/P4A	d = 95	D = 170	B = 32	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7219 ACDGB/P4A	d = 95	D = 170	B = 32	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7219 BECBM	d = 95	D = 170	B = 32	Single row angular contact ball bearing
SKF	7219 BECBP	d = 95	D = 170	B = 32	Single row angular contact ball bearing
SKF	7219 BECBY	d = 95	D = 170	B = 32	Single row angular contact ball bearing
SKF	7219 BEGAM	d = 95	D = 170	B = 32	Single row angular contact ball bearing
SKF	7219 BEP	d = 95	D = 170	B = 32	Single row angular contact ball bearing
SKF	7219 CD/P4A	d = 95	D = 170	B = 32	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7219 CDGA/HCP4A	d = 95	D = 170	B = 32	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7219 CDGA/P4A	d = 95	D = 170	B = 32	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7219 CDGB/P4A	d = 95	D = 170	B = 32	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	3219	d = 95	D = 170	B = 55.6	Angular contact ball bearing
SKF	3219 A	d = 95	D = 170	B = 55.6	Double row angular contact ball bearing
KOYO	7219BDB	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219BDB FY	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219BDF	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219BDF FY	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219BDT	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219BDT FY	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219CDB	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219CDB FY	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219CDF	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219CDF FY	d = 95	D = 170	B = 64	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7219CDT	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219CDT FY	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219DB	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219DB FY	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219DF	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219DF FY	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219DT	d = 95	D = 170	B = 64	Angular contact ball bearing
KOYO	7219DT FY	d = 95	D = 170	B = 64	Angular contact ball bearing
FAG	7319-B-XL-JP	d = 95	D = 200	B = 45	Angular contact ball bearing
FAG	7319-B-XL-JP-UA	d = 95	D = 200	B = 45	Angular contact ball bearing
FAG	7319-B-XL-MP	d = 95	D = 200	B = 45	Angular contact ball bearing
FAG	7319-B-XL-MP-UA	d = 95	D = 200	B = 45	Angular contact ball bearing
FAG	7319-B-XL-MP-UB	d = 95	D = 200	B = 45	Angular contact ball bearing
FAG	7319-B-XL-MP-UO	d = 95	D = 200	B = 45	Angular contact ball bearing
FAG	7319-B-XL-TVP	d = 95	D = 200	B = 45	Angular contact ball bearing
FAG	7319-B-XL-TVP-UA	d = 95	D = 200	B = 45	Angular contact ball bearing
FAG	7319-B-XL-TVP-UB	d = 95	D = 200	B = 45	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7319-B-XL-TVP-UL	d = 95	D = 200	B = 45	Angular contact ball bearing
FAG	7319-B-XL-TVP-UO	d = 95	D = 200	B = 45	Angular contact ball bearing
KOYO	7319	d = 95	D = 200	B = 45	Angular contact ball bearing
KOYO	7319 FY	d = 95	D = 200	B = 45	Angular contact ball bearing
KOYO	7319B	d = 95	D = 200	B = 45	Angular contact ball bearing
KOYO	7319B FY	d = 95	D = 200	B = 45	Angular contact ball bearing
KOYO	7319C	d = 95	D = 200	B = 45	Angular contact ball bearing
KOYO	7319C FY	d = 95	D = 200	B = 45	Angular contact ball bearing
SKF	7319 BECBM	d = 95	D = 200	B = 45	Single row angular contact ball bearing
SKF	7319 BECBP	d = 95	D = 200	B = 45	Single row angular contact ball bearing
SKF	7319 BECBY	d = 95	D = 200	B = 45	Single row angular contact ball bearing
SKF	7319 BEGAF	d = 95	D = 200	B = 45	Single row angular contact ball bearing
SKF	7319 BEGAM	d = 95	D = 200	B = 45	Single row angular contact ball bearing
SKF	7319 BEGAP	d = 95	D = 200	B = 45	Single row angular contact ball bearing
SKF	7319 BEGAY	d = 95	D = 200	B = 45	Single row angular contact ball bearing
SKF	7319 BEGBY	d = 95	D = 200	B = 45	Single row angular contact ball bearing
SKF	7319 BEM	d = 95	D = 200	B = 45	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7319 BEP	d = 95	D = 200	B = 45	Single row angular contact ball bearing
FAG	3319-BD-XL-2Z-TVH-L140-C3	d = 95	D = 200	B = 77.8	Angular contact ball bearing
KOYO	3319	d = 95	D = 200	B = 77.8	Angular contact ball bearing
SKF	3319 A	d = 95	D = 200	B = 77.8	Double row angular contact ball bearing
KOYO	7319BDB	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319BDB FY	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319BDF	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319BDF FY	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319BDT	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319BDT FY	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319CDB	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319CDB FY	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319CDF	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319CDF FY	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319CDT	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319CDT FY	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319DB	d = 95	D = 200	B = 90	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7319DB FY	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319DF	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319DF FY	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319DT	d = 95	D = 200	B = 90	Angular contact ball bearing
KOYO	7319DT FY	d = 95	D = 200	B = 90	Angular contact ball bearing
SKF	7419 GAM	d = 95	D = 250	B = 55	Single row angular contact ball bearing
SKF	KDN.S10003AS0	d = 100	D = 106	B = 2.5	Ultra-Slim thin section angular contact ball bearing
SKF	71820 ACD/HCP4	d = 100	D = 125	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71820 ACDGA/P4	d = 100	D = 125	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71820 ACDGB/P4	d = 100	D = 125	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71820 ACDGC/P4	d = 100	D = 125	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71820 CDGA/P4	d = 100	D = 125	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71820 CDGB/P4	d = 100	D = 125	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71820 CDGC/P4	d = 100	D = 125	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	3820-BB-2RS-TVH	d = 100	D = 125	B = 19	Angular contact ball bearing
FAG	B71920-C-2RSD-T-P4S-UL	d = 100	D = 140	B = 20	Spindle bearing
FAG	B71920-C-T-P4S-UL	d = 100	D = 140	B = 20	Spindle bearing
FAG	B71920-E-2RSD-T-P4S-UL	d = 100	D = 140	B = 20	Spindle bearing
FAG	B71920-E-T-P4S-UL	d = 100	D = 140	B = 20	Spindle bearing
FAG	HC71920-E-T-P4S-UL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HC71920-EDLR-T-P4S-UL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HCB71920-C-2RSD-T-P4S-UL	d = 100	D = 140	B = 20	Spindle bearing
FAG	HCB71920-C-T-P4S-UL	d = 100	D = 140	B = 20	Spindle bearing
FAG	HCB71920-CDLR-T-P4S-UL	d = 100	D = 140	B = 20	Spindle bearing
FAG	HCB71920-E-2RSD-T-P4S-UL	d = 100	D = 140	B = 20	Spindle bearing
FAG	HCB71920-E-T-P4S-UL	d = 100	D = 140	B = 20	Spindle bearing
FAG	HCB71920-EDLR-T-P4S-UL	d = 100	D = 140	B = 20	Spindle bearing
FAG	HCM71920-C-2RSD-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HCM71920-C-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM71920-CDLR-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HCM71920-E-2RSD-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HCM71920-E-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HCM71920-EDLR-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HCS71920-E-T-P4S-UL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HS71920-C-T-P4S-UL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HS71920-E-T-P4S-UL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HSS71920-C-T-P4S-UL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	HSS71920-E-T-P4S-UL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	M71920-C-2RSD-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	M71920-C-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	M71920-E-2RSD-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	M71920-E-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	VCM71920-C-2RSD-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	VCM71920-C-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	VCM71920-CDLR-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	VCM71920-E-2RSD-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM71920-E-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
FAG	VCM71920-EDLR-T-P4S-UL-XL	d = 100	D = 140	B = 20	High speed spindle bearing
KOYO	7920C FY	d = 100	D = 140	B = 20	Angular contact ball bearing
SKF	71920 ACBGA/HCP4AL	d = 100	D = 140	B = 20	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71920 ACD/HCP4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71920 ACD/P4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71920 ACDGA/HCP4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71920 ACDGA/HCP4AL	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71920 ACDGA/P4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71920 ACDGA/P4AL	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71920 ACDGB/HCP4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71920 ACDGB/P4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71920 ACDGC/P4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71920 ACEGA/HCP4A	d = 100	D = 140	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71920 ACEGA/HCP4AL	d = 100	D = 140	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71920 ACEGA/P4A	d = 100	D = 140	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71920 CBGA/P4A	d = 100	D = 140	B = 20	Super-precision, high-speed B design, universally matchable single row angular contact ball bearing
SKF	71920 CD/P4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71920 CDGA/HCP4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71920 CDGA/P4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71920 CDGB/P4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71920 CEGA/HCP4A	d = 100	D = 140	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71920 CEGA/P4A	d = 100	D = 140	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71920 FEGA/HCP4A	d = 100	D = 140	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71920 FEGA/P4A	d = 100	D = 140	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S71920 ACDGA/HCP4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71920 ACDGA/P4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71920 ACEGA/HCP4A	d = 100	D = 140	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71920 ACEGA/P4A	d = 100	D = 140	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71920 CDGA/HCP4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71920 CDGA/P4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71920 CDGD/P4A	d = 100	D = 140	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71920 CEGA/HCP4A	d = 100	D = 140	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71920 CEGA/P4A	d = 100	D = 140	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7920CDB FY	d = 100	D = 140	B = 40	Angular contact ball bearing
KOYO	7920CDF FY	d = 100	D = 140	B = 40	Angular contact ball bearing
KOYO	7920CDT FY	d = 100	D = 140	B = 40	Angular contact ball bearing
FAG	B7020-C-2RSD-T-P4S-UL	d = 100	D = 150	B = 24	Spindle bearing
FAG	B7020-C-T-P4S-UL	d = 100	D = 150	B = 24	Spindle bearing
FAG	B7020-E-2RSD-T-P4S-UL	d = 100	D = 150	B = 24	Spindle bearing
FAG	B7020-E-T-P4S-UL	d = 100	D = 150	B = 24	Spindle bearing
FAG	HC7020-E-T-P4S-UL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HC7020-EDLR-T-P4S-UL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HCB7020-C-T-P4S-UL	d = 100	D = 150	B = 24	Spindle bearing
FAG	HCB7020-CDLR-T-P4S-UL	d = 100	D = 150	B = 24	Spindle bearing
FAG	HCB7020-E-2RSD-T-P4S-UL	d = 100	D = 150	B = 24	Spindle bearing
FAG	HCB7020-E-T-P4S-UL	d = 100	D = 150	B = 24	Spindle bearing
FAG	HCB7020-EDLR-T-P4S-UL	d = 100	D = 150	B = 24	Spindle bearing
FAG	HCM7020-C-2RSD-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM7020-C-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HCM7020-CDLR-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HCM7020-E-2RSD-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HCM7020-E-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HCM7020-EDLR-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HCS7020-E-T-P4S-UL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HS7020-C-T-P4S-UL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HS7020-E-T-P4S-UL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HSS7020-C-T-P4S-UL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	HSS7020-E-T-P4S-UL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	M7020-C-2RSD-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	M7020-C-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	M7020-E-2RSD-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	M7020-E-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	VCM7020-C-2RSD-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	VCM7020-C-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	VCM7020-CDLR-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM7020-E-2RSD-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	VCM7020-E-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
FAG	VCM7020-EDLR-T-P4S-UL-XL	d = 100	D = 150	B = 24	High speed spindle bearing
KOYO	7020 FY	d = 100	D = 150	B = 24	Angular contact ball bearing
KOYO	7020B FY	d = 100	D = 150	B = 24	Angular contact ball bearing
KOYO	7020C FY	d = 100	D = 150	B = 24	Angular contact ball bearing
SKF	7020 ACD/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7020 ACD/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7020 ACDGA/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 ACDGA/HCP4AL	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7020 ACDGA/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 ACDGA/P4AH1	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7020 ACDGA/P4AL	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7020 ACDGATP/P4B	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 ACDGB/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 ACDGB/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 ACDGC/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 ACE/HCP4AL1	d = 100	D = 150	B = 24	Super-precision, high-speed E design, single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7020 ACE/P4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7020 ACEGA/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7020 ACEGA/HCP4AH1	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7020 ACEGA/HCP4AL	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7020 ACEGA/HCP4AL1	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7020 ACEGA/P4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7020 ACEGB/P4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7020 CD/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7020 CDGA/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 CDGA/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 CDGATP/P4B	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 CDGB/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 CDGC/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7020 CE/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7020 CE/P4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7020 CEGA/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7020 CEGA/P4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7020 CEGB/P4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7020 FEGA/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7020 FEGA/P4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S7020 ACD/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7020 ACDGA/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7020 ACDGA/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7020 ACDGB/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7020 ACDGC/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7020 ACE/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-speed E design, single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7020 ACEGA/HCP4A	d = 100	D = 150	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7020 ACEGA/P4A	d = 100	D = 150	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7020 CDGA/HCP4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7020 CDGA/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7020 CDGB/P4A	d = 100	D = 150	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7020 CEGA/HCP4A	d = 100	D = 150	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7020 CEGA/P4A	d = 100	D = 150	B = 24	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7020BDB FY	d = 100	D = 150	B = 48	Angular contact ball bearing
KOYO	7020BDF FY	d = 100	D = 150	B = 48	Angular contact ball bearing
KOYO	7020BDT FY	d = 100	D = 150	B = 48	Angular contact ball bearing
KOYO	7020CDB FY	d = 100	D = 150	B = 48	Angular contact ball bearing
KOYO	7020CDF FY	d = 100	D = 150	B = 48	Angular contact ball bearing
KOYO	7020CDT FY	d = 100	D = 150	B = 48	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7020DB FY	d = 100	D = 150	B = 48	Angular contact ball bearing
KOYO	7020DF FY	d = 100	D = 150	B = 48	Angular contact ball bearing
KOYO	7020DT FY	d = 100	D = 150	B = 48	Angular contact ball bearing
FAG	7220-B-XL-JP	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-JP-UA	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-MP	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-MP-S1-UA	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-MP-UA	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-MP-UB	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-MP-UO	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-TVP	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-TVP-P5-UL	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-TVP-P5-UO	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-TVP-UA	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-TVP-UB	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-TVP-UL	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	7220-B-XL-TVP-UO	d = 100	D = 180	B = 34	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7220-C-T-P4S-UL	d = 100	D = 180	B = 34	Spindle bearing
FAG	B7220-E-T-P4S-UL	d = 100	D = 180	B = 34	Spindle bearing
FAG	HC7220-B-XL-MP-UB	d = 100	D = 180	B = 34	Angular contact ball bearing
FAG	HCB7220-C-T-P4S-UL	d = 100	D = 180	B = 34	Spindle bearing
FAG	HCB7220-E-T-P4S-UL	d = 100	D = 180	B = 34	Spindle bearing
KOYO	7220	d = 100	D = 180	B = 34	Angular contact ball bearing
KOYO	7220 FY	d = 100	D = 180	B = 34	Angular contact ball bearing
KOYO	7220B	d = 100	D = 180	B = 34	Angular contact ball bearing
KOYO	7220B FY	d = 100	D = 180	B = 34	Angular contact ball bearing
KOYO	7220C	d = 100	D = 180	B = 34	Angular contact ball bearing
KOYO	7220C FY	d = 100	D = 180	B = 34	Angular contact ball bearing
SKF	7220 ACD/HCP4A	d = 100	D = 180	B = 34	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7220 ACD/P4A	d = 100	D = 180	B = 34	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7220 ACDGA/P4A	d = 100	D = 180	B = 34	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7220 ACDGB/HCP4A	d = 100	D = 180	B = 34	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7220 ACDGB/P4A	d = 100	D = 180	B = 34	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7220 ACDGD/P4A	d = 100	D = 180	B = 34	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7220 BECBM	d = 100	D = 180	B = 34	Single row angular contact ball bearing
SKF	7220 BECBP	d = 100	D = 180	B = 34	Single row angular contact ball bearing
SKF	7220 BECBY	d = 100	D = 180	B = 34	Single row angular contact ball bearing
SKF	7220 BECCM	d = 100	D = 180	B = 34	Single row angular contact ball bearing
SKF	7220 BEGAM	d = 100	D = 180	B = 34	Single row angular contact ball bearing
SKF	7220 BEGAY	d = 100	D = 180	B = 34	Single row angular contact ball bearing
SKF	7220 BEP	d = 100	D = 180	B = 34	Single row angular contact ball bearing
SKF	7220 CD/P4A	d = 100	D = 180	B = 34	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7220 CDGA/HCP4A	d = 100	D = 180	B = 34	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7220 CDGA/P4A	d = 100	D = 180	B = 34	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7220 CDGB/P4A	d = 100	D = 180	B = 34	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	3220-BB-2RSR-TVH	d = 100	D = 180	B = 60.3	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	3220	d = 100	D = 180	B = 60.3	Angular contact ball bearing
SKF	3220 A	d = 100	D = 180	B = 60.3	Double row angular contact ball bearing
KOYO	7220BDB	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220BDB FY	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220BDF	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220BDF FY	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220BDT	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220BDT FY	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220CDB	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220CDB FY	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220CDF	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220CDF FY	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220CDT	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220CDT FY	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220DB	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220DB FY	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220DF	d = 100	D = 180	B = 68	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7220DF FY	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220DT	d = 100	D = 180	B = 68	Angular contact ball bearing
KOYO	7220DT FY	d = 100	D = 180	B = 68	Angular contact ball bearing
FAG	7320-B-XL-JP	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-JP-UA	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-JP-UL	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-JP-UO	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-MP	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-MP-P5-UO	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-MP-UA	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-MP-UB	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-MP-UL	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-MP-UO	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-TVP	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-TVP-L055-UM	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-TVP-UA	d = 100	D = 215	B = 47	Angular contact ball bearing
FAG	7320-B-XL-TVP-UB	d = 100	D = 215	B = 47	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7320-B-XL-TVP-UO	d = 100	D = 215	B = 47	Angular contact ball bearing
KOYO	7320	d = 100	D = 215	B = 47	Angular contact ball bearing
KOYO	7320 FY	d = 100	D = 215	B = 47	Angular contact ball bearing
KOYO	7320B	d = 100	D = 215	B = 47	Angular contact ball bearing
KOYO	7320B FY	d = 100	D = 215	B = 47	Angular contact ball bearing
KOYO	7320C	d = 100	D = 215	B = 47	Angular contact ball bearing
KOYO	7320C FY	d = 100	D = 215	B = 47	Angular contact ball bearing
SKF	7320 BECBM	d = 100	D = 215	B = 47	Single row angular contact ball bearing
SKF	7320 BECBP	d = 100	D = 215	B = 47	Single row angular contact ball bearing
SKF	7320 BECBY	d = 100	D = 215	B = 47	Single row angular contact ball bearing
SKF	7320 BECCM	d = 100	D = 215	B = 47	Single row angular contact ball bearing
SKF	7320 BEGAF	d = 100	D = 215	B = 47	Single row angular contact ball bearing
SKF	7320 BEGAM	d = 100	D = 215	B = 47	Single row angular contact ball bearing
SKF	7320 BEGAP	d = 100	D = 215	B = 47	Single row angular contact ball bearing
SKF	7320 BEM	d = 100	D = 215	B = 47	Single row angular contact ball bearing
SKF	7320 BEP	d = 100	D = 215	B = 47	Single row angular contact ball bearing
FAG	3320-DA-MA	d = 100	D = 215	B = 82.6	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	3320	d = 100	D = 215	B = 82.6	Angular contact ball bearing
SKF	3320 A	d = 100	D = 215	B = 82.6	Double row angular contact ball bearing
KOYO	7320BDB	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320BDB FY	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320BDF	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320BDF FY	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320BDT	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320BDT FY	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320CDB	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320CDB FY	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320CDF	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320CDF FY	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320CDT	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320CDT FY	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320DB	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320DB FY	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320DF	d = 100	D = 215	B = 94	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7320DF FY	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320DT	d = 100	D = 215	B = 94	Angular contact ball bearing
KOYO	7320DT FY	d = 100	D = 215	B = 94	Angular contact ball bearing
SKF	7420 CBM	d = 100	D = 265	B = 60	Single row angular contact ball bearing
FAG	71821-B-XL-TVP	d = 105	D = 130	B = 13	Angular contact ball bearing
SKF	71821 ACD/P4	d = 105	D = 130	B = 13	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71821 ACDGA/P4	d = 105	D = 130	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71821 ACDGC/P4	d = 105	D = 130	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71821 CDGA/P4	d = 105	D = 130	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71821 CDGB/P4	d = 105	D = 130	B = 13	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71921-C-2RSD-T-P4S-UL	d = 105	D = 145	B = 20	Spindle bearing
FAG	B71921-C-T-P4S-UL	d = 105	D = 145	B = 20	Spindle bearing
FAG	B71921-E-2RSD-T-P4S-UL	d = 105	D = 145	B = 20	Spindle bearing
FAG	B71921-E-T-P4S-UL	d = 105	D = 145	B = 20	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HC71921-E-T-P4S-UL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HC71921-EDLR-T-P4S-UL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HCB71921-C-2RSD-T-P4S-UL	d = 105	D = 145	B = 20	Spindle bearing
FAG	HCB71921-C-T-P4S-UL	d = 105	D = 145	B = 20	Spindle bearing
FAG	HCB71921-CDLR-T-P4S-UL	d = 105	D = 145	B = 20	Spindle bearing
FAG	HCB71921-E-2RSD-T-P4S-UL	d = 105	D = 145	B = 20	Spindle bearing
FAG	HCB71921-E-T-P4S-UL	d = 105	D = 145	B = 20	Spindle bearing
FAG	HCB71921-EDLR-T-P4S-UL	d = 105	D = 145	B = 20	Spindle bearing
FAG	HCM71921-C-2RSD-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HCM71921-C-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HCM71921-CDLR-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HCM71921-E-2RSD-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HCM71921-E-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HCM71921-EDLR-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HCS71921-E-T-P4S-UL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HS71921-C-T-P4S-UL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HS71921-E-T-P4S-UL	d = 105	D = 145	B = 20	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HSS71921-C-T-P4S-UL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	HSS71921-E-T-P4S-UL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	M71921-C-2RSD-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	M71921-C-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	M71921-E-2RSD-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	M71921-E-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	VCM71921-C-2RSD-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	VCM71921-C-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	VCM71921-CDLR-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	VCM71921-E-2RSD-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	VCM71921-E-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
FAG	VCM71921-EDLR-T-P4S-UL-XL	d = 105	D = 145	B = 20	High speed spindle bearing
KOYO	7921C FY	d = 105	D = 145	B = 20	Angular contact ball bearing
SKF	71921 ACDGA/P4A	d = 105	D = 145	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71921 ACDGB/P4A	d = 105	D = 145	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71921 CDGA/P4A	d = 105	D = 145	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7921CDB FY	d = 105	D = 145	B = 40	Angular contact ball bearing
KOYO	7921CDF FY	d = 105	D = 145	B = 40	Angular contact ball bearing
KOYO	7921CDT FY	d = 105	D = 145	B = 40	Angular contact ball bearing
FAG	B7021-C-2RSD-T-P4S-UL	d = 105	D = 160	B = 26	Spindle bearing
FAG	B7021-C-T-P4S-UL	d = 105	D = 160	B = 26	Spindle bearing
FAG	B7021-E-2RSD-T-P4S-UL	d = 105	D = 160	B = 26	Spindle bearing
FAG	B7021-E-T-P4S-UL	d = 105	D = 160	B = 26	Spindle bearing
FAG	HC7021-E-T-P4S-UL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HC7021-EDLR-T-P4S-UL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HCB7021-C-2RSD-T-P4S-UL	d = 105	D = 160	B = 26	Spindle bearing
FAG	HCB7021-CDLR-T-P4S-UL	d = 105	D = 160	B = 26	Spindle bearing
FAG	HCB7021-E-2RSD-T-P4S-UL	d = 105	D = 160	B = 26	Spindle bearing
FAG	HCB7021-E-T-P4S-UL	d = 105	D = 160	B = 26	Spindle bearing
FAG	HCB7021-EDLR-T-P4S-UL	d = 105	D = 160	B = 26	Spindle bearing
FAG	HCM7021-C-2RSD-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM7021-C-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HCM7021-CDLR-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HCM7021-E-2RSD-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HCM7021-E-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HCM7021-EDLR-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HCS7021-E-T-P4S-UL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HS7021-C-T-P4S-UL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HS7021-E-T-P4S-UL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HSS7021-C-T-P4S-UL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	HSS7021-E-T-P4S-UL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	M7021-C-2RSD-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	M7021-C-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	M7021-E-2RSD-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	M7021-E-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	VCM7021-C-2RSD-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	VCM7021-C-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	VCM7021-CDLR-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM7021-E-2RSD-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	VCM7021-E-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
FAG	VCM7021-EDLR-T-P4S-UL-XL	d = 105	D = 160	B = 26	High speed spindle bearing
KOYO	7021 FY	d = 105	D = 160	B = 26	Angular contact ball bearing
KOYO	7021B FY	d = 105	D = 160	B = 26	Angular contact ball bearing
KOYO	7021C FY	d = 105	D = 160	B = 26	Angular contact ball bearing
SKF	7021 ACDGA/HCP4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7021 ACDGA/P4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7021 ACDGB/P4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7021 ACDGC/P4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7021 CD/P4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7021 CDGA/HCP4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7021 CDGA/P4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7021 CDGB/P4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7021 ACDGA/HCP4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7021 ACDGA/P4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7021 ACDGB/P4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7021 CD/HCP4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7021 CDGA/P4A	d = 105	D = 160	B = 26	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
KOYO	7021BDB FY	d = 105	D = 160	B = 52	Angular contact ball bearing
KOYO	7021BDF FY	d = 105	D = 160	B = 52	Angular contact ball bearing
KOYO	7021BDT FY	d = 105	D = 160	B = 52	Angular contact ball bearing
KOYO	7021CDB FY	d = 105	D = 160	B = 52	Angular contact ball bearing
KOYO	7021CDF FY	d = 105	D = 160	B = 52	Angular contact ball bearing
KOYO	7021CDT FY	d = 105	D = 160	B = 52	Angular contact ball bearing
KOYO	7021DB FY	d = 105	D = 160	B = 52	Angular contact ball bearing
KOYO	7021DF FY	d = 105	D = 160	B = 52	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7021DT FY	d = 105	D = 160	B = 52	Angular contact ball bearing
FAG	7221-B-XL-MP	d = 105	D = 190	B = 36	Angular contact ball bearing
FAG	7221-B-XL-MP-UA	d = 105	D = 190	B = 36	Angular contact ball bearing
FAG	7221-B-XL-MP-UO	d = 105	D = 190	B = 36	Angular contact ball bearing
FAG	B7221-C-T-P4S-UL	d = 105	D = 190	B = 36	Spindle bearing
FAG	B7221-E-T-P4S-UL	d = 105	D = 190	B = 36	Spindle bearing
FAG	HCB7221-C-T-P4S-UL	d = 105	D = 190	B = 36	Spindle bearing
FAG	HCB7221-E-T-P4S-UL	d = 105	D = 190	B = 36	Spindle bearing
KOYO	7221 FY	d = 105	D = 190	B = 36	Angular contact ball bearing
KOYO	7221B FY	d = 105	D = 190	B = 36	Angular contact ball bearing
KOYO	7221C FY	d = 105	D = 190	B = 36	Angular contact ball bearing
SKF	7221 ACD/P4A	d = 105	D = 190	B = 36	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7221 ACDGA/P4A	d = 105	D = 190	B = 36	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7221 ACDGB/P4A	d = 105	D = 190	B = 36	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7221 BECBM	d = 105	D = 190	B = 36	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7221 BECBP	d = 105	D = 190	B = 36	Single row angular contact ball bearing
SKF	7221 BEP	d = 105	D = 190	B = 36	Single row angular contact ball bearing
SKF	7221 CDGA/P4A	d = 105	D = 190	B = 36	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7221 CDGB/P4A	d = 105	D = 190	B = 36	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	3221	d = 105	D = 190	B = 65.1	Angular contact ball bearing
KOYO	7221BDB FY	d = 105	D = 190	B = 72	Angular contact ball bearing
KOYO	7221BDF FY	d = 105	D = 190	B = 72	Angular contact ball bearing
KOYO	7221BDT FY	d = 105	D = 190	B = 72	Angular contact ball bearing
KOYO	7221CDB FY	d = 105	D = 190	B = 72	Angular contact ball bearing
KOYO	7221CDF FY	d = 105	D = 190	B = 72	Angular contact ball bearing
KOYO	7221CDT FY	d = 105	D = 190	B = 72	Angular contact ball bearing
KOYO	7221DB FY	d = 105	D = 190	B = 72	Angular contact ball bearing
KOYO	7221DF FY	d = 105	D = 190	B = 72	Angular contact ball bearing
KOYO	7221DT FY	d = 105	D = 190	B = 72	Angular contact ball bearing
FAG	7321-B-XL-MP	d = 105	D = 225	B = 49	Angular contact ball bearing
FAG	7321-B-XL-MP-UA	d = 105	D = 225	B = 49	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7321-B-XL-MP-UO	d = 105	D = 225	B = 49	Angular contact ball bearing
KOYO	7321 FY	d = 105	D = 225	B = 49	Angular contact ball bearing
KOYO	7321B FY	d = 105	D = 225	B = 49	Angular contact ball bearing
KOYO	7321C FY	d = 105	D = 225	B = 49	Angular contact ball bearing
SKF	7321 BECBM	d = 105	D = 225	B = 49	Single row angular contact ball bearing
SKF	7321 BECBP	d = 105	D = 225	B = 49	Single row angular contact ball bearing
SKF	7321 BEGAM	d = 105	D = 225	B = 49	Single row angular contact ball bearing
SKF	7321 BEP	d = 105	D = 225	B = 49	Single row angular contact ball bearing
KOYO	3321	d = 105	D = 225	B = 87.3	Angular contact ball bearing
KOYO	7321BDB FY	d = 105	D = 225	B = 98	Angular contact ball bearing
KOYO	7321BDF FY	d = 105	D = 225	B = 98	Angular contact ball bearing
KOYO	7321BDT FY	d = 105	D = 225	B = 98	Angular contact ball bearing
KOYO	7321CDB FY	d = 105	D = 225	B = 98	Angular contact ball bearing
KOYO	7321CDF FY	d = 105	D = 225	B = 98	Angular contact ball bearing
KOYO	7321CDT FY	d = 105	D = 225	B = 98	Angular contact ball bearing
KOYO	7321DB FY	d = 105	D = 225	B = 98	Angular contact ball bearing
KOYO	7321DF FY	d = 105	D = 225	B = 98	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7321DT FY	d = 105	D = 225	B = 98	Angular contact ball bearing
SKF	KDN.S11003AS0	d = 110	D = 116	B = 2.5	Ultra-Slim thin section angular contact ball bearing
SKF	71822 ACD/P4	d = 110	D = 140	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71822 ACDGA/P4	d = 110	D = 140	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71822 ACDGB/P4	d = 110	D = 140	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71822 CD/P4	d = 110	D = 140	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71822 CDGA/HCP4	d = 110	D = 140	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71822 CDGA/P4	d = 110	D = 140	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71822 CDGB/P4	d = 110	D = 140	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71922-C-2RSD-T-P4S-UL	d = 110	D = 150	B = 20	Spindle bearing
FAG	B71922-C-T-P4S-UL	d = 110	D = 150	B = 20	Spindle bearing
FAG	B71922-E-2RSD-T-P4S-UL	d = 110	D = 150	B = 20	Spindle bearing
FAG	B71922-E-T-P4S-UL	d = 110	D = 150	B = 20	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HC71922-E-T-P4S-UL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HCB71922-C-2RSD-T-P4S-UL	d = 110	D = 150	B = 20	Spindle bearing
FAG	HCB71922-C-T-P4S-UL	d = 110	D = 150	B = 20	Spindle bearing
FAG	HCB71922-CDLR-T-P4S-UL	d = 110	D = 150	B = 20	Spindle bearing
FAG	HCB71922-E-2RSD-T-P4S-UL	d = 110	D = 150	B = 20	Spindle bearing
FAG	HCB71922-E-T-P4S-UL	d = 110	D = 150	B = 20	Spindle bearing
FAG	HCM71922-C-2RSD-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HCM71922-C-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HCM71922-CDLR-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HCM71922-E-2RSD-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HCM71922-E-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HCM71922-EDLR-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HCS71922-E-T-P4S-UL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HS71922-C-T-P4S-UL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HS71922-E-T-P4S-UL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HSS71922-C-T-P4S-UL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	HSS71922-E-T-P4S-UL	d = 110	D = 150	B = 20	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	M71922-C-2RSD-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	M71922-C-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	M71922-E-2RSD-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	M71922-E-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	VCM71922-C-2RSD-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	VCM71922-C-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	VCM71922-CDLR-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	VCM71922-E-2RSD-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	VCM71922-E-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
FAG	VCM71922-EDLR-T-P4S-UL-XL	d = 110	D = 150	B = 20	High speed spindle bearing
KOYO	7922C FY	d = 110	D = 150	B = 20	Angular contact ball bearing
SKF	71922 ACD/P4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71922 ACDGA/HCP4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71922 ACDGA/HCP4AL	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71922 ACDGA/P4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71922 ACDGB/P4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71922 ACDGC/P4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71922 ACEGA/HCP4A	d = 110	D = 150	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71922 ACEGA/HCP4AL	d = 110	D = 150	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71922 ACEGA/P4A	d = 110	D = 150	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71922 ACEGC/P4A	d = 110	D = 150	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71922 CD/P4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71922 CDGA/HCP4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71922 CDGA/P4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71922 CDGB/P4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71922 CE/HCP4A	d = 110	D = 150	B = 20	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71922 CEGA/HCP4A	d = 110	D = 150	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71922 CEGA/P4A	d = 110	D = 150	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71922 FEGA/P4A	d = 110	D = 150	B = 20	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S71922 ACDGA/HCP4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71922 ACDGA/P4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71922 ACDGC/P4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71922 ACEGA/HCP4A	d = 110	D = 150	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71922 ACEGA/P4A	d = 110	D = 150	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71922 CDGA/HCP4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71922 CDGA/P4A	d = 110	D = 150	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71922 CEGA/HCP4A	d = 110	D = 150	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S71922 CEGA/P4A	d = 110	D = 150	B = 20	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7922CDB FY	d = 110	D = 150	B = 40	Angular contact ball bearing
KOYO	7922CDF FY	d = 110	D = 150	B = 40	Angular contact ball bearing
KOYO	7922CDT FY	d = 110	D = 150	B = 40	Angular contact ball bearing
FAG	B7022-C-2RSD-T-P4S-UL	d = 110	D = 170	B = 28	Spindle bearing
FAG	B7022-C-T-P4S-UL	d = 110	D = 170	B = 28	Spindle bearing
FAG	B7022-E-2RSD-T-P4S-UL	d = 110	D = 170	B = 28	Spindle bearing
FAG	B7022-E-T-P4S-UL	d = 110	D = 170	B = 28	Spindle bearing
FAG	HC7022-E-T-P4S-UL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HC7022-EDLR-T-P4S-UL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HCB7022-C-2RSD-T-P4S-UL	d = 110	D = 170	B = 28	Spindle bearing
FAG	HCB7022-C-T-P4S-UL	d = 110	D = 170	B = 28	Spindle bearing
FAG	HCB7022-CDLR-T-P4S-UL	d = 110	D = 170	B = 28	Spindle bearing
FAG	HCB7022-E-2RSD-T-P4S-UL	d = 110	D = 170	B = 28	Spindle bearing
FAG	HCB7022-E-T-P4S-UL	d = 110	D = 170	B = 28	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM7022-C-2RSD-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HCM7022-C-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HCM7022-CDLR-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HCM7022-E-2RSD-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HCM7022-E-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HCM7022-EDLR-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HCS7022-E-T-P4S-UL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HS7022-C-T-P4S-UL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HS7022-E-T-P4S-UL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HSS7022-C-T-P4S-UL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	HSS7022-E-T-P4S-UL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	M7022-C-2RSD-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	M7022-C-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	M7022-E-2RSD-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	M7022-E-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	VCM7022-C-2RSD-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	VCM7022-C-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	VCM7022-CDLR-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	VCM7022-E-2RSD-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	VCM7022-E-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
FAG	VCM7022-EDLR-T-P4S-UL-XL	d = 110	D = 170	B = 28	High speed spindle bearing
KOYO	7022 FY	d = 110	D = 170	B = 28	Angular contact ball bearing
KOYO	7022B FY	d = 110	D = 170	B = 28	Angular contact ball bearing
KOYO	7022C FY	d = 110	D = 170	B = 28	Angular contact ball bearing
SKF	7022 ACD/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7022 ACDGA/HCP4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7022 ACDGA/HCP4AL	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7022 ACDGA/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7022 ACDGB/HCP4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7022 ACDGB/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7022 ACDGC/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7022 ACE/HCP4A	d = 110	D = 170	B = 28	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7022 ACEGA/HCP4A	d = 110	D = 170	B = 28	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7022 ACEGA/HCP4AH1	d = 110	D = 170	B = 28	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7022 ACEGA/HCP4AL	d = 110	D = 170	B = 28	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7022 ACEGA/P4A	d = 110	D = 170	B = 28	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7022 CD/HCP4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7022 CD/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7022 CDGA/HCP4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7022 CDGA/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7022 CDGB/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7022 CDGC/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7022 CE/P4A	d = 110	D = 170	B = 28	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7022 CEGA/HCP4A	d = 110	D = 170	B = 28	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7022 CEGA/P4A	d = 110	D = 170	B = 28	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7022 FE/P4A	d = 110	D = 170	B = 28	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	S7022 ACD/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7022 ACDGA/HCP4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7022 ACDGA/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7022 ACDGB/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7022 ACDGC/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7022 ACE/P4A	d = 110	D = 170	B = 28	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7022 ACEGA/HCP4A	d = 110	D = 170	B = 28	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7022 ACEGA/P4A	d = 110	D = 170	B = 28	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7022 CD/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7022 CDGA/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7022 CDGB/P4A	d = 110	D = 170	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7022 CE/P4A	d = 110	D = 170	B = 28	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7022 CEGA/HCP4A	d = 110	D = 170	B = 28	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
KOYO	7022BDB FY	d = 110	D = 170	B = 56	Angular contact ball bearing
KOYO	7022BDF FY	d = 110	D = 170	B = 56	Angular contact ball bearing
KOYO	7022BDT FY	d = 110	D = 170	B = 56	Angular contact ball bearing
KOYO	7022CDB FY	d = 110	D = 170	B = 56	Angular contact ball bearing
KOYO	7022CDF FY	d = 110	D = 170	B = 56	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7022CDT FY	d = 110	D = 170	B = 56	Angular contact ball bearing
KOYO	7022DB FY	d = 110	D = 170	B = 56	Angular contact ball bearing
KOYO	7022DF FY	d = 110	D = 170	B = 56	Angular contact ball bearing
KOYO	7022DT FY	d = 110	D = 170	B = 56	Angular contact ball bearing
FAG	7222-B-XL-FP-UO	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-JP	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-JP-UA	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-MP	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-MP-S1-UA	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-MP-UA	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-MP-UB	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-MP-UO	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-TVP	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-TVP-UA	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-TVP-UB	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	7222-B-XL-TVP-UO	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	B7222-C-T-P4S-UL	d = 110	D = 200	B = 38	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7222-E-T-P4S-UL	d = 110	D = 200	B = 38	Spindle bearing
FAG	HC7222-B-XL-MP-UB	d = 110	D = 200	B = 38	Angular contact ball bearing
FAG	HCB7222-C-T-P4S-UL	d = 110	D = 200	B = 38	Spindle bearing
FAG	HCB7222-E-T-P4S-UL	d = 110	D = 200	B = 38	Spindle bearing
KOYO	7222 FY	d = 110	D = 200	B = 38	Angular contact ball bearing
KOYO	7222B FY	d = 110	D = 200	B = 38	Angular contact ball bearing
KOYO	7222C FY	d = 110	D = 200	B = 38	Angular contact ball bearing
SKF	7222 ACD/P4A	d = 110	D = 200	B = 38	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7222 ACDGA/HCP4A	d = 110	D = 200	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7222 ACDGA/P4A	d = 110	D = 200	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7222 ACDGB/P4A	d = 110	D = 200	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7222 ACDGC/P4A	d = 110	D = 200	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7222 BECBM	d = 110	D = 200	B = 38	Single row angular contact ball bearing
SKF	7222 BECBP	d = 110	D = 200	B = 38	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7222 BECBY	d = 110	D = 200	B = 38	Single row angular contact ball bearing
SKF	7222 BECCM	d = 110	D = 200	B = 38	Single row angular contact ball bearing
SKF	7222 BEGAF	d = 110	D = 200	B = 38	Single row angular contact ball bearing
SKF	7222 BEP	d = 110	D = 200	B = 38	Single row angular contact ball bearing
SKF	7222 CD/P4A	d = 110	D = 200	B = 38	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7222 CDGA/P4A	d = 110	D = 200	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7222 CDGB/P4A	d = 110	D = 200	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	3222	d = 110	D = 200	B = 69.8	Angular contact ball bearing
SKF	3222 A	d = 110	D = 200	B = 69.8	Double row angular contact ball bearing
KOYO	7222BDB FY	d = 110	D = 200	B = 76	Angular contact ball bearing
KOYO	7222BDF FY	d = 110	D = 200	B = 76	Angular contact ball bearing
KOYO	7222BDT FY	d = 110	D = 200	B = 76	Angular contact ball bearing
KOYO	7222CDB FY	d = 110	D = 200	B = 76	Angular contact ball bearing
KOYO	7222CDF FY	d = 110	D = 200	B = 76	Angular contact ball bearing
KOYO	7222CDT FY	d = 110	D = 200	B = 76	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7222DB FY	d = 110	D = 200	B = 76	Angular contact ball bearing
KOYO	7222DF FY	d = 110	D = 200	B = 76	Angular contact ball bearing
KOYO	7222DT FY	d = 110	D = 200	B = 76	Angular contact ball bearing
FAG	7322-B-XL-JP	d = 110	D = 240	B = 50	Angular contact ball bearing
FAG	7322-B-XL-JP-UA	d = 110	D = 240	B = 50	Angular contact ball bearing
FAG	7322-B-XL-MP	d = 110	D = 240	B = 50	Angular contact ball bearing
FAG	7322-B-XL-MP-UA	d = 110	D = 240	B = 50	Angular contact ball bearing
FAG	7322-B-XL-MP-UB	d = 110	D = 240	B = 50	Angular contact ball bearing
FAG	7322-B-XL-MP-UO	d = 110	D = 240	B = 50	Angular contact ball bearing
FAG	7322-B-XL-TVP	d = 110	D = 240	B = 50	Angular contact ball bearing
FAG	7322-B-XL-TVP-P5-UL	d = 110	D = 240	B = 50	Angular contact ball bearing
FAG	7322-B-XL-TVP-UA	d = 110	D = 240	B = 50	Angular contact ball bearing
FAG	7322-B-XL-TVP-UB	d = 110	D = 240	B = 50	Angular contact ball bearing
FAG	7322-B-XL-TVP-UO	d = 110	D = 240	B = 50	Angular contact ball bearing
KOYO	7322 FY	d = 110	D = 240	B = 50	Angular contact ball bearing
KOYO	7322B FY	d = 110	D = 240	B = 50	Angular contact ball bearing
KOYO	7322C FY	d = 110	D = 240	B = 50	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
NTN	7322	d = 110	D = 240	B = 50	Angular contact ball bearing
NTN	7322B	d = 110	D = 240	B = 50	Angular contact ball bearing
SKF	7322 BECBM	d = 110	D = 240	B = 50	Single row angular contact ball bearing
SKF	7322 BECBP	d = 110	D = 240	B = 50	Single row angular contact ball bearing
SKF	7322 BECBY	d = 110	D = 240	B = 50	Single row angular contact ball bearing
SKF	7322 BECCM	d = 110	D = 240	B = 50	Single row angular contact ball bearing
SKF	7322 BEGAM	d = 110	D = 240	B = 50	Single row angular contact ball bearing
SKF	7322 BEGBM	d = 110	D = 240	B = 50	Single row angular contact ball bearing
SKF	7322 BEM	d = 110	D = 240	B = 50	Single row angular contact ball bearing
SKF	7322 BEP	d = 110	D = 240	B = 50	Single row angular contact ball bearing
KOYO	3322	d = 110	D = 240	B = 92.1	Angular contact ball bearing
SKF	3322 A	d = 110	D = 240	B = 92.1	Double row angular contact ball bearing
KOYO	7322BDB FY	d = 110	D = 240	B = 100	Angular contact ball bearing
KOYO	7322BDF FY	d = 110	D = 240	B = 100	Angular contact ball bearing
KOYO	7322BDT FY	d = 110	D = 240	B = 100	Angular contact ball bearing
KOYO	7322CDB FY	d = 110	D = 240	B = 100	Angular contact ball bearing
KOYO	7322CDF FY	d = 110	D = 240	B = 100	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7322CDT FY	d = 110	D = 240	B = 100	Angular contact ball bearing
KOYO	7322DB FY	d = 110	D = 240	B = 100	Angular contact ball bearing
KOYO	7322DF FY	d = 110	D = 240	B = 100	Angular contact ball bearing
KOYO	7322DT FY	d = 110	D = 240	B = 100	Angular contact ball bearing
SKF	KDN.S12003AS0	d = 120	D = 126	B = 2.5	Ultra-Slim thin section angular contact ball bearing
SKF	71824 ACD/P4	d = 120	D = 150	B = 16	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71824 ACDGA/HCP4	d = 120	D = 150	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71824 ACDGA/P4	d = 120	D = 150	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71824 ACDGB/P4	d = 120	D = 150	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71824 ACDGC/P4	d = 120	D = 150	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71824 CDGA/P4	d = 120	D = 150	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71824 CDGB/P4	d = 120	D = 150	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71824 CDGC/P4	d = 120	D = 150	B = 16	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B71924-C-2RSD-T-P4S-UL	d = 120	D = 165	B = 22	Spindle bearing
FAG	B71924-C-T-P4S-UL	d = 120	D = 165	B = 22	Spindle bearing
FAG	B71924-E-2RSD-T-P4S-UL	d = 120	D = 165	B = 22	Spindle bearing
FAG	B71924-E-T-P4S-UL	d = 120	D = 165	B = 22	Spindle bearing
FAG	HC71924-E-T-P4S-UL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	HCB71924-C-2RSD-T-P4S-UL	d = 120	D = 165	B = 22	Spindle bearing
FAG	HCB71924-C-T-P4S-UL	d = 120	D = 165	B = 22	Spindle bearing
FAG	HCB71924-E-2RSD-T-P4S-UL	d = 120	D = 165	B = 22	Spindle bearing
FAG	HCB71924-E-T-P4S-UL	d = 120	D = 165	B = 22	Spindle bearing
FAG	HCM71924-C-2RSD-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	HCM71924-C-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	HCM71924-E-2RSD-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	HCM71924-E-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	HCS71924-E-T-P4S-UL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	HS71924-C-T-P4S-UL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	HS71924-E-T-P4S-UL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	HSS71924-C-T-P4S-UL	d = 120	D = 165	B = 22	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HSS71924-E-T-P4S-UL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	M71924-C-2RSD-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	M71924-C-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	M71924-E-2RSD-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	M71924-E-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	VCM71924-C-2RSD-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	VCM71924-C-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	VCM71924-E-2RSD-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
FAG	VCM71924-E-T-P4S-UL-XL	d = 120	D = 165	B = 22	High speed spindle bearing
KOYO	7924C FY	d = 120	D = 165	B = 22	Angular contact ball bearing
SKF	71924 ACD/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71924 ACDGA/HCP4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71924 ACDGA/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71924 ACDGB/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71924 ACE/P4A	d = 120	D = 165	B = 22	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71924 ACEGA/HCP4A	d = 120	D = 165	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71924 ACEGA/P4A	d = 120	D = 165	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	71924 CD/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71924 CDGA/HCP4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71924 CDGA/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71924 CDGB/HCP4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71924 CDGB/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71924 CDGC/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71924 CE/P4A	d = 120	D = 165	B = 22	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	71924 CEGA/P4A	d = 120	D = 165	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71924 CEGB/P4A	d = 120	D = 165	B = 22	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S71924 ACD/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71924 ACDGA/HCP4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71924 ACDGA/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71924 ACE/P4A	d = 120	D = 165	B = 22	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S71924 CD/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71924 CDGA/HCP4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71924 CDGA/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71924 CDGC/P4A	d = 120	D = 165	B = 22	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71924 CE/P4A	d = 120	D = 165	B = 22	Super-precision, high-speed E design, single row angular contact ball bearing with seals
KOYO	7924CDB FY	d = 120	D = 165	B = 44	Angular contact ball bearing
KOYO	7924CDF FY	d = 120	D = 165	B = 44	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7924CDT FY	d = 120	D = 165	B = 44	Angular contact ball bearing
FAG	7024-XL-MP	d = 120	D = 180	B = 28	Angular contact ball bearing
FAG	7024-XL-MP-UA	d = 120	D = 180	B = 28	Angular contact ball bearing
FAG	7024-XL-MPA-UA	d = 120	D = 180	B = 28	Angular contact ball bearing
FAG	B7024-C-2RSD-T-P4S-UL	d = 120	D = 180	B = 28	Spindle bearing
FAG	B7024-C-T-P4S-UL	d = 120	D = 180	B = 28	Spindle bearing
FAG	B7024-E-2RSD-T-P4S-UL	d = 120	D = 180	B = 28	Spindle bearing
FAG	B7024-E-T-P4S-UL	d = 120	D = 180	B = 28	Spindle bearing
FAG	HC7024-E-T-P4S-UL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	HCB7024-C-2RSD-T-P4S-UL	d = 120	D = 180	B = 28	Spindle bearing
FAG	HCB7024-C-T-P4S-UL	d = 120	D = 180	B = 28	Spindle bearing
FAG	HCB7024-E-2RSD-T-P4S-UL	d = 120	D = 180	B = 28	Spindle bearing
FAG	HCB7024-E-T-P4S-UL	d = 120	D = 180	B = 28	Spindle bearing
FAG	HCM7024-C-2RSD-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	HCM7024-C-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	HCM7024-E-2RSD-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	HCM7024-E-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCS7024-E-T-P4S-UL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	HS7024-C-T-P4S-UL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	HS7024-E-T-P4S-UL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	HSS7024-C-T-P4S-UL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	HSS7024-E-T-P4S-UL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	M7024-C-2RSD-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	M7024-C-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	M7024-E-2RSD-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	M7024-E-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	VCM7024-C-2RSD-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	VCM7024-C-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	VCM7024-E-2RSD-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
FAG	VCM7024-E-T-P4S-UL-XL	d = 120	D = 180	B = 28	High speed spindle bearing
KOYO	7024 FY	d = 120	D = 180	B = 28	Angular contact ball bearing
KOYO	7024B FY	d = 120	D = 180	B = 28	Angular contact ball bearing
KOYO	7024C FY	d = 120	D = 180	B = 28	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7024 ACD/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7024 ACD/P4AL	d = 120	D = 180	B = 28	Super-precision, high-capacity, single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	7024 ACDGA/HCP4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7024 ACDGA/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7024 ACDGB/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7024 ACDGC/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7024 ACE/P4A	d = 120	D = 180	B = 28	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7024 ACEGA/P4A	d = 120	D = 180	B = 28	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7024 BGM	d = 120	D = 180	B = 28	Single row angular contact ball bearing
SKF	7024 CD/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7024 CDGA/HCP4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7024 CDGA/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7024 CDGB/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7024 CDGC/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7024 CDGD/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7024 CE/P4A	d = 120	D = 180	B = 28	Super-precision, high-speed E design, single row angular contact ball bearing
SKF	7024 CEGA/HCP4A	d = 120	D = 180	B = 28	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	7024 CEGA/P4A	d = 120	D = 180	B = 28	Super-precision, high-speed E design, universally matchable single row angular contact ball bearing
SKF	S7024 ACD/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7024 ACDGA/HCP4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7024 ACDGA/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7024 ACDGB/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7024 ACDGC/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7024 ACE/P4A	d = 120	D = 180	B = 28	Super-precision, high-speed E design, single row angular contact ball bearing with seals
SKF	S7024 ACEGA/P4A	d = 120	D = 180	B = 28	Super-precision, high speed, E design, universally matchable single row angular contact ball bearing with seals
SKF	S7024 CDGA/P4A	d = 120	D = 180	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S7024 CE/P4A	d = 120	D = 180	B = 28	Super-precision, high-speed E design, single row angular contact ball bearing with seals
KOYO	7024BDB FY	d = 120	D = 180	B = 56	Angular contact ball bearing
KOYO	7024BDF FY	d = 120	D = 180	B = 56	Angular contact ball bearing
KOYO	7024BDT FY	d = 120	D = 180	B = 56	Angular contact ball bearing
KOYO	7024CDB FY	d = 120	D = 180	B = 56	Angular contact ball bearing
KOYO	7024CDF FY	d = 120	D = 180	B = 56	Angular contact ball bearing
KOYO	7024CDT FY	d = 120	D = 180	B = 56	Angular contact ball bearing
KOYO	7024DB FY	d = 120	D = 180	B = 56	Angular contact ball bearing
KOYO	7024DF FY	d = 120	D = 180	B = 56	Angular contact ball bearing
KOYO	7024DT FY	d = 120	D = 180	B = 56	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7224-B-XL-MP	d = 120	D = 215	B = 40	Angular contact ball bearing
FAG	7224-B-XL-MP-P5-UO	d = 120	D = 215	B = 40	Angular contact ball bearing
FAG	7224-B-XL-MP-UA	d = 120	D = 215	B = 40	Angular contact ball bearing
FAG	7224-B-XL-MP-UB	d = 120	D = 215	B = 40	Angular contact ball bearing
FAG	7224-B-XL-MP-UO	d = 120	D = 215	B = 40	Angular contact ball bearing
FAG	7224-B-XL-TVP	d = 120	D = 215	B = 40	Angular contact ball bearing
FAG	7224-B-XL-TVP-UA	d = 120	D = 215	B = 40	Angular contact ball bearing
FAG	7224-B-XL-TVP-UO	d = 120	D = 215	B = 40	Angular contact ball bearing
FAG	B7224-C-T-P4S-UL	d = 120	D = 215	B = 40	Spindle bearing
FAG	B7224-E-T-P4S-UL	d = 120	D = 215	B = 40	Spindle bearing
FAG	HC7224-B-XL-MP-UB	d = 120	D = 215	B = 40	Angular contact ball bearing
FAG	HCB7224-C-T-P4S-UL	d = 120	D = 215	B = 40	Spindle bearing
FAG	HCB7224-E-T-P4S-UL	d = 120	D = 215	B = 40	Spindle bearing
KOYO	7224 FY	d = 120	D = 215	B = 40	Angular contact ball bearing
KOYO	7224B FY	d = 120	D = 215	B = 40	Angular contact ball bearing
KOYO	7224C FY	d = 120	D = 215	B = 40	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7224 ACD/P4A	d = 120	D = 215	B = 40	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7224 ACDGA/HCP4A	d = 120	D = 215	B = 40	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7224 ACDGA/P4A	d = 120	D = 215	B = 40	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7224 BCBM	d = 120	D = 215	B = 40	Single row angular contact ball bearing
SKF	7224 BGAM	d = 120	D = 215	B = 40	Single row angular contact ball bearing
SKF	7224 BM	d = 120	D = 215	B = 40	Single row angular contact ball bearing
SKF	7224 CD/HCP4A	d = 120	D = 215	B = 40	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7224 CD/P4A	d = 120	D = 215	B = 40	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7224 CDGA/P4A	d = 120	D = 215	B = 40	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7224BDB FY	d = 120	D = 215	B = 80	Angular contact ball bearing
KOYO	7224BDF FY	d = 120	D = 215	B = 80	Angular contact ball bearing
KOYO	7224BDT FY	d = 120	D = 215	B = 80	Angular contact ball bearing
KOYO	7224CDB FY	d = 120	D = 215	B = 80	Angular contact ball bearing
KOYO	7224CDF FY	d = 120	D = 215	B = 80	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7224CDT FY	d = 120	D = 215	B = 80	Angular contact ball bearing
KOYO	7224DB FY	d = 120	D = 215	B = 80	Angular contact ball bearing
KOYO	7224DF FY	d = 120	D = 215	B = 80	Angular contact ball bearing
KOYO	7224DT FY	d = 120	D = 215	B = 80	Angular contact ball bearing
FAG	7324-B-XL-JP-UA	d = 120	D = 260	B = 55	Angular contact ball bearing
FAG	7324-B-XL-MP	d = 120	D = 260	B = 55	Angular contact ball bearing
FAG	7324-B-XL-MP-L061-UO	d = 120	D = 260	B = 55	Angular contact ball bearing
FAG	7324-B-XL-MP-UA	d = 120	D = 260	B = 55	Angular contact ball bearing
FAG	7324-B-XL-MP-UB	d = 120	D = 260	B = 55	Angular contact ball bearing
FAG	7324-B-XL-MP-UO	d = 120	D = 260	B = 55	Angular contact ball bearing
FAG	7324-B-XL-TVP	d = 120	D = 260	B = 55	Angular contact ball bearing
FAG	7324-B-XL-TVP-UA	d = 120	D = 260	B = 55	Angular contact ball bearing
FAG	7324-B-XL-TVP-UO	d = 120	D = 260	B = 55	Angular contact ball bearing
KOYO	7324 FY	d = 120	D = 260	B = 55	Angular contact ball bearing
KOYO	7324B FY	d = 120	D = 260	B = 55	Angular contact ball bearing
KOYO	7324C FY	d = 120	D = 260	B = 55	Angular contact ball bearing
SKF	7324 BCBM	d = 120	D = 260	B = 55	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7324 BGAM	d = 120	D = 260	B = 55	Single row angular contact ball bearing
SKF	7324 BGBM	d = 120	D = 260	B = 55	Single row angular contact ball bearing
KOYO	7324BDB FY	d = 120	D = 260	B = 110	Angular contact ball bearing
KOYO	7324BDF FY	d = 120	D = 260	B = 110	Angular contact ball bearing
KOYO	7324BDT FY	d = 120	D = 260	B = 110	Angular contact ball bearing
KOYO	7324CDB FY	d = 120	D = 260	B = 110	Angular contact ball bearing
KOYO	7324CDF FY	d = 120	D = 260	B = 110	Angular contact ball bearing
KOYO	7324CDT FY	d = 120	D = 260	B = 110	Angular contact ball bearing
KOYO	7324DB FY	d = 120	D = 260	B = 110	Angular contact ball bearing
KOYO	7324DF FY	d = 120	D = 260	B = 110	Angular contact ball bearing
KOYO	7324DT FY	d = 120	D = 260	B = 110	Angular contact ball bearing
SKF	KDN.S13003AS0	d = 130	D = 136	B = 2.5	Ultra-Slim thin section angular contact ball bearing
SKF	71826 ACD/P4	d = 130	D = 165	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71826 ACDGA/P4	d = 130	D = 165	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71826 ACDGB/P4	d = 130	D = 165	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71826 CD/P4	d = 130	D = 165	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71826 CDGA/HCP4	d = 130	D = 165	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71826 CDGA/P4	d = 130	D = 165	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71826 CDGB/P4	d = 130	D = 165	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71926-C-2RSD-T-P4S-UL	d = 130	D = 180	B = 24	Spindle bearing
FAG	B71926-C-T-P4S-UL	d = 130	D = 180	B = 24	Spindle bearing
FAG	B71926-E-2RSD-T-P4S-UL	d = 130	D = 180	B = 24	Spindle bearing
FAG	B71926-E-T-P4S-UL	d = 130	D = 180	B = 24	Spindle bearing
FAG	HC71926-E-T-P4S-UL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	HCB71926-C-2RSD-T-P4S-UL	d = 130	D = 180	B = 24	Spindle bearing
FAG	HCB71926-C-T-P4S-UL	d = 130	D = 180	B = 24	Spindle bearing
FAG	HCB71926-E-2RSD-T-P4S-UL	d = 130	D = 180	B = 24	Spindle bearing
FAG	HCB71926-E-T-P4S-UL	d = 130	D = 180	B = 24	Spindle bearing
FAG	HCM71926-C-2RSD-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	HCM71926-C-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCM71926-E-2RSD-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	HCM71926-E-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	HCS71926-E-T-P4S-UL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	HS71926-C-T-P4S-UL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	HS71926-E-T-P4S-UL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	HSS71926-C-T-P4S-UL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	HSS71926-E-T-P4S-UL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	M71926-C-2RSD-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	M71926-C-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	M71926-E-2RSD-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	M71926-E-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	VCM71926-C-2RSD-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	VCM71926-C-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	VCM71926-E-2RSD-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
FAG	VCM71926-E-T-P4S-UL-XL	d = 130	D = 180	B = 24	High speed spindle bearing
KOYO	7926C FY	d = 130	D = 180	B = 24	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71926 ACD/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71926 ACDGA/HCP4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71926 ACDGA/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71926 ACDGB/HCP4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71926 ACDGB/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71926 ACDGC/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71926 CD/HCP4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71926 CD/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71926 CDGA/HCP4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71926 CDGA/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71926 CDGB/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71926 CDGC/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S71926 ACD/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71926 ACDGA/HCP4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71926 ACDGA/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71926 ACDGB/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71926 ACDGC/HCP4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71926 CD/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71926 CDGA/P4A	d = 130	D = 180	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
KOYO	7926CDB FY	d = 130	D = 180	B = 48	Angular contact ball bearing
KOYO	7926CDF FY	d = 130	D = 180	B = 48	Angular contact ball bearing
KOYO	7926CDT FY	d = 130	D = 180	B = 48	Angular contact ball bearing
FAG	7026-XL-MP	d = 130	D = 200	B = 33	Angular contact ball bearing
FAG	7026-XL-MP-P5-UA	d = 130	D = 200	B = 33	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7026-XL-MP-UA	d = 130	D = 200	B = 33	Angular contact ball bearing
FAG	B7026-C-T-P4S-UL	d = 130	D = 200	B = 33	Spindle bearing
FAG	B7026-E-2RSD-T-P4S-UL	d = 130	D = 200	B = 33	Spindle bearing
FAG	B7026-E-T-P4S-UL	d = 130	D = 200	B = 33	Spindle bearing
FAG	HCB7026-E-2RSD-T-P4S-UL	d = 130	D = 200	B = 33	Spindle bearing
FAG	HCB7026-E-T-P4S-UL	d = 130	D = 200	B = 33	Spindle bearing
FAG	HCM7026-C-2RSD-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	HCM7026-C-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	HCM7026-E-2RSD-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	HCM7026-E-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	HCS7026-E-T-P4S-UL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	HS7026-C-T-P4S-UL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	HS7026-E-T-P4S-UL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	HSS7026-C-T-P4S-UL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	HSS7026-E-T-P4S-UL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	M7026-C-2RSD-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	M7026-C-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	M7026-E-2RSD-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	M7026-E-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	VCM7026-C-2RSD-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	VCM7026-C-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	VCM7026-E-2RSD-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
FAG	VCM7026-E-T-P4S-UL-XL	d = 130	D = 200	B = 33	High speed spindle bearing
KOYO	7026 FY	d = 130	D = 200	B = 33	Angular contact ball bearing
KOYO	7026B FY	d = 130	D = 200	B = 33	Angular contact ball bearing
KOYO	7026C FY	d = 130	D = 200	B = 33	Angular contact ball bearing
SKF	7026 ACD/P4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7026 ACDGA/HCP4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7026 ACDGA/P4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7026 ACDGB/P4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7026 ACDGC/HCP4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7026 ACDGC/P4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7026 ACDGD/P4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7026 CDGA/P4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7026 CDGB/P4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7026 ACD/P4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7026 CD/P4A	d = 130	D = 200	B = 33	Super-precision, high-capacity, single row angular contact ball bearing with seals
KOYO	7026BDB FY	d = 130	D = 200	B = 66	Angular contact ball bearing
KOYO	7026BDF FY	d = 130	D = 200	B = 66	Angular contact ball bearing
KOYO	7026BDT FY	d = 130	D = 200	B = 66	Angular contact ball bearing
KOYO	7026CDB FY	d = 130	D = 200	B = 66	Angular contact ball bearing
KOYO	7026CDF FY	d = 130	D = 200	B = 66	Angular contact ball bearing
KOYO	7026CDT FY	d = 130	D = 200	B = 66	Angular contact ball bearing
KOYO	7026DB FY	d = 130	D = 200	B = 66	Angular contact ball bearing
KOYO	7026DF FY	d = 130	D = 200	B = 66	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7026DT FY	d = 130	D = 200	B = 66	Angular contact ball bearing
FAG	7226-B-XL-MP	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-MP-P5-UA	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-MP-S1-UA	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-MP-UA	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-MP-UB	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-MP-UL	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-MP-UO	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-TVP	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-TVP-P5-UL	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-TVP-UA	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-TVP-UL	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	7226-B-XL-TVP-UO	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	B7226-C-T-P4S-UL	d = 130	D = 230	B = 40	Spindle bearing
FAG	B7226-E-T-P4S-UL	d = 130	D = 230	B = 40	Spindle bearing
FAG	HC7226-B-XL-MP-UB	d = 130	D = 230	B = 40	Angular contact ball bearing
FAG	HCB7226-C-T-P4S-UL	d = 130	D = 230	B = 40	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7226 FY	d = 130	D = 230	B = 40	Angular contact ball bearing
KOYO	7226B FY	d = 130	D = 230	B = 40	Angular contact ball bearing
KOYO	7226C FY	d = 130	D = 230	B = 40	Angular contact ball bearing
SKF	7226 ACD/P4A	d = 130	D = 230	B = 40	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7226 ACDGA/P4A	d = 130	D = 230	B = 40	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7226 BCBM	d = 130	D = 230	B = 40	Single row angular contact ball bearing
SKF	7226 BGAM	d = 130	D = 230	B = 40	Single row angular contact ball bearing
SKF	7226 BM	d = 130	D = 230	B = 40	Single row angular contact ball bearing
SKF	7226 CD/P4A	d = 130	D = 230	B = 40	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7226 CDGA/P4A	d = 130	D = 230	B = 40	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7226BDB FY	d = 130	D = 230	B = 80	Angular contact ball bearing
KOYO	7226BDF FY	d = 130	D = 230	B = 80	Angular contact ball bearing
KOYO	7226BDT FY	d = 130	D = 230	B = 80	Angular contact ball bearing
KOYO	7226CDB FY	d = 130	D = 230	B = 80	Angular contact ball bearing
KOYO	7226CDF FY	d = 130	D = 230	B = 80	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7226CDT FY	d = 130	D = 230	B = 80	Angular contact ball bearing
KOYO	7226DB FY	d = 130	D = 230	B = 80	Angular contact ball bearing
KOYO	7226DF FY	d = 130	D = 230	B = 80	Angular contact ball bearing
KOYO	7226DT FY	d = 130	D = 230	B = 80	Angular contact ball bearing
FAG	7326-B-XL-MP	d = 130	D = 280	B = 58	Angular contact ball bearing
FAG	7326-B-XL-MP-UA	d = 130	D = 280	B = 58	Angular contact ball bearing
FAG	7326-B-XL-MP-UB	d = 130	D = 280	B = 58	Angular contact ball bearing
FAG	7326-B-XL-MP-UO	d = 130	D = 280	B = 58	Angular contact ball bearing
FAG	7326-B-XL-TVP	d = 130	D = 280	B = 58	Angular contact ball bearing
FAG	7326-B-XL-TVP-UA	d = 130	D = 280	B = 58	Angular contact ball bearing
FAG	7326-B-XL-TVP-UO	d = 130	D = 280	B = 58	Angular contact ball bearing
KOYO	7326 FY	d = 130	D = 280	B = 58	Angular contact ball bearing
KOYO	7326B FY	d = 130	D = 280	B = 58	Angular contact ball bearing
KOYO	7326C FY	d = 130	D = 280	B = 58	Angular contact ball bearing
SKF	7326 BCBM	d = 130	D = 280	B = 58	Single row angular contact ball bearing
SKF	7326 BGAM	d = 130	D = 280	B = 58	Single row angular contact ball bearing
SKF	7326 BM	d = 130	D = 280	B = 58	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7326BDB FY	d = 130	D = 280	B = 116	Angular contact ball bearing
KOYO	7326BDF FY	d = 130	D = 280	B = 116	Angular contact ball bearing
KOYO	7326BDT FY	d = 130	D = 280	B = 116	Angular contact ball bearing
KOYO	7326CDB FY	d = 130	D = 280	B = 116	Angular contact ball bearing
KOYO	7326CDF FY	d = 130	D = 280	B = 116	Angular contact ball bearing
KOYO	7326CDT FY	d = 130	D = 280	B = 116	Angular contact ball bearing
KOYO	7326DB FY	d = 130	D = 280	B = 116	Angular contact ball bearing
KOYO	7326DF FY	d = 130	D = 280	B = 116	Angular contact ball bearing
KOYO	7326DT FY	d = 130	D = 280	B = 116	Angular contact ball bearing
SKF	KDN.S14003AS0	d = 140	D = 146	B = 2.5	Ultra-Slim thin section angular contact ball bearing
SKF	71828 ACD/P4	d = 140	D = 175	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71828 ACDGA/HCP4	d = 140	D = 175	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71828 ACDGA/P4	d = 140	D = 175	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71828 ACDGB/P4	d = 140	D = 175	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71828 ACDGC/P4	d = 140	D = 175	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71828 CD/P4	d = 140	D = 175	B = 18	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71828 CDGA/HCP4	d = 140	D = 175	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71828 CDGA/P4	d = 140	D = 175	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71828 CDGB/P4	d = 140	D = 175	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71828 CDGC/P4	d = 140	D = 175	B = 18	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71928-C-2RSD-T-P4S-UL	d = 140	D = 190	B = 24	Spindle bearing
FAG	B71928-C-T-P4S-UL	d = 140	D = 190	B = 24	Spindle bearing
FAG	B71928-E-2RSD-T-P4S-UL	d = 140	D = 190	B = 24	Spindle bearing
FAG	B71928-E-T-P4S-UL	d = 140	D = 190	B = 24	Spindle bearing
FAG	HCB71928-C-T-P4S-UL	d = 140	D = 190	B = 24	Spindle bearing
FAG	HCB71928-E-2RSD-T-P4S-UL	d = 140	D = 190	B = 24	Spindle bearing
FAG	HCB71928-E-T-P4S-UL	d = 140	D = 190	B = 24	Spindle bearing
KOYO	7928C FY	d = 140	D = 190	B = 24	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71928 ACD/P4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71928 ACDGA/HCP4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71928 ACDGA/P4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71928 ACDGB/P4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71928 ACDGC/P4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71928 CD/P4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71928 CDGA/HCP4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71928 CDGA/P4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71928 CDGB/P4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S71928 ACD/P4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71928 ACDGA/HCP4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S71928 ACDGA/P4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71928 CDGA/HCP4A	d = 140	D = 190	B = 24	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
KOYO	7928CDB FY	d = 140	D = 190	B = 48	Angular contact ball bearing
KOYO	7928CDF FY	d = 140	D = 190	B = 48	Angular contact ball bearing
KOYO	7928CDT FY	d = 140	D = 190	B = 48	Angular contact ball bearing
FAG	7028-XL-MP	d = 140	D = 210	B = 33	Angular contact ball bearing
FAG	7028-XL-MP-UA	d = 140	D = 210	B = 33	Angular contact ball bearing
FAG	B7028-C-2RSD-T-P4S-UL	d = 140	D = 210	B = 33	Spindle bearing
FAG	B7028-C-T-P4S-UL	d = 140	D = 210	B = 33	Spindle bearing
FAG	B7028-E-2RSD-T-P4S-UL	d = 140	D = 210	B = 33	Spindle bearing
FAG	B7028-E-T-P4S-UL	d = 140	D = 210	B = 33	Spindle bearing
FAG	HCB7028-C-T-P4S-UL	d = 140	D = 210	B = 33	Spindle bearing
FAG	HCB7028-E-2RSD-T-P4S-UL	d = 140	D = 210	B = 33	Spindle bearing
FAG	HCB7028-E-T-P4S-UL	d = 140	D = 210	B = 33	Spindle bearing
KOYO	7028 FY	d = 140	D = 210	B = 33	Angular contact ball bearing
KOYO	7028B FY	d = 140	D = 210	B = 33	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7028C FY	d = 140	D = 210	B = 33	Angular contact ball bearing
SKF	7028 ACD/P4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7028 ACDGA/P4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7028 ACDGB/P4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7028 ACDGC/P4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7028 BGM	d = 140	D = 210	B = 33	Single row angular contact ball bearing
SKF	7028 CD/P4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7028 CDGA/HCP4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7028 CDGA/P4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7028 CDGB/P4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7028 ACD/P4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S7028 ACDGA/P4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	S7028 CD/P4A	d = 140	D = 210	B = 33	Super-precision, high-capacity, single row angular contact ball bearing with seals
KOYO	7028BDB FY	d = 140	D = 210	B = 66	Angular contact ball bearing
KOYO	7028BDF FY	d = 140	D = 210	B = 66	Angular contact ball bearing
KOYO	7028BDT FY	d = 140	D = 210	B = 66	Angular contact ball bearing
KOYO	7028CDB FY	d = 140	D = 210	B = 66	Angular contact ball bearing
KOYO	7028CDF FY	d = 140	D = 210	B = 66	Angular contact ball bearing
KOYO	7028CDT FY	d = 140	D = 210	B = 66	Angular contact ball bearing
KOYO	7028DB FY	d = 140	D = 210	B = 66	Angular contact ball bearing
KOYO	7028DF FY	d = 140	D = 210	B = 66	Angular contact ball bearing
KOYO	7028DT FY	d = 140	D = 210	B = 66	Angular contact ball bearing
FAG	7228-B-XL-MP	d = 140	D = 250	B = 42	Angular contact ball bearing
FAG	7228-B-XL-MP-UA	d = 140	D = 250	B = 42	Angular contact ball bearing
FAG	7228-B-XL-MP-UB	d = 140	D = 250	B = 42	Angular contact ball bearing
FAG	7228-B-XL-MP-UO	d = 140	D = 250	B = 42	Angular contact ball bearing
FAG	B7228-C-T-P4S-UL	d = 140	D = 250	B = 42	Spindle bearing
FAG	B7228-E-T-P4S-UL	d = 140	D = 250	B = 42	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB7228-C-T-P4S-UL	d = 140	D = 250	B = 42	Spindle bearing
KOYO	7228 FY	d = 140	D = 250	B = 42	Angular contact ball bearing
KOYO	7228B FY	d = 140	D = 250	B = 42	Angular contact ball bearing
KOYO	7228C FY	d = 140	D = 250	B = 42	Angular contact ball bearing
SKF	7228 ACD/P4A	d = 140	D = 250	B = 42	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7228 ACDGA/P4A	d = 140	D = 250	B = 42	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7228 BCBM	d = 140	D = 250	B = 42	Single row angular contact ball bearing
SKF	7228 BGAM	d = 140	D = 250	B = 42	Single row angular contact ball bearing
SKF	7228 BM	d = 140	D = 250	B = 42	Single row angular contact ball bearing
SKF	7228 CD/P4A	d = 140	D = 250	B = 42	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7228 CDGA/P4A	d = 140	D = 250	B = 42	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7228BDB FY	d = 140	D = 250	B = 84	Angular contact ball bearing
KOYO	7228BDF FY	d = 140	D = 250	B = 84	Angular contact ball bearing
KOYO	7228BDT FY	d = 140	D = 250	B = 84	Angular contact ball bearing
KOYO	7228CDB FY	d = 140	D = 250	B = 84	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7228CDF FY	d = 140	D = 250	B = 84	Angular contact ball bearing
KOYO	7228CDT FY	d = 140	D = 250	B = 84	Angular contact ball bearing
KOYO	7228DB FY	d = 140	D = 250	B = 84	Angular contact ball bearing
KOYO	7228DF FY	d = 140	D = 250	B = 84	Angular contact ball bearing
KOYO	7228DT FY	d = 140	D = 250	B = 84	Angular contact ball bearing
FAG	7328-B-MP	d = 140	D = 300	B = 62	Angular contact ball bearing
FAG	7328-B-MP-UA	d = 140	D = 300	B = 62	Angular contact ball bearing
FAG	7328-B-MP-UB	d = 140	D = 300	B = 62	Angular contact ball bearing
FAG	7328-B-MP-UO	d = 140	D = 300	B = 62	Angular contact ball bearing
KOYO	7328 FY	d = 140	D = 300	B = 62	Angular contact ball bearing
KOYO	7328B FY	d = 140	D = 300	B = 62	Angular contact ball bearing
KOYO	7328C FY	d = 140	D = 300	B = 62	Angular contact ball bearing
SKF	7328 BCBM	d = 140	D = 300	B = 62	Single row angular contact ball bearing
SKF	7328 BGAM	d = 140	D = 300	B = 62	Single row angular contact ball bearing
KOYO	7328BDB FY	d = 140	D = 300	B = 124	Angular contact ball bearing
KOYO	7328BDF FY	d = 140	D = 300	B = 124	Angular contact ball bearing
KOYO	7328BDT FY	d = 140	D = 300	B = 124	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7328CDB FY	d = 140	D = 300	B = 124	Angular contact ball bearing
KOYO	7328CDF FY	d = 140	D = 300	B = 124	Angular contact ball bearing
KOYO	7328CDT FY	d = 140	D = 300	B = 124	Angular contact ball bearing
KOYO	7328DB FY	d = 140	D = 300	B = 124	Angular contact ball bearing
KOYO	7328DF FY	d = 140	D = 300	B = 124	Angular contact ball bearing
KOYO	7328DT FY	d = 140	D = 300	B = 124	Angular contact ball bearing
SKF	KDN.S15003AS0	d = 150	D = 156	B = 2.5	Ultra-Slim thin section angular contact ball bearing
SKF	71830 ACD/P4	d = 150	D = 190	B = 20	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71830 ACDGA/HCP4	d = 150	D = 190	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71830 ACDGA/P4	d = 150	D = 190	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71830 ACDGB/P4	d = 150	D = 190	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71830 ACDGC/P4	d = 150	D = 190	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71830 CD/P4	d = 150	D = 190	B = 20	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71830 CDGA/P4	d = 150	D = 190	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71830 CDGB/P4	d = 150	D = 190	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71830 CDGC/P4	d = 150	D = 190	B = 20	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	B71930-C-T-P4S-UL	d = 150	D = 210	B = 28	Spindle bearing
FAG	B71930-E-T-P4S-UL	d = 150	D = 210	B = 28	Spindle bearing
FAG	HCB71930-C-T-P4S-UL	d = 150	D = 210	B = 28	Spindle bearing
FAG	HCB71930-E-T-P4S-UL	d = 150	D = 210	B = 28	Spindle bearing
KOYO	7930C FY	d = 150	D = 210	B = 28	Angular contact ball bearing
SKF	71930 ACD/P4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71930 ACDGA/HCP4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71930 ACDGA/P4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71930 ACDGC/HCP4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71930 ACDGC/P4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71930 CD/HCP4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71930 CD/P4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71930 CDGA/HCP4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71930 CDGA/P4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71930 CDGC/P4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S71930 ACD/P4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, single row angular contact ball bearing with seals
SKF	S71930 ACDGA/HCP4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71930 ACDGA/P4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
SKF	S71930 CD/P4A	d = 150	D = 210	B = 28	Super-precision, high-capacity, single row angular contact ball bearing with seals
KOYO	7930CDB FY	d = 150	D = 210	B = 56	Angular contact ball bearing
KOYO	7930CDF FY	d = 150	D = 210	B = 56	Angular contact ball bearing
KOYO	7930CDT FY	d = 150	D = 210	B = 56	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7030-XL-MP	d = 150	D = 225	B = 35	Angular contact ball bearing
FAG	7030-XL-MP-UA	d = 150	D = 225	B = 35	Angular contact ball bearing
FAG	B7030-C-T-P4S-UL	d = 150	D = 225	B = 35	Spindle bearing
FAG	B7030-E-T-P4S-UL	d = 150	D = 225	B = 35	Spindle bearing
FAG	HCB7030-C-T-P4S-UL	d = 150	D = 225	B = 35	Spindle bearing
KOYO	7030 FY	d = 150	D = 225	B = 35	Angular contact ball bearing
KOYO	7030B FY	d = 150	D = 225	B = 35	Angular contact ball bearing
KOYO	7030C FY	d = 150	D = 225	B = 35	Angular contact ball bearing
SKF	7030 ACD/P4A	d = 150	D = 225	B = 35	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7030 ACDGA/P4A	d = 150	D = 225	B = 35	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7030 ACDGB/P4A	d = 150	D = 225	B = 35	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7030 BGM	d = 150	D = 225	B = 35	Single row angular contact ball bearing
SKF	7030 CD/P4A	d = 150	D = 225	B = 35	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7030 CDGA/P4A	d = 150	D = 225	B = 35	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7030 CDGB/P4A	d = 150	D = 225	B = 35	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	S7030 CDGA/P4A	d = 150	D = 225	B = 35	Super-precision, high-capacity, universally matchable single row angular contact ball bearing with seals
KOYO	7030BDB FY	d = 150	D = 225	B = 70	Angular contact ball bearing
KOYO	7030BDF FY	d = 150	D = 225	B = 70	Angular contact ball bearing
KOYO	7030BDT FY	d = 150	D = 225	B = 70	Angular contact ball bearing
KOYO	7030CDB FY	d = 150	D = 225	B = 70	Angular contact ball bearing
KOYO	7030CDF FY	d = 150	D = 225	B = 70	Angular contact ball bearing
KOYO	7030CDT FY	d = 150	D = 225	B = 70	Angular contact ball bearing
KOYO	7030DB FY	d = 150	D = 225	B = 70	Angular contact ball bearing
KOYO	7030DF FY	d = 150	D = 225	B = 70	Angular contact ball bearing
KOYO	7030DT FY	d = 150	D = 225	B = 70	Angular contact ball bearing
FAG	7230-B-XL-MP	d = 150	D = 270	B = 45	Angular contact ball bearing
FAG	7230-B-XL-MP-P6-UO	d = 150	D = 270	B = 45	Angular contact ball bearing
FAG	7230-B-XL-MP-UA	d = 150	D = 270	B = 45	Angular contact ball bearing
FAG	7230-B-XL-MP-UB	d = 150	D = 270	B = 45	Angular contact ball bearing
FAG	7230-B-XL-MP-UO	d = 150	D = 270	B = 45	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7230-C-T-P4S-UL	d = 150	D = 270	B = 45	Spindle bearing
FAG	B7230-E-T-P4S-UL	d = 150	D = 270	B = 45	Spindle bearing
FAG	HCB7230-C-T-P4S-UL	d = 150	D = 270	B = 45	Spindle bearing
FAG	HCB7230-E-T-P4S-UL	d = 150	D = 270	B = 45	Spindle bearing
KOYO	7230 FY	d = 150	D = 270	B = 45	Angular contact ball bearing
KOYO	7230B FY	d = 150	D = 270	B = 45	Angular contact ball bearing
KOYO	7230C FY	d = 150	D = 270	B = 45	Angular contact ball bearing
SKF	7230 BCBM	d = 150	D = 270	B = 45	Single row angular contact ball bearing
SKF	7230 BGAM	d = 150	D = 270	B = 45	Single row angular contact ball bearing
KOYO	7230BDB FY	d = 150	D = 270	B = 90	Angular contact ball bearing
KOYO	7230BDF FY	d = 150	D = 270	B = 90	Angular contact ball bearing
KOYO	7230BDT FY	d = 150	D = 270	B = 90	Angular contact ball bearing
KOYO	7230CDB FY	d = 150	D = 270	B = 90	Angular contact ball bearing
KOYO	7230CDF FY	d = 150	D = 270	B = 90	Angular contact ball bearing
KOYO	7230CDT FY	d = 150	D = 270	B = 90	Angular contact ball bearing
KOYO	7230DB FY	d = 150	D = 270	B = 90	Angular contact ball bearing
KOYO	7230DF FY	d = 150	D = 270	B = 90	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7230DT FY	d = 150	D = 270	B = 90	Angular contact ball bearing
FAG	7330-B-MP	d = 150	D = 320	B = 65	Angular contact ball bearing
FAG	7330-B-MP-UA	d = 150	D = 320	B = 65	Angular contact ball bearing
FAG	7330-B-MP-UO	d = 150	D = 320	B = 65	Angular contact ball bearing
KOYO	7330 FY	d = 150	D = 320	B = 65	Angular contact ball bearing
KOYO	7330B FY	d = 150	D = 320	B = 65	Angular contact ball bearing
KOYO	7330C FY	d = 150	D = 320	B = 65	Angular contact ball bearing
SKF	7330 BCBM	d = 150	D = 320	B = 65	Single row angular contact ball bearing
SKF	7330 BGAM	d = 150	D = 320	B = 65	Single row angular contact ball bearing
KOYO	7330BDB FY	d = 150	D = 320	B = 130	Angular contact ball bearing
KOYO	7330BDF FY	d = 150	D = 320	B = 130	Angular contact ball bearing
KOYO	7330BDT FY	d = 150	D = 320	B = 130	Angular contact ball bearing
KOYO	7330CDB FY	d = 150	D = 320	B = 130	Angular contact ball bearing
KOYO	7330CDF FY	d = 150	D = 320	B = 130	Angular contact ball bearing
KOYO	7330CDT FY	d = 150	D = 320	B = 130	Angular contact ball bearing
KOYO	7330DB FY	d = 150	D = 320	B = 130	Angular contact ball bearing
KOYO	7330DF FY	d = 150	D = 320	B = 130	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7330DT FY	d = 150	D = 320	B = 130	Angular contact ball bearing
SKF	KDN.S16003AS0	d = 160	D = 166	B = 2.5	Ultra-Slim thin section angular contact ball bearing
FAG	B71932-C-T-P4S-UL	d = 160	D = 220	B = 28	Spindle bearing
FAG	B71932-E-T-P4S-UL	d = 160	D = 220	B = 28	Spindle bearing
FAG	HCB71932-E-T-P4S-UL	d = 160	D = 220	B = 28	Spindle bearing
KOYO	7932C FY	d = 160	D = 220	B = 28	Angular contact ball bearing
SKF	71932 ACD/P4A	d = 160	D = 220	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71932 ACDGA/P4A	d = 160	D = 220	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71932 ACDGB/P4A	d = 160	D = 220	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71932 CD/P4A	d = 160	D = 220	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71932 CDGA/HCP4A	d = 160	D = 220	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71932 CDGA/P4A	d = 160	D = 220	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71932 CDGB/P4A	d = 160	D = 220	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71932 CDGC/P4A	d = 160	D = 220	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7932CDB FY	d = 160	D = 220	B = 56	Angular contact ball bearing
KOYO	7932CDF FY	d = 160	D = 220	B = 56	Angular contact ball bearing
KOYO	7932CDT FY	d = 160	D = 220	B = 56	Angular contact ball bearing
FAG	7032-MP	d = 160	D = 240	B = 38	Angular contact ball bearing
FAG	7032-MP-UA	d = 160	D = 240	B = 38	Angular contact ball bearing
FAG	7032-MP-UO	d = 160	D = 240	B = 38	Angular contact ball bearing
FAG	B7032-C-T-P4S-UL	d = 160	D = 240	B = 38	Spindle bearing
FAG	B7032-E-T-P4S-UL	d = 160	D = 240	B = 38	Spindle bearing
FAG	HCB7032-C-T-P4S-UL	d = 160	D = 240	B = 38	Spindle bearing
KOYO	7032 FY	d = 160	D = 240	B = 38	Angular contact ball bearing
KOYO	7032B FY	d = 160	D = 240	B = 38	Angular contact ball bearing
KOYO	7032C FY	d = 160	D = 240	B = 38	Angular contact ball bearing
SKF	7032 ACD/HCP4A	d = 160	D = 240	B = 38	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7032 ACD/P4A	d = 160	D = 240	B = 38	Super-precision, high-capacity, single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7032 ACDGA/P4A	d = 160	D = 240	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7032 ACDGB/HCP4A	d = 160	D = 240	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7032 ACDGB/P4A	d = 160	D = 240	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7032 ACDGC/P4A	d = 160	D = 240	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7032 CD/P4A	d = 160	D = 240	B = 38	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7032 CDGA/P4A	d = 160	D = 240	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7032 CDGB/P4A	d = 160	D = 240	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7032BDB FY	d = 160	D = 240	B = 76	Angular contact ball bearing
KOYO	7032BDF FY	d = 160	D = 240	B = 76	Angular contact ball bearing
KOYO	7032BDT FY	d = 160	D = 240	B = 76	Angular contact ball bearing
KOYO	7032CDB FY	d = 160	D = 240	B = 76	Angular contact ball bearing
KOYO	7032CDF FY	d = 160	D = 240	B = 76	Angular contact ball bearing
KOYO	7032CDT FY	d = 160	D = 240	B = 76	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7032DB FY	d = 160	D = 240	B = 76	Angular contact ball bearing
KOYO	7032DF FY	d = 160	D = 240	B = 76	Angular contact ball bearing
KOYO	7032DT FY	d = 160	D = 240	B = 76	Angular contact ball bearing
FAG	7232-B-MP	d = 160	D = 290	B = 48	Angular contact ball bearing
FAG	7232-B-MP-UA	d = 160	D = 290	B = 48	Angular contact ball bearing
FAG	7232-B-MP-UO	d = 160	D = 290	B = 48	Angular contact ball bearing
FAG	B7232-C-T-P4S-UL	d = 160	D = 290	B = 48	Spindle bearing
FAG	B7232-E-T-P4S-UL	d = 160	D = 290	B = 48	Spindle bearing
FAG	HCB7232-C-T-P4S-UL	d = 160	D = 290	B = 48	Spindle bearing
FAG	HCB7232-E-T-P4S-UL	d = 160	D = 290	B = 48	Spindle bearing
KOYO	7232 FY	d = 160	D = 290	B = 48	Angular contact ball bearing
KOYO	7232B FY	d = 160	D = 290	B = 48	Angular contact ball bearing
KOYO	7232C FY	d = 160	D = 290	B = 48	Angular contact ball bearing
SKF	7232 BCBM	d = 160	D = 290	B = 48	Single row angular contact ball bearing
SKF	7232 BGAM	d = 160	D = 290	B = 48	Single row angular contact ball bearing
KOYO	7232BDB FY	d = 160	D = 290	B = 96	Angular contact ball bearing
KOYO	7232BDF FY	d = 160	D = 290	B = 96	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7232BDT FY	d = 160	D = 290	B = 96	Angular contact ball bearing
KOYO	7232CDB FY	d = 160	D = 290	B = 96	Angular contact ball bearing
KOYO	7232CDF FY	d = 160	D = 290	B = 96	Angular contact ball bearing
KOYO	7232CDT FY	d = 160	D = 290	B = 96	Angular contact ball bearing
KOYO	7232DB FY	d = 160	D = 290	B = 96	Angular contact ball bearing
KOYO	7232DF FY	d = 160	D = 290	B = 96	Angular contact ball bearing
KOYO	7232DT FY	d = 160	D = 290	B = 96	Angular contact ball bearing
FAG	7332-B-MP	d = 160	D = 340	B = 68	Angular contact ball bearing
FAG	7332-B-MP-UA	d = 160	D = 340	B = 68	Angular contact ball bearing
FAG	7332-B-MP-UO	d = 160	D = 340	B = 68	Angular contact ball bearing
KOYO	7332 FY	d = 160	D = 340	B = 68	Angular contact ball bearing
KOYO	7332B FY	d = 160	D = 340	B = 68	Angular contact ball bearing
KOYO	7332C FY	d = 160	D = 340	B = 68	Angular contact ball bearing
SKF	7332 BCBM	d = 160	D = 340	B = 68	Single row angular contact ball bearing
KOYO	7332BDB FY	d = 160	D = 340	B = 136	Angular contact ball bearing
KOYO	7332BDF FY	d = 160	D = 340	B = 136	Angular contact ball bearing
KOYO	7332BDT FY	d = 160	D = 340	B = 136	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7332CDB FY	d = 160	D = 340	B = 136	Angular contact ball bearing
KOYO	7332CDF FY	d = 160	D = 340	B = 136	Angular contact ball bearing
KOYO	7332CDT FY	d = 160	D = 340	B = 136	Angular contact ball bearing
KOYO	7332DB FY	d = 160	D = 340	B = 136	Angular contact ball bearing
KOYO	7332DF FY	d = 160	D = 340	B = 136	Angular contact ball bearing
KOYO	7332DT FY	d = 160	D = 340	B = 136	Angular contact ball bearing
FAG	7432-B-MPB	d = 160	D = 400	B = 88	Angular contact ball bearing
SKF	KDN.S17003AS0	d = 170	D = 176	B = 2.5	Ultra-Slim thin section angular contact ball bearing
FAG	B71934-C-T-P4S-UL	d = 170	D = 230	B = 28	Spindle bearing
FAG	B71934-E-T-P4S-UL	d = 170	D = 230	B = 28	Spindle bearing
FAG	HCB71934-C-T-P4S-UL	d = 170	D = 230	B = 28	Spindle bearing
FAG	HCB71934-E-T-P4S-UL	d = 170	D = 230	B = 28	Spindle bearing
KOYO	7934C FY	d = 170	D = 230	B = 28	Angular contact ball bearing
SKF	71934 ACD/P4A	d = 170	D = 230	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71934 ACDGA/HCP4A	d = 170	D = 230	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71934 ACDGA/P4A	d = 170	D = 230	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71934 ACDGB/P4A	d = 170	D = 230	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71934 ACDGC/P4A	d = 170	D = 230	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71934 CD/P4A	d = 170	D = 230	B = 28	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71934 CDGA/HCP4A	d = 170	D = 230	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71934 CDGA/P4A	d = 170	D = 230	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71934 CDGB/P4A	d = 170	D = 230	B = 28	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7934CDB FY	d = 170	D = 230	B = 56	Angular contact ball bearing
KOYO	7934CDF FY	d = 170	D = 230	B = 56	Angular contact ball bearing
KOYO	7934CDT FY	d = 170	D = 230	B = 56	Angular contact ball bearing
FAG	7034-B-XL-MP	d = 170	D = 260	B = 42	Angular contact ball bearing
FAG	7034-B-XL-MP-UA	d = 170	D = 260	B = 42	Angular contact ball bearing
FAG	B7034-C-T-P4S-UL	d = 170	D = 260	B = 42	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7034-E-T-P4S-UL	d = 170	D = 260	B = 42	Spindle bearing
KOYO	7034 FY	d = 170	D = 260	B = 42	Angular contact ball bearing
KOYO	7034B FY	d = 170	D = 260	B = 42	Angular contact ball bearing
KOYO	7034C FY	d = 170	D = 260	B = 42	Angular contact ball bearing
SKF	7034 ACD/P4A	d = 170	D = 260	B = 42	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7034 ACDGA/P4A	d = 170	D = 260	B = 42	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7034 ACDGB/P4A	d = 170	D = 260	B = 42	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7034 CD/P4A	d = 170	D = 260	B = 42	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7034 CDGA/P4A	d = 170	D = 260	B = 42	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7034 CDGB/P4A	d = 170	D = 260	B = 42	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7034BDB FY	d = 170	D = 260	B = 84	Angular contact ball bearing
KOYO	7034BDF FY	d = 170	D = 260	B = 84	Angular contact ball bearing
KOYO	7034BDT FY	d = 170	D = 260	B = 84	Angular contact ball bearing
KOYO	7034CDB FY	d = 170	D = 260	B = 84	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7034CDF FY	d = 170	D = 260	B = 84	Angular contact ball bearing
KOYO	7034CDT FY	d = 170	D = 260	B = 84	Angular contact ball bearing
KOYO	7034DB FY	d = 170	D = 260	B = 84	Angular contact ball bearing
KOYO	7034DF FY	d = 170	D = 260	B = 84	Angular contact ball bearing
KOYO	7034DT FY	d = 170	D = 260	B = 84	Angular contact ball bearing
FAG	7234-B-MP	d = 170	D = 310	B = 52	Angular contact ball bearing
FAG	7234-B-MP-P5-UL	d = 170	D = 310	B = 52	Angular contact ball bearing
FAG	7234-B-MP-UA	d = 170	D = 310	B = 52	Angular contact ball bearing
FAG	7234-B-MP-UO	d = 170	D = 310	B = 52	Angular contact ball bearing
FAG	B7234-C-T-P4S-UL	d = 170	D = 310	B = 52	Spindle bearing
KOYO	7234 FY	d = 170	D = 310	B = 52	Angular contact ball bearing
KOYO	7234B FY	d = 170	D = 310	B = 52	Angular contact ball bearing
KOYO	7234C FY	d = 170	D = 310	B = 52	Angular contact ball bearing
SKF	7234 BCBM	d = 170	D = 310	B = 52	Single row angular contact ball bearing
KOYO	7234BDB FY	d = 170	D = 310	B = 104	Angular contact ball bearing
KOYO	7234BDF FY	d = 170	D = 310	B = 104	Angular contact ball bearing
KOYO	7234BDT FY	d = 170	D = 310	B = 104	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7234CDB FY	d = 170	D = 310	B = 104	Angular contact ball bearing
KOYO	7234CDF FY	d = 170	D = 310	B = 104	Angular contact ball bearing
KOYO	7234CDT FY	d = 170	D = 310	B = 104	Angular contact ball bearing
KOYO	7234DB FY	d = 170	D = 310	B = 104	Angular contact ball bearing
KOYO	7234DF FY	d = 170	D = 310	B = 104	Angular contact ball bearing
KOYO	7234DT FY	d = 170	D = 310	B = 104	Angular contact ball bearing
FAG	7334-B-MP	d = 170	D = 360	B = 72	Angular contact ball bearing
FAG	7334-B-MP-UA	d = 170	D = 360	B = 72	Angular contact ball bearing
FAG	7334-B-MP-UO	d = 170	D = 360	B = 72	Angular contact ball bearing
KOYO	7334 FY	d = 170	D = 360	B = 72	Angular contact ball bearing
KOYO	7334B FY	d = 170	D = 360	B = 72	Angular contact ball bearing
KOYO	7334C FY	d = 170	D = 360	B = 72	Angular contact ball bearing
SKF	7334 BCBM	d = 170	D = 360	B = 72	Single row angular contact ball bearing
KOYO	7334BDB FY	d = 170	D = 360	B = 144	Angular contact ball bearing
KOYO	7334BDF FY	d = 170	D = 360	B = 144	Angular contact ball bearing
KOYO	7334BDT FY	d = 170	D = 360	B = 144	Angular contact ball bearing
KOYO	7334CDB FY	d = 170	D = 360	B = 144	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7334CDF FY	d = 170	D = 360	B = 144	Angular contact ball bearing
KOYO	7334CDT FY	d = 170	D = 360	B = 144	Angular contact ball bearing
KOYO	7334DB FY	d = 170	D = 360	B = 144	Angular contact ball bearing
KOYO	7334DF FY	d = 170	D = 360	B = 144	Angular contact ball bearing
KOYO	7334DT FY	d = 170	D = 360	B = 144	Angular contact ball bearing
FAG	71936-MP	d = 180	D = 250	B = 33	Angular contact ball bearing
FAG	B71936-C-T-P4S-UL	d = 180	D = 250	B = 33	Spindle bearing
FAG	B71936-E-T-P4S-UL	d = 180	D = 250	B = 33	Spindle bearing
FAG	HCB71936-C-T-P4S-UL	d = 180	D = 250	B = 33	Spindle bearing
KOYO	7936C FY	d = 180	D = 250	B = 33	Angular contact ball bearing
SKF	71936 ACD/P4A	d = 180	D = 250	B = 33	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71936 ACDGA/HCP4A	d = 180	D = 250	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71936 ACDGA/P4A	d = 180	D = 250	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71936 ACDGB/P4A	d = 180	D = 250	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71936 ACDGC/P4A	d = 180	D = 250	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71936 CD/P4A	d = 180	D = 250	B = 33	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71936 CDGA/P4A	d = 180	D = 250	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71936 CDGB/P4A	d = 180	D = 250	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71936 CDGC/P4A	d = 180	D = 250	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7936CDB FY	d = 180	D = 250	B = 66	Angular contact ball bearing
KOYO	7936CDF FY	d = 180	D = 250	B = 66	Angular contact ball bearing
KOYO	7936CDT FY	d = 180	D = 250	B = 66	Angular contact ball bearing
FAG	7036-XL-MP	d = 180	D = 280	B = 46	Angular contact ball bearing
FAG	7036-XL-MP-UA	d = 180	D = 280	B = 46	Angular contact ball bearing
FAG	B7036-C-T-P4S-UL	d = 180	D = 280	B = 46	Spindle bearing
FAG	B7036-E-T-P4S-UL	d = 180	D = 280	B = 46	Spindle bearing
KOYO	7036 FY	d = 180	D = 280	B = 46	Angular contact ball bearing
KOYO	7036B FY	d = 180	D = 280	B = 46	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7036C FY	d = 180	D = 280	B = 46	Angular contact ball bearing
SKF	7036 ACD/P4A	d = 180	D = 280	B = 46	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7036 ACDGA/P4A	d = 180	D = 280	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7036 ACDGB/P4A	d = 180	D = 280	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7036 ACDGC/P4A	d = 180	D = 280	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7036 BGM	d = 180	D = 280	B = 46	Single row angular contact ball bearing
SKF	7036 CDGA/P4A	d = 180	D = 280	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7036BDB FY	d = 180	D = 280	B = 92	Angular contact ball bearing
KOYO	7036BDF FY	d = 180	D = 280	B = 92	Angular contact ball bearing
KOYO	7036BDT FY	d = 180	D = 280	B = 92	Angular contact ball bearing
KOYO	7036CDB FY	d = 180	D = 280	B = 92	Angular contact ball bearing
KOYO	7036CDF FY	d = 180	D = 280	B = 92	Angular contact ball bearing
KOYO	7036CDT FY	d = 180	D = 280	B = 92	Angular contact ball bearing
KOYO	7036DB FY	d = 180	D = 280	B = 92	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7036DF FY	d = 180	D = 280	B = 92	Angular contact ball bearing
KOYO	7036DT FY	d = 180	D = 280	B = 92	Angular contact ball bearing
FAG	7236-B-MP	d = 180	D = 320	B = 52	Angular contact ball bearing
FAG	7236-B-MP-UA	d = 180	D = 320	B = 52	Angular contact ball bearing
FAG	7236-B-MP-UO	d = 180	D = 320	B = 52	Angular contact ball bearing
FAG	B7236-C-T-P4S-UL	d = 180	D = 320	B = 52	Spindle bearing
KOYO	7236 FY	d = 180	D = 320	B = 52	Angular contact ball bearing
KOYO	7236B FY	d = 180	D = 320	B = 52	Angular contact ball bearing
KOYO	7236C FY	d = 180	D = 320	B = 52	Angular contact ball bearing
SKF	7236 BCAM	d = 180	D = 320	B = 52	Single row angular contact ball bearing
SKF	7236 BCBM	d = 180	D = 320	B = 52	Single row angular contact ball bearing
KOYO	7236BDB FY	d = 180	D = 320	B = 104	Angular contact ball bearing
KOYO	7236BDF FY	d = 180	D = 320	B = 104	Angular contact ball bearing
KOYO	7236BDT FY	d = 180	D = 320	B = 104	Angular contact ball bearing
KOYO	7236CDB FY	d = 180	D = 320	B = 104	Angular contact ball bearing
KOYO	7236CDF FY	d = 180	D = 320	B = 104	Angular contact ball bearing
KOYO	7236CDT FY	d = 180	D = 320	B = 104	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7236DB FY	d = 180	D = 320	B = 104	Angular contact ball bearing
KOYO	7236DF FY	d = 180	D = 320	B = 104	Angular contact ball bearing
KOYO	7236DT FY	d = 180	D = 320	B = 104	Angular contact ball bearing
FAG	7336-B-MP	d = 180	D = 380	B = 75	Angular contact ball bearing
FAG	7336-B-MP-UA	d = 180	D = 380	B = 75	Angular contact ball bearing
KOYO	7336 FY	d = 180	D = 380	B = 75	Angular contact ball bearing
KOYO	7336B FY	d = 180	D = 380	B = 75	Angular contact ball bearing
SKF	7336 BCBM	d = 180	D = 380	B = 75	Single row angular contact ball bearing
KOYO	7336BDB FY	d = 180	D = 380	B = 150	Angular contact ball bearing
KOYO	7336BDF FY	d = 180	D = 380	B = 150	Angular contact ball bearing
KOYO	7336BDT FY	d = 180	D = 380	B = 150	Angular contact ball bearing
KOYO	7336DB FY	d = 180	D = 380	B = 150	Angular contact ball bearing
KOYO	7336DF FY	d = 180	D = 380	B = 150	Angular contact ball bearing
KOYO	7336DT FY	d = 180	D = 380	B = 150	Angular contact ball bearing
FAG	B71938-C-T-P4S-UL	d = 190	D = 260	B = 33	Spindle bearing
FAG	B71938-E-T-P4S-UL	d = 190	D = 260	B = 33	Spindle bearing
FAG	HCB71938-C-T-P4S-UL	d = 190	D = 260	B = 33	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB71938-E-T-P4S-UL	d = 190	D = 260	B = 33	Spindle bearing
KOYO	7938C FY	d = 190	D = 260	B = 33	Angular contact ball bearing
SKF	71938 ACD/P4A	d = 190	D = 260	B = 33	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71938 ACDGA/P4A	d = 190	D = 260	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71938 ACDGB/P4A	d = 190	D = 260	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71938 CDGA/P4A	d = 190	D = 260	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71938 CDGB/P4A	d = 190	D = 260	B = 33	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7938CDB FY	d = 190	D = 260	B = 66	Angular contact ball bearing
KOYO	7938CDF FY	d = 190	D = 260	B = 66	Angular contact ball bearing
KOYO	7938CDT FY	d = 190	D = 260	B = 66	Angular contact ball bearing
FAG	7038-MP	d = 190	D = 290	B = 46	Angular contact ball bearing
FAG	7038-MP-UA	d = 190	D = 290	B = 46	Angular contact ball bearing
FAG	B7038-C-T-P4S-UL	d = 190	D = 290	B = 46	Spindle bearing
FAG	B7038-E-T-P4S-UL	d = 190	D = 290	B = 46	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7038 FY	d = 190	D = 290	B = 46	Angular contact ball bearing
KOYO	7038B FY	d = 190	D = 290	B = 46	Angular contact ball bearing
KOYO	7038C FY	d = 190	D = 290	B = 46	Angular contact ball bearing
SKF	7038 ACD/P4A	d = 190	D = 290	B = 46	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7038 ACDGA/P4A	d = 190	D = 290	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7038 ACDGC/P4A	d = 190	D = 290	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7038 CD/P4A	d = 190	D = 290	B = 46	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7038 CDGA/P4A	d = 190	D = 290	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7038BDB FY	d = 190	D = 290	B = 92	Angular contact ball bearing
KOYO	7038BDF FY	d = 190	D = 290	B = 92	Angular contact ball bearing
KOYO	7038BDT FY	d = 190	D = 290	B = 92	Angular contact ball bearing
KOYO	7038CDB FY	d = 190	D = 290	B = 92	Angular contact ball bearing
KOYO	7038CDF FY	d = 190	D = 290	B = 92	Angular contact ball bearing
KOYO	7038CDT FY	d = 190	D = 290	B = 92	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7038DB FY	d = 190	D = 290	B = 92	Angular contact ball bearing
KOYO	7038DF FY	d = 190	D = 290	B = 92	Angular contact ball bearing
KOYO	7038DT FY	d = 190	D = 290	B = 92	Angular contact ball bearing
FAG	7238-B-MP	d = 190	D = 340	B = 55	Angular contact ball bearing
FAG	7238-B-MP-UA	d = 190	D = 340	B = 55	Angular contact ball bearing
FAG	7238-B-MP-UO	d = 190	D = 340	B = 55	Angular contact ball bearing
FAG	B7238-C-T-P4S-UL	d = 190	D = 340	B = 55	Spindle bearing
FAG	B7238-E-T-P4S-UL	d = 190	D = 340	B = 55	Spindle bearing
KOYO	7238 FY	d = 190	D = 340	B = 55	Angular contact ball bearing
KOYO	7238B FY	d = 190	D = 340	B = 55	Angular contact ball bearing
KOYO	7238C FY	d = 190	D = 340	B = 55	Angular contact ball bearing
SKF	7238 BCBM	d = 190	D = 340	B = 55	Single row angular contact ball bearing
KOYO	7238BDB FY	d = 190	D = 340	B = 110	Angular contact ball bearing
KOYO	7238BDF FY	d = 190	D = 340	B = 110	Angular contact ball bearing
KOYO	7238BDT FY	d = 190	D = 340	B = 110	Angular contact ball bearing
KOYO	7238CDB FY	d = 190	D = 340	B = 110	Angular contact ball bearing
KOYO	7238CDF FY	d = 190	D = 340	B = 110	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7238CDT FY	d = 190	D = 340	B = 110	Angular contact ball bearing
KOYO	7238DB FY	d = 190	D = 340	B = 110	Angular contact ball bearing
KOYO	7238DF FY	d = 190	D = 340	B = 110	Angular contact ball bearing
KOYO	7238DT FY	d = 190	D = 340	B = 110	Angular contact ball bearing
FAG	7338-B-MP-UA	d = 190	D = 400	B = 78	Angular contact ball bearing
KOYO	7338 FY	d = 190	D = 400	B = 78	Angular contact ball bearing
KOYO	7338B FY	d = 190	D = 400	B = 78	Angular contact ball bearing
SKF	7338 BCBM	d = 190	D = 400	B = 78	Single row angular contact ball bearing
KOYO	7338BDB FY	d = 190	D = 400	B = 156	Angular contact ball bearing
KOYO	7338BDF FY	d = 190	D = 400	B = 156	Angular contact ball bearing
KOYO	7338BDT FY	d = 190	D = 400	B = 156	Angular contact ball bearing
KOYO	7338DB FY	d = 190	D = 400	B = 156	Angular contact ball bearing
KOYO	7338DF FY	d = 190	D = 400	B = 156	Angular contact ball bearing
KOYO	7338DT FY	d = 190	D = 400	B = 156	Angular contact ball bearing
FAG	71940-MP	d = 200	D = 280	B = 38	Angular contact ball bearing
FAG	B71940-C-T-P4S-UL	d = 200	D = 280	B = 38	Spindle bearing
FAG	B71940-E-T-P4S-UL	d = 200	D = 280	B = 38	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	HCB71940-E-T-P4S-UL	d = 200	D = 280	B = 38	Spindle bearing
KOYO	7940C FY	d = 200	D = 280	B = 38	Angular contact ball bearing
SKF	71940 ACD/P4A	d = 200	D = 280	B = 38	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71940 ACDGA/P4A	d = 200	D = 280	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71940 ACDGB/HCP4A	d = 200	D = 280	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71940 ACDGB/P4A	d = 200	D = 280	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71940 ACDGC/P4A	d = 200	D = 280	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71940 CD/P4A	d = 200	D = 280	B = 38	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71940 CDGA/P4A	d = 200	D = 280	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71940 CDGB/P4A	d = 200	D = 280	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71940 CDGC/P4A	d = 200	D = 280	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7940CDB FY	d = 200	D = 280	B = 76	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7940CDF FY	d = 200	D = 280	B = 76	Angular contact ball bearing
KOYO	7940CDT FY	d = 200	D = 280	B = 76	Angular contact ball bearing
FAG	7040-B-MP	d = 200	D = 310	B = 51	Angular contact ball bearing
FAG	7040-B-MP-UA	d = 200	D = 310	B = 51	Angular contact ball bearing
FAG	7040-B-MP-UO	d = 200	D = 310	B = 51	Angular contact ball bearing
FAG	7040-MP	d = 200	D = 310	B = 51	Angular contact ball bearing
FAG	7040-MP-UA	d = 200	D = 310	B = 51	Angular contact ball bearing
FAG	B7040-C-T-P4S-UL	d = 200	D = 310	B = 51	Spindle bearing
FAG	B7040-E-T-P4S-UL	d = 200	D = 310	B = 51	Spindle bearing
KOYO	7040 FY	d = 200	D = 310	B = 51	Angular contact ball bearing
KOYO	7040B FY	d = 200	D = 310	B = 51	Angular contact ball bearing
KOYO	7040C FY	d = 200	D = 310	B = 51	Angular contact ball bearing
SKF	7040 ACD/P4A	d = 200	D = 310	B = 51	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7040 ACDGA/P4A	d = 200	D = 310	B = 51	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7040 ACDGB/P4A	d = 200	D = 310	B = 51	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7040 BGM	d = 200	D = 310	B = 51	Single row angular contact ball bearing
SKF	7040 CD/P4A	d = 200	D = 310	B = 51	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7040 CDGA/P4A	d = 200	D = 310	B = 51	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7040BDB FY	d = 200	D = 310	B = 102	Angular contact ball bearing
KOYO	7040BDF FY	d = 200	D = 310	B = 102	Angular contact ball bearing
KOYO	7040BDT FY	d = 200	D = 310	B = 102	Angular contact ball bearing
KOYO	7040CDB FY	d = 200	D = 310	B = 102	Angular contact ball bearing
KOYO	7040CDF FY	d = 200	D = 310	B = 102	Angular contact ball bearing
KOYO	7040CDT FY	d = 200	D = 310	B = 102	Angular contact ball bearing
KOYO	7040DB FY	d = 200	D = 310	B = 102	Angular contact ball bearing
KOYO	7040DF FY	d = 200	D = 310	B = 102	Angular contact ball bearing
KOYO	7040DT FY	d = 200	D = 310	B = 102	Angular contact ball bearing
FAG	7240-B-MP	d = 200	D = 360	B = 58	Angular contact ball bearing
FAG	7240-B-MP-UA	d = 200	D = 360	B = 58	Angular contact ball bearing
FAG	7240-B-MP-UO	d = 200	D = 360	B = 58	Angular contact ball bearing
FAG	B7240-C-T-P4S-UL	d = 200	D = 360	B = 58	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7240 FY	d = 200	D = 360	B = 58	Angular contact ball bearing
KOYO	7240B FY	d = 200	D = 360	B = 58	Angular contact ball bearing
KOYO	7240C FY	d = 200	D = 360	B = 58	Angular contact ball bearing
SKF	7240 BCBM	d = 200	D = 360	B = 58	Single row angular contact ball bearing
KOYO	7240BDB FY	d = 200	D = 360	B = 116	Angular contact ball bearing
KOYO	7240BDF FY	d = 200	D = 360	B = 116	Angular contact ball bearing
KOYO	7240BDT FY	d = 200	D = 360	B = 116	Angular contact ball bearing
KOYO	7240CDB FY	d = 200	D = 360	B = 116	Angular contact ball bearing
KOYO	7240CDF FY	d = 200	D = 360	B = 116	Angular contact ball bearing
KOYO	7240CDT FY	d = 200	D = 360	B = 116	Angular contact ball bearing
KOYO	7240DB FY	d = 200	D = 360	B = 116	Angular contact ball bearing
KOYO	7240DF FY	d = 200	D = 360	B = 116	Angular contact ball bearing
KOYO	7240DT FY	d = 200	D = 360	B = 116	Angular contact ball bearing
FAG	7340-B-MP	d = 200	D = 420	B = 80	Angular contact ball bearing
FAG	7340-B-MP-P5-UL	d = 200	D = 420	B = 80	Angular contact ball bearing
FAG	7340-B-MP-UA	d = 200	D = 420	B = 80	Angular contact ball bearing
FAG	7340-B-MP-UO	d = 200	D = 420	B = 80	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7340 FY	d = 200	D = 420	B = 80	Angular contact ball bearing
KOYO	7340B FY	d = 200	D = 420	B = 80	Angular contact ball bearing
SKF	7340 BCBM	d = 200	D = 420	B = 80	Single row angular contact ball bearing
KOYO	7340BDB FY	d = 200	D = 420	B = 160	Angular contact ball bearing
KOYO	7340BDF FY	d = 200	D = 420	B = 160	Angular contact ball bearing
KOYO	7340BDT FY	d = 200	D = 420	B = 160	Angular contact ball bearing
KOYO	7340DB FY	d = 200	D = 420	B = 160	Angular contact ball bearing
KOYO	7340DF FY	d = 200	D = 420	B = 160	Angular contact ball bearing
KOYO	7340DT FY	d = 200	D = 420	B = 160	Angular contact ball bearing
FAG	71944-MP-UA	d = 220	D = 300	B = 38	Angular contact ball bearing
FAG	B71944-C-T-P4S-UL	d = 220	D = 300	B = 38	Spindle bearing
FAG	B71944-E-T-P4S-UL	d = 220	D = 300	B = 38	Spindle bearing
FAG	HCB71944-E-T-P4S-UL	d = 220	D = 300	B = 38	Spindle bearing
SKF	71944 ACD/P4A	d = 220	D = 300	B = 38	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71944 ACDGA/P4A	d = 220	D = 300	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71944 ACDGA/P4AL	d = 220	D = 300	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71944 ACDGB/P4A	d = 220	D = 300	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71944 ACDGC/P4A	d = 220	D = 300	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71944 CD/P4A	d = 220	D = 300	B = 38	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71944 CDGA/HCP4A	d = 220	D = 300	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71944 CDGA/P4A	d = 220	D = 300	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71944 CDGC/P4A	d = 220	D = 300	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	7044-B-MP	d = 220	D = 340	B = 56	Angular contact ball bearing
FAG	7044-B-MP-UA	d = 220	D = 340	B = 56	Angular contact ball bearing
FAG	7044-MP	d = 220	D = 340	B = 56	Angular contact ball bearing
FAG	7044-MP-UA	d = 220	D = 340	B = 56	Angular contact ball bearing
FAG	B7044-C-T-P4S-UL	d = 220	D = 340	B = 56	Spindle bearing
FAG	B7044-E-T-P4S-UL	d = 220	D = 340	B = 56	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7044 FY	d = 220	D = 340	B = 56	Angular contact ball bearing
KOYO	7044B FY	d = 220	D = 340	B = 56	Angular contact ball bearing
SKF	7044 ACD/P4A	d = 220	D = 340	B = 56	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7044 ACDGA/P4A	d = 220	D = 340	B = 56	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7044 BGM	d = 220	D = 340	B = 56	Single row angular contact ball bearing
SKF	7044 CD/P4A	d = 220	D = 340	B = 56	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7044 CDGA/P4A	d = 220	D = 340	B = 56	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7044BDB FY	d = 220	D = 340	B = 112	Angular contact ball bearing
KOYO	7044BDF FY	d = 220	D = 340	B = 112	Angular contact ball bearing
KOYO	7044DB FY	d = 220	D = 340	B = 112	Angular contact ball bearing
KOYO	7044DF FY	d = 220	D = 340	B = 112	Angular contact ball bearing
FAG	7244-B-MP	d = 220	D = 400	B = 65	Angular contact ball bearing
FAG	7244-B-MP-UA	d = 220	D = 400	B = 65	Angular contact ball bearing
FAG	7244-B-MP-UL	d = 220	D = 400	B = 65	Angular contact ball bearing
FAG	B7244-C-T-P4S-UL	d = 220	D = 400	B = 65	Spindle bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	B7244-E-T-P4S-UL	d = 220	D = 400	B = 65	Spindle bearing
SKF	7244 BCBM	d = 220	D = 400	B = 65	Single row angular contact ball bearing
FAG	7344-B-MP	d = 220	D = 460	B = 88	Angular contact ball bearing
FAG	7344-B-MP-UA	d = 220	D = 460	B = 88	Angular contact ball bearing
SKF	7344 BCBM	d = 220	D = 460	B = 88	Single row angular contact ball bearing
FAG	71848-MP	d = 240	D = 300	B = 28	Angular contact ball bearing
FAG	71848-MP-P5-UL	d = 240	D = 300	B = 28	Angular contact ball bearing
FAG	71948-MP	d = 240	D = 320	B = 38	Angular contact ball bearing
FAG	71948-MP-P5-UA	d = 240	D = 320	B = 38	Angular contact ball bearing
FAG	71948-MP-UA	d = 240	D = 320	B = 38	Angular contact ball bearing
FAG	B71948-C-T-P4S-UL	d = 240	D = 320	B = 38	Spindle bearing
FAG	B71948-E-T-P4S-UL	d = 240	D = 320	B = 38	Spindle bearing
SKF	71948 ACD/P4A	d = 240	D = 320	B = 38	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71948 ACDGA/HCP4A	d = 240	D = 320	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71948 ACDGA/P4A	d = 240	D = 320	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71948 ACDGB/P4A	d = 240	D = 320	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71948 CD/P4A	d = 240	D = 320	B = 38	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71948 CDGA/P4A	d = 240	D = 320	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71948 CDGB/P4A	d = 240	D = 320	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71948 CDGC/P4A	d = 240	D = 320	B = 38	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	7048-B-MP	d = 240	D = 360	B = 56	Angular contact ball bearing
FAG	7048-B-MP-UA	d = 240	D = 360	B = 56	Angular contact ball bearing
FAG	7048-MP	d = 240	D = 360	B = 56	Angular contact ball bearing
FAG	7048-MP-UA	d = 240	D = 360	B = 56	Angular contact ball bearing
FAG	7048-MP-UO	d = 240	D = 360	B = 56	Angular contact ball bearing
FAG	B7048-C-T-P4S-UL	d = 240	D = 360	B = 56	Spindle bearing
FAG	B7048-E-T-P4S-UL	d = 240	D = 360	B = 56	Spindle bearing
KOYO	7048 FY	d = 240	D = 360	B = 56	Angular contact ball bearing
KOYO	7048B FY	d = 240	D = 360	B = 56	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7048 ACD/P4A	d = 240	D = 360	B = 56	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7048 ACDGA/P4A	d = 240	D = 360	B = 56	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	7048 BGM	d = 240	D = 360	B = 56	Single row angular contact ball bearing
SKF	7048 CD/P4A	d = 240	D = 360	B = 56	Super-precision, high-capacity, single row angular contact ball bearing
SKF	7048 CDGA/P4A	d = 240	D = 360	B = 56	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
KOYO	7048BDB FY	d = 240	D = 360	B = 112	Angular contact ball bearing
KOYO	7048BDF FY	d = 240	D = 360	B = 112	Angular contact ball bearing
KOYO	7048DB FY	d = 240	D = 360	B = 112	Angular contact ball bearing
KOYO	7048DF FY	d = 240	D = 360	B = 112	Angular contact ball bearing
FAG	7248-B-MP	d = 240	D = 440	B = 72	Angular contact ball bearing
FAG	7248-B-MP-UA	d = 240	D = 440	B = 72	Angular contact ball bearing
KOYO	7248 FY	d = 240	D = 440	B = 72	Angular contact ball bearing
KOYO	7248B FY	d = 240	D = 440	B = 72	Angular contact ball bearing
SKF	7248 BCBM	d = 240	D = 440	B = 72	Single row angular contact ball bearing
KOYO	7248BDB FY	d = 240	D = 440	B = 144	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7248BDF FY	d = 240	D = 440	B = 144	Angular contact ball bearing
KOYO	7248DB FY	d = 240	D = 440	B = 144	Angular contact ball bearing
KOYO	7248DF FY	d = 240	D = 440	B = 144	Angular contact ball bearing
FAG	7348-B-MP	d = 240	D = 500	B = 95	Angular contact ball bearing
FAG	7348-B-MP-UA	d = 240	D = 500	B = 95	Angular contact ball bearing
SKF	7348 BCBM	d = 240	D = 500	B = 95	Single row angular contact ball bearing
FAG	71852-MP-P5-UL	d = 260	D = 320	B = 28	Angular contact ball bearing
FAG	71852-MP-UA	d = 260	D = 320	B = 28	Angular contact ball bearing
FAG	71952-MP-UA	d = 260	D = 360	B = 46	Angular contact ball bearing
FAG	B71952-C-T-P4S-UL	d = 260	D = 360	B = 46	Spindle bearing
SKF	71952 ACD/P4A	d = 260	D = 360	B = 46	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71952 ACDGA/P4A	d = 260	D = 360	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71952 ACDGA/P4AL	d = 260	D = 360	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing suitable for direct oil-air lubrication
SKF	71952 ACDGB/P4A	d = 260	D = 360	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	71952 CD/P4A	d = 260	D = 360	B = 46	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71952 CDGA/P4A	d = 260	D = 360	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	7052-MP	d = 260	D = 400	B = 65	Angular contact ball bearing
FAG	7052-MP-UA	d = 260	D = 400	B = 65	Angular contact ball bearing
KOYO	7052 FY	d = 260	D = 400	B = 65	Angular contact ball bearing
KOYO	7052B FY	d = 260	D = 400	B = 65	Angular contact ball bearing
SKF	7052 ACD/P4A	d = 260	D = 400	B = 65	Super-precision, high-capacity, single row angular contact ball bearing
KOYO	7052BDB FY	d = 260	D = 400	B = 130	Angular contact ball bearing
KOYO	7052BDF FY	d = 260	D = 400	B = 130	Angular contact ball bearing
KOYO	7052DB FY	d = 260	D = 400	B = 130	Angular contact ball bearing
KOYO	7052DF FY	d = 260	D = 400	B = 130	Angular contact ball bearing
FAG	7252-B-MP	d = 260	D = 480	B = 80	Angular contact ball bearing
FAG	7252-B-MP-UA	d = 260	D = 480	B = 80	Angular contact ball bearing
FAG	7352-B-MP	d = 260	D = 540	B = 102	Angular contact ball bearing
FAG	7352-B-MP-UA	d = 260	D = 540	B = 102	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	71856-MP	d = 280	D = 350	B = 33	Angular contact ball bearing
FAG	71856-MP-P5	d = 280	D = 350	B = 33	Angular contact ball bearing
FAG	71956-MP	d = 280	D = 380	B = 46	Angular contact ball bearing
FAG	71956-MP-P5	d = 280	D = 380	B = 46	Angular contact ball bearing
FAG	71956-MP-P6	d = 280	D = 380	B = 46	Angular contact ball bearing
FAG	71956-MP-UA	d = 280	D = 380	B = 46	Angular contact ball bearing
FAG	B71956-C-T-P4S-UL	d = 280	D = 380	B = 46	Spindle bearing
SKF	71956 ACD/P4A	d = 280	D = 380	B = 46	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71956 ACDGA/P4A	d = 280	D = 380	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
SKF	71956 CD/P4A	d = 280	D = 380	B = 46	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71956 CDGA/P4A	d = 280	D = 380	B = 46	Super-precision, high-capacity, universally matchable single row angular contact ball bearing
FAG	7056-B-MP-UA	d = 280	D = 420	B = 65	Angular contact ball bearing
FAG	7056-B-MP-UO	d = 280	D = 420	B = 65	Angular contact ball bearing
FAG	7056-MP	d = 280	D = 420	B = 65	Angular contact ball bearing
FAG	7056-MP-UA	d = 280	D = 420	B = 65	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7056-MP-UO	d = 280	D = 420	B = 65	Angular contact ball bearing
KOYO	7056 FY	d = 280	D = 420	B = 65	Angular contact ball bearing
KOYO	7056B FY	d = 280	D = 420	B = 65	Angular contact ball bearing
SKF	7056 BGM	d = 280	D = 420	B = 65	Single row angular contact ball bearing
KOYO	7056BDB FY	d = 280	D = 420	B = 130	Angular contact ball bearing
KOYO	7056BDF FY	d = 280	D = 420	B = 130	Angular contact ball bearing
KOYO	7056DB FY	d = 280	D = 420	B = 130	Angular contact ball bearing
KOYO	7056DF FY	d = 280	D = 420	B = 130	Angular contact ball bearing
FAG	7256-B-MP	d = 280	D = 500	B = 80	Angular contact ball bearing
FAG	7256-B-MP-UA	d = 280	D = 500	B = 80	Angular contact ball bearing
SKF	7256 BM	d = 280	D = 500	B = 80	Single row angular contact ball bearing
FAG	7356-B-MP	d = 280	D = 580	B = 108	Angular contact ball bearing
FAG	7356-B-MP-UA	d = 280	D = 580	B = 108	Angular contact ball bearing
FAG	70860-MP	d = 300	D = 380	B = 25	Angular contact ball bearing
FAG	71860-MP	d = 300	D = 380	B = 38	Angular contact ball bearing
FAG	71860-MPA-P5-UL	d = 300	D = 380	B = 38	Angular contact ball bearing
FAG	71960-MP	d = 300	D = 420	B = 56	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	71960-MP-P5	d = 300	D = 420	B = 56	Angular contact ball bearing
FAG	B71960-C-T-P4S-UL	d = 300	D = 420	B = 56	Spindle bearing
SKF	71960 ACDMA/P4A	d = 300	D = 420	B = 56	Super-precision, high-capacity, single row angular contact ball bearing
SKF	71960 CDMA/P4A	d = 300	D = 420	B = 56	Super-precision, high-capacity, single row angular contact ball bearing
FAG	7060-B-MP-P5-UL	d = 300	D = 460	B = 74	Angular contact ball bearing
FAG	7060-B-MP-UA	d = 300	D = 460	B = 74	Angular contact ball bearing
FAG	7060-MP	d = 300	D = 460	B = 74	Angular contact ball bearing
FAG	7060-MP-P5	d = 300	D = 460	B = 74	Angular contact ball bearing
FAG	7060-MP-UA	d = 300	D = 460	B = 74	Angular contact ball bearing
FAG	7060-MP-UO	d = 300	D = 460	B = 74	Angular contact ball bearing
KOYO	7060 FY	d = 300	D = 460	B = 74	Angular contact ball bearing
KOYO	7060B FY	d = 300	D = 460	B = 74	Angular contact ball bearing
SKF	7060 BGM	d = 300	D = 460	B = 74	Single row angular contact ball bearing
KOYO	7060BDB FY	d = 300	D = 460	B = 148	Angular contact ball bearing
KOYO	7060BDF FY	d = 300	D = 460	B = 148	Angular contact ball bearing
KOYO	7060DB FY	d = 300	D = 460	B = 148	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7060DF FY	d = 300	D = 460	B = 148	Angular contact ball bearing
FAG	7260-B-MP	d = 300	D = 540	B = 85	Angular contact ball bearing
FAG	7260-B-MP-UA	d = 300	D = 540	B = 85	Angular contact ball bearing
SKF	7260 BCBM	d = 300	D = 540	B = 85	Single row angular contact ball bearing
FAG	7360-B-MP	d = 300	D = 620	B = 109	Angular contact ball bearing
FAG	71864-MP	d = 320	D = 400	B = 38	Angular contact ball bearing
FAG	71864-MP-P5-UL	d = 320	D = 400	B = 38	Angular contact ball bearing
FAG	71964-MP	d = 320	D = 440	B = 56	Angular contact ball bearing
FAG	71964-MP-P6	d = 320	D = 440	B = 56	Angular contact ball bearing
FAG	7064-MP	d = 320	D = 480	B = 74	Angular contact ball bearing
FAG	7064-MP-UA	d = 320	D = 480	B = 74	Angular contact ball bearing
KOYO	7064 FY	d = 320	D = 480	B = 74	Angular contact ball bearing
KOYO	7064B FY	d = 320	D = 480	B = 74	Angular contact ball bearing
KOYO	7064BDB FY	d = 320	D = 480	B = 148	Angular contact ball bearing
KOYO	7064BDF FY	d = 320	D = 480	B = 148	Angular contact ball bearing
KOYO	7064DB FY	d = 320	D = 480	B = 148	Angular contact ball bearing
KOYO	7064DF FY	d = 320	D = 480	B = 148	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	7264-B-MP-UA	d = 320	D = 580	B = 92	Angular contact ball bearing
SKF	7264 BCBM	d = 320	D = 580	B = 92	Single row angular contact ball bearing
FAG	71868-MP-P5	d = 340	D = 420	B = 38	Angular contact ball bearing
FAG	71868-MP-P5-UL	d = 340	D = 420	B = 38	Angular contact ball bearing
FAG	71868-MP-P6	d = 340	D = 420	B = 38	Angular contact ball bearing
FAG	71968-MP-P6	d = 340	D = 460	B = 56	Angular contact ball bearing
FAG	71968-MP-UA	d = 340	D = 460	B = 56	Angular contact ball bearing
SKF	71968 CDMA/P4A	d = 340	D = 460	B = 56	Super-precision, high-capacity, single row angular contact ball bearing
FAG	7068-MP	d = 340	D = 520	B = 82	Angular contact ball bearing
FAG	7068-MP-P5-UO	d = 340	D = 520	B = 82	Angular contact ball bearing
FAG	7068-MP-UA	d = 340	D = 520	B = 82	Angular contact ball bearing
KOYO	7068 FY	d = 340	D = 520	B = 82	Angular contact ball bearing
KOYO	7068B FY	d = 340	D = 520	B = 82	Angular contact ball bearing
SKF	7068 BGM	d = 340	D = 520	B = 82	Single row angular contact ball bearing
KOYO	7068BDB FY	d = 340	D = 520	B = 164	Angular contact ball bearing
KOYO	7068BDF FY	d = 340	D = 520	B = 164	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7068DB FY	d = 340	D = 520	B = 164	Angular contact ball bearing
KOYO	7068DF FY	d = 340	D = 520	B = 164	Angular contact ball bearing
FAG	7268-B-MP	d = 340	D = 620	B = 92	Angular contact ball bearing
FAG	7268-B-MP-UA	d = 340	D = 620	B = 92	Angular contact ball bearing
FAG	71872-MP	d = 360	D = 440	B = 38	Angular contact ball bearing
FAG	71872-MP-P5-UL	d = 360	D = 440	B = 38	Angular contact ball bearing
FAG	71972-MP	d = 360	D = 480	B = 56	Angular contact ball bearing
FAG	71972-MP-P5	d = 360	D = 480	B = 56	Angular contact ball bearing
FAG	71972-MP-P6	d = 360	D = 480	B = 56	Angular contact ball bearing
SKF	71972 ACMB	d = 360	D = 480	B = 56	Single row angular contact ball bearing
SKF	71972 CDMA/P4A	d = 360	D = 480	B = 56	Super-precision, high-capacity, single row angular contact ball bearing
FAG	7072-B-MP-UA	d = 360	D = 540	B = 82	Angular contact ball bearing
FAG	7072-MP	d = 360	D = 540	B = 82	Angular contact ball bearing
FAG	7072-MP-UA	d = 360	D = 540	B = 82	Angular contact ball bearing
KOYO	7072 FY	d = 360	D = 540	B = 82	Angular contact ball bearing
KOYO	7072B FY	d = 360	D = 540	B = 82	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	7072 BGM	d = 360	D = 540	B = 82	Single row angular contact ball bearing
KOYO	7072BDB FY	d = 360	D = 540	B = 164	Angular contact ball bearing
KOYO	7072BDF FY	d = 360	D = 540	B = 164	Angular contact ball bearing
KOYO	7072DB FY	d = 360	D = 540	B = 164	Angular contact ball bearing
KOYO	7072DF FY	d = 360	D = 540	B = 164	Angular contact ball bearing
FAG	70876-MP	d = 380	D = 480	B = 31	Angular contact ball bearing
SKF	70876 AMB	d = 380	D = 480	B = 31	Single row angular contact ball bearing
FAG	71876-MP	d = 380	D = 480	B = 46	Angular contact ball bearing
FAG	71876-MP-P5-UL	d = 380	D = 480	B = 46	Angular contact ball bearing
FAG	71876-MP-P6	d = 380	D = 480	B = 46	Angular contact ball bearing
SKF	71876 ACGAMB	d = 380	D = 480	B = 46	Single row angular contact ball bearing
FAG	71976-MP	d = 380	D = 520	B = 65	Angular contact ball bearing
FAG	71976-MP-P5-UL	d = 380	D = 520	B = 65	Angular contact ball bearing
SKF	71976 ACGAMB	d = 380	D = 520	B = 65	Single row angular contact ball bearing
KOYO	7076 FY	d = 380	D = 560	B = 82	Angular contact ball bearing
KOYO	7076B FY	d = 380	D = 560	B = 82	Angular contact ball bearing
KOYO	7076BDB FY	d = 380	D = 560	B = 164	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
KOYO	7076BDF FY	d = 380	D = 560	B = 164	Angular contact ball bearing
KOYO	7076DB FY	d = 380	D = 560	B = 164	Angular contact ball bearing
KOYO	7076DF FY	d = 380	D = 560	B = 164	Angular contact ball bearing
FAG	71880-MP	d = 400	D = 500	B = 46	Angular contact ball bearing
FAG	71980-MP	d = 400	D = 540	B = 65	Angular contact ball bearing
FAG	71980-MP-UA	d = 400	D = 540	B = 65	Angular contact ball bearing
SKF	71980 AM	d = 400	D = 540	B = 65	Single row angular contact ball bearing
FAG	7080-MP	d = 400	D = 600	B = 90	Angular contact ball bearing
FAG	71884-MP	d = 420	D = 520	B = 46	Angular contact ball bearing
FAG	71984-MP	d = 420	D = 560	B = 65	Angular contact ball bearing
FAG	7084-MP	d = 420	D = 620	B = 90	Angular contact ball bearing
FAG	7084-MP-UA	d = 420	D = 620	B = 90	Angular contact ball bearing
SKF	7084 BGM	d = 420	D = 620	B = 90	Single row angular contact ball bearing
FAG	71888-MP	d = 440	D = 540	B = 46	Angular contact ball bearing
FAG	71888-MP-P5	d = 440	D = 540	B = 46	Angular contact ball bearing
FAG	71888-MP-P5-UL	d = 440	D = 540	B = 46	Angular contact ball bearing
FAG	71988-MP	d = 440	D = 600	B = 74	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	71988-MP-P5-UL	d = 440	D = 600	B = 74	Angular contact ball bearing
FAG	71988-MPA-P5	d = 440	D = 600	B = 74	Angular contact ball bearing
SKF	71988 ACMB	d = 440	D = 600	B = 74	Single row angular contact ball bearing
SKF	70892 AM	d = 460	D = 580	B = 37	Single row angular contact ball bearing
FAG	71892-MP	d = 460	D = 580	B = 56	Angular contact ball bearing
FAG	71892-MP-P5	d = 460	D = 580	B = 56	Angular contact ball bearing
FAG	71892-MP-UA	d = 460	D = 580	B = 56	Angular contact ball bearing
SKF	71892 AGMB	d = 460	D = 580	B = 56	Single row angular contact ball bearing
FAG	71992-MP	d = 460	D = 620	B = 74	Angular contact ball bearing
FAG	7092-MP-P5	d = 460	D = 680	B = 100	Angular contact ball bearing
SKF	7092 AM	d = 460	D = 680	B = 100	Single row angular contact ball bearing
FAG	71896-MP	d = 480	D = 600	B = 56	Angular contact ball bearing
FAG	708/500-MP	d = 500	D = 620	B = 37	Angular contact ball bearing
SKF	708/500 AMB	d = 500	D = 620	B = 37	Single row angular contact ball bearing
FAG	718/500-MP	d = 500	D = 620	B = 56	Angular contact ball bearing
FAG	718/500-MP-P5	d = 500	D = 620	B = 56	Angular contact ball bearing
SKF	718/500 AGMB	d = 500	D = 620	B = 56	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	719/500-MP	d = 500	D = 670	B = 78	Angular contact ball bearing
FAG	719/500-MP-P5-UO	d = 500	D = 670	B = 78	Angular contact ball bearing
FAG	719/500-MP-UA	d = 500	D = 670	B = 78	Angular contact ball bearing
SKF	719/500 AGMB	d = 500	D = 670	B = 78	Single row angular contact ball bearing
SKF	70/500 BM	d = 500	D = 720	B = 100	Single row angular contact ball bearing
FAG	718/530-MP-P5	d = 530	D = 650	B = 56	Angular contact ball bearing
FAG	719/530-MP-P5-UO	d = 530	D = 710	B = 82	Angular contact ball bearing
SKF	719/530 ACM	d = 530	D = 710	B = 82	Single row angular contact ball bearing
FAG	70/530-MPB	d = 530	D = 780	B = 112	Angular contact ball bearing
FAG	708/560-MP	d = 560	D = 680	B = 37	Angular contact ball bearing
FAG	718/560-MP	d = 560	D = 680	B = 56	Angular contact ball bearing
FAG	718/560-MP-P5	d = 560	D = 680	B = 56	Angular contact ball bearing
FAG	718/560-MP-P5-UA	d = 560	D = 680	B = 56	Angular contact ball bearing
FAG	719/560-MP-P5-UL	d = 560	D = 750	B = 85	Angular contact ball bearing
FAG	719/560-MP-P6	d = 560	D = 750	B = 85	Angular contact ball bearing
SKF	719/560 AMB	d = 560	D = 750	B = 85	Single row angular contact ball bearing
FAG	708/600-MP	d = 600	D = 730	B = 42	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	708/600 AGMB	d = 600	D = 730	B = 42	Single row angular contact ball bearing
FAG	718/600-MP	d = 600	D = 730	B = 60	Angular contact ball bearing
FAG	718/600-MP-P5	d = 600	D = 730	B = 60	Angular contact ball bearing
FAG	709/600-MP-P5-UO	d = 600	D = 800	B = 63	Angular contact ball bearing
FAG	718/630-MPB	d = 630	D = 780	B = 69	Angular contact ball bearing
FAG	708/670-MPB	d = 670	D = 820	B = 48	Angular contact ball bearing
FAG	718/670-MPB	d = 670	D = 820	B = 69	Angular contact ball bearing
FAG	718/670-MPB-P5	d = 670	D = 820	B = 69	Angular contact ball bearing
FAG	718/670-MPB-P5-UL	d = 670	D = 820	B = 69	Angular contact ball bearing
FAG	708/710-MPB	d = 710	D = 870	B = 50	Angular contact ball bearing
FAG	718/710-MPB	d = 710	D = 870	B = 74	Angular contact ball bearing
FAG	718/710-MPB-P5	d = 710	D = 870	B = 74	Angular contact ball bearing
SKF	718/710 AMB	d = 710	D = 870	B = 74	Single row angular contact ball bearing
FAG	708/750-MPB	d = 750	D = 920	B = 54	Angular contact ball bearing
FAG	718/750-MPB	d = 750	D = 920	B = 78	Angular contact ball bearing
FAG	718/750-MPB-P5-UL	d = 750	D = 920	B = 78	Angular contact ball bearing
SKF	718/750 AGMB	d = 750	D = 920	B = 78	Single row angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
SKF	BA1B 311576	d = 762	D = 889	B = 63.5	Single row angular contact ball bearing
FAG	708/800-MPB	d = 800	D = 980	B = 57	Angular contact ball bearing
FAG	718/800-MPB	d = 800	D = 980	B = 82	Angular contact ball bearing
FAG	719/800-MPB	d = 800	D = 1060	B = 115	Angular contact ball bearing
FAG	719/800-MPB-P5	d = 800	D = 1060	B = 115	Angular contact ball bearing
FAG	708/850-MPB	d = 850	D = 1030	B = 57	Angular contact ball bearing
FAG	718/850-MPB	d = 850	D = 1030	B = 82	Angular contact ball bearing
SKF	718/850 AMB	d = 850	D = 1030	B = 82	Single row angular contact ball bearing
FAG	719/850-MPB	d = 850	D = 1120	B = 118	Angular contact ball bearing
FAG	708/900-MPB	d = 900	D = 1090	B = 60	Angular contact ball bearing
FAG	718/900-MPB	d = 900	D = 1090	B = 85	Angular contact ball bearing
FAG	718/950-MPB	d = 950	D = 1150	B = 90	Angular contact ball bearing
FAG	718/1000-MPB	d = 1000	D = 1220	B = 100	Angular contact ball bearing
SKF	718/1000 AMB	d = 1000	D = 1220	B = 100	Single row angular contact ball bearing
FAG	708/1060-MPB	d = 1060	D = 1280	B = 71	Angular contact ball bearing
FAG	718/1060-MPB	d = 1060	D = 1280	B = 100	Angular contact ball bearing
FAG	718/1120-MPB	d = 1120	D = 1360	B = 106	Angular contact ball bearing

Angular contact ball bearings

Angular contact ball bearings

d is the recorded bore; D is the recorded outside diameter. B is a ring/bearing width. Preserve any other axial symbol exactly as printed.

Brand	Complete designation	Inside (mm)	Outside (mm)	Axial (mm)	Recorded construction / configuration
FAG	719/1180-MPB-P5	d = 1180	D = 1540	B = 160	Angular contact ball bearing
FAG	708/1250-MPB	d = 1250	D = 1500	B = 80	Angular contact ball bearing
FAG	718/1400-MPB	d = 1400	D = 1700	B = 132	Angular contact ball bearing
FAG	718/1400-MPB-P5-UL	d = 1400	D = 1700	B = 132	Angular contact ball bearing
FAG	719/1400-MPB	d = 1400	D = 1820	B = 185	Angular contact ball bearing
FAG	718/1500-MPB	d = 1500	D = 1820	B = 140	Angular contact ball bearing